ISSN 0300 - 9246

Journal of The Chemical Society

Dalton Transactions

A Journal of Inorganic Chemistry

including bioinorganic, organometallic, and solid-state chemistry, and chemically significant spectroscopy

Indexes 1982

JOURNAL
OF
THE CHEMICAL SOCIETY

DALTON TRANSACTIONS
Inorganic Chemistry

LONDON: THE ROYAL SOCIETY OF CHEMISTRY
1982

COPYRIGHT RESERVED

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

AUTHOR INDEX, 1982

Abel, Edward W., 583–92, 2065–72, 2073–8
Acott, Stephen R., 1575–85
Adams, Harry, 493–503, 1521–6
Ahmad, Munir M., 1065–8
Ahmad, Shaista, 1371–6
Aime, Silvo, 1625–9
Ainscough, Eric W., 815–19
Ajo, David, 2047–9
Albano, Vincenzo G., 645–9
Albers, Michel O., 1069–79, 1389–91
Albertin, Gabriele, 2561–2
Alcock, Nathaniel W., 25–31, 33–6, 207–10, 251–5, 337–43, 541–8, 709–12, 869–73, 1421–8 2243–55, 2415–18
Aldridge, Mark L., 1333–40
Allen, David W., 51–4
Allen, Geoffrey C., 2169–73
Al–Obaidi, Yassin N., 319–26
Al–Shatti, Najat, 927–30
Andersen, Richard A., 887–92
Anderson, David M., 2343–51
Andrews, Geoffrey T., 2353–8
Annibale, Giuliano, 1–7, 1587–91
Ansell, Christopher W. G., 1593–601, 2127–9, 2557–9
Ansell, Cristopher W. G., 2113–16
Antolini, Luciano, 2109–12, 2541–3
Aoki, Katsuyuki, 89–94
Arce, Alejandro J., 1155–7
Armstrong, Robert S., 1655–64
Arnold, Alan P., 607–13
Asano, Masao, 1907–10
Ashford, Paul K., 477–9
Astheimer, Harald, 2433–8
Atherton, Neil M., 2289–90
Atkins, Martin P., 337–43
Atton, Jennifer G., 1491–8
Atwood, Jerry L., 2461–8
Averbuch–Pouchot, Marie Therese, 221–3
Baalmann, Hillrich H., 2337–42
Backer–Dirks, J. D. Julius, 787–91, 1205–11, 1625–9
Bagnall, Kenneth W., 19–23, 1361–4, 1365–9, 1999–2007
Bailey, Neil A., 429–38, 493–503 951–65, 1521–6
Bailey, Pamela M., 73–7, 999–1004, 1341–7
Baker, Paul K., 471–5, 477–9
Balahura, Robert J., 747–50
Baldas, John, 451–5
Balk, Roelof W., 275–82
Bandoli, Giuliano, 1381–4, 1715–28, 2455–9
Bandyopadhyay, Pinaki, 675–9
Banister, Arthur J., 221–3
Barbe, Jean Michel, 247–50, 1451–6
Barili, Pier Luigi, 1019–22
Barker, Geoffrey K., 1679–86
Barlow, Michael T., 597–602
Barrow, Michael J., 211–16, 1131–6
Basak, Arup K., 1819–23
Bashkin, Jim, 2485–94, 2519–25
Basra, Tejpal S., 1939–43
Battaglia, Luigi Pietro, 781–5
Baumgartner, Erwin, 1649–54
Bayon, Joan Carles, 487–92
Beardwood, Peter, 2015–20
Beattie, Ian R., 505–10
Beattie, James K., 1655–64
Beck, Jane A., 195–200
Beck, Mihaly T., 573–6, 1687–9
Beddoes, Roy L., 1361–4
Bell, Linda K., 673–4
Bellachioma, Gianfranco, 847–50
Bellon, Pier Luigi, 1671–7
Belluco, Umberto, 2303–8
Bembi, Ramesh, 2131–6
Benetollo, Franco, 19–23
Berry, John A., 1385–8
Berry, Kevin J., 109–16
Bertani, Roberta, 1715–28
Berthon, Guy, 1803–8
Best, Stephen P., 1655–64
Bevan, Peter C., 821–4
Bhaduri, Sumit, 445–50, 727–32
Bhagwat, Urmila A., 1899–902
Bhargava, Suresh K., 583–92, 2065–72, 2073–8
Bhattacharjee, Manabendra N., 669–70
Bhattacharya, Pabitra K., 353–7 359–62
Bhatti, Maqbool M., 2065–72
Bianchini, Claudio, 799–804
Bigoli, Francesco, 1411–16, 1965–70
Billing, David E., 1439–41
Birchall, Thomas, 2313–16
Bird, Christopher, 517–21, 1109–15
Birdy, Roshun B., 1429–32
Birker, Paul J. M. W. L., 623–31 1191–8
Biswas, Amal Kumar, 911–13
Blackburn, Ninian J., 9–13
Blais, Marie Jose, 1803–8
Blake, Alexander J., 2379–83
Blesa, Miguel A., 1649–54, 2147–50
Boileau, Alison M., 187–93
Bombieri, Gabriella, 19–23
Bonamartini Corradi, Anna, 781–5
Bonnet, Jean Jacques, 2433–8
Bonnyman, John, 451–5
Bonomo, Raffaele P., 681–5
Boocock, Simon K., 713–19
Boorman, P. Michael, 1401–5
Booth, Brian L., 37–41, 417–21, 511–15, 517–21, 523–9, 535–40 671–2, 1109–15
Boschi, Tristano, 1715–28
Bottomley, Frank, 1933–7
Bougon, Roland, 1635–6
Bould, Jonathan, 481–3, 713–19
Bowmaker, Graham A., 1873–6
Braga, Dario, 645–9
Bratt, Stephen W., 991–7
Bresciani–Pahor, Nevenka, 129–34, 567–72, 681–5, 1009–11, 1559–63, 2549–51
Briggs, John R., 457–63, 1225–30
Briggs, T. Nigel, 1521–6
Brint, Paul, 201–6, 2469–73
Brittain, Harry G., 2059–64
Broadhurst, Peter V., 1641–4, 1881–4
Broadley, Karen, 471–5
Brodie, Andrew M., 815–19
Brouwers, Anja M. F., 397–406, 1777–82
Brown, Charles Eric, 2371–7
Brown, David, 25–31, 33–6, 869–73, 1385–8, 1999–2007
Brown, Michael P., 299–305
Brown, Paul L., 1911–14
Brown, Simon C., 1049–54
Bruce, Michael I., 687–92, 2203–7, 2209–20, 2221–6, 2227–9
Brunner, Henri, 1527–9
Buckingham, Malcolm J., 1167–8
Burgess, Kevin, 263–9, 2085–92, 2119–22
Burke, Laurence D., 1091–7
Burt, R. J., 2295–8
Busetto, Luigi, 1631–4
Calderazzo, Fausto, 1665–70, 1993–7, 2257–60
Calhorda, Maria J., 2327–30
Calligaris, Mario, 1009–11, 2549–51
Canestrari, Massimo, 1789–93
Canty, Allan J., 15–18, 607–13, 1795–802
Cardaci, Guiseppe, 847–50
Cardinal, Guy, 765–79
Carlton, Laurence, 1483–9
Carnieri, Nilton, 931–8, 1231–8
Cartier, Alain, 1451–6
Casarin, Maurizio, 2047–9
Casellato, Umberto, 805–8, 1949–52
Castro, Alicia, 733–6
Cattalini, Lucio, 1–7
Ceriotti, Alessandro, 1671–7
Chadha, Raj K., 117–20
Chakravarty, Akhil Ranjan, 615–22, 1765–71
Chakravorty, Animesh, 615–22, 675–9, 1765–71
Chang, Chau Ting, 2539–40
Chappell, S. David, 1867–71
Chatt, Joseph, 345–52, 1041–7
Chatt, Jospeh, 821–4
Chaudhuri, Mihir K., 669–70
Chauveau, F., 2439–43
Che, Chi–Ming, 531–4, 1457–63
Chetcuti, Michael J., 699–708, 1749–55, 1757–64
Chetcuti, Peter A. M., 699–708
Chiesi Villa, Angiola, 2449–53
Chini, Paolo, 645–9
Choudhury, Dibakar, 1143–6, 1885–93
Christou, George, 1575–85
Chung, Chung Sun, 2565–6
Chung, M. F. H. Y. J., 2113–16
Ciani, Gianfranco, 645–9, 1099–102
Cingi, Marina Biagini, 1965–70
Cingi, Marina Biangini, 1411–16
Cinquantini, Arnaldo, 893–7
Clark, Robin J. H., 1371–6, 1851–60, 2237–42, 2505–13, 2515–18
Clegg, William, 593–5, 2117–18
Clemente, Dore A., 1381–4, 2455–9
Cohen, Haim, 943–50
Cole–Hamilton, David J., 1143–6, 1867–71, 1885–93
Collison, David, 1565–74, 1575–85
Colquhoun, Howard M., 1521–6 2243–55
Colquhoun, Ian J., 1915–21, 2353–8
Connelly, Neil G., 471–5, 477–9
Connor, Joseph A., 2397–402
Constable, Anthony G., 1225–30
Cooper, Mervyn K., 757–64
Cooper, Susan J., 299–305
Costa, Giacomo, 1285–9
Costa, Newton C. V., 201–6
Coville, Neil J., 1069–79, 1389–91
Cragg, R. Harry, 907–9
Crichton, Brian A. L., 1041–7
Crociani, Bruno, 1715–28, 2303–8
Crocker, Christopher, 387–95, 457–63, 1217–24
Croft, Rex A., 1023–7
Cross, Ronald J., 2261–4
Csanyi, Laszlo J., 237–45, 859–63
Cusack, Paul A., 439–44
Cusumano, Matteo, 2445–8
Dadd, Andrew T., 2175–9
Dahlstrom, Phillip, 1041–7
Dain, C. John, 597–602
Daramola, Gboyega, 2137–40
Davis, Reg, 2281–7
Dawson, Peter A., 233–5
Day, Kamalendu, 911–13
Day, Peter, 1081–4
Deeming, Anthony J., 1205–11
Deeming, Antony J., 787–91, 899–906, 1155–7, 1625–9, 2563–4
Del Carmen Barral, Maria, 2495–8
Dell'Amico, Daniela Belli, 2257–60
Dell'Amico, Giancarlo, 2197–202
Della Pergola, Roberto, 2553–5
Demartin, Francesco, 1671–7
Denning, Robert G., 1691–7
De Ojeda, Mirna Rosa, 1513–19
De Ruiter, Barteld, 1773–6, 2337–42
Desmond, Timothy J., 1981–5
Dey, Kamalendu, 2385–8
Dhathathreyan, K. S., 1549–54
Dhathathreyan, Kaveripatnam S., 2151–7
Dias, Alberto R., 2327–30
Dillon, Keith B., 465–9, 1199–204
Dilworth, J. R., 2295–8
Dilworth, Jonathan R., 821–4, 1041–7
Dimitrijevic, Nada M., 1953–7
Dines, Trevor J., 2237–42
Di Vaira, Massimo, 1147–54
Donaldson, John D., 439–44
Doppelt, P., 2439–43
Dove, Michael F. A., 1527–9

Downs, Anthony J., 597–602
Drew, Michael G. B., 407–15, 1729–32, 1837–43
Duatti, Adriano, 1949–52
Ducourant, Bernard, 2313–16
Dudley, Richard, 1439–41
Duffy, D. Neil, 1023–7, 1029–34
Durif, Andre, 221–3
Durrant, James A., 221–3
Dyke, Andrew F., 1297–307
Ebsworth, E. A. V., 1131–6, 1513–19, 2343–51
Ebsworth E. A. V., 211–16
Ecott, Lynda, 747–50
Efraty, Avi, 1013–15
Eguchi, Taro, 1159–64
Eichbichler, Johann, 667–8
Einaga, Hisahiko, 1377–9
Eisenstadt, Amihai, 1013–15
Elgy, Christine N., 1617–20
Elias, Horst, 577–82
Ellis, John, 1911–14
Empsall, H. David, 1217–24
Emsley, John, 809–13, 1179–84, 2527–31
Enwiya, Bella Y., 2231–6
Errington, R. John, 387–95, 1217–24, 1829–35
Esho, Ferida, 1837–43
Esho, Ferida S., 407–15
Espinet, Pablo, 2389–95
Ettorre, Renato, 805–8
Evans, Dennis F., 1929–32
Evans, John, 1049–54, 1123–9
Fabbrizzi, Luigi, 61–5, 893–7
Fail, John, 2519–25
Fakley, Martin E., 345–52
Farkas, Etelka, 381–6, 2159–63
Farrar, David H., 1395–400, 2051–8
Fawcett, John, 1355–60
Fenton, David E., 327–35
Ferguson, George, 747–50, 1291–6, 1531–9, 1699–708, 1981–5
Fernandez, Eduardo, 1971–6
Ferris, Lindsay T. H., 2237–42
Fild, Manfred, 2079–83
Finch, Arthur, 915–16
Finnimore, Stephen R., 1783–8
Fischer, R. Dieter, 1999–2007
Fitzgerald, William, 1117–21
Fitzgerald, Willie, 1439–41
Flood, Andrew, 1109–15
Floriani, Carlo, 2197–202
Foley, Judy, 1117–21, 1439–41
Fornies, Juan, 2389–95
Fourcade, Robert, 2313–16
Fox, Arnold, 1275–83
Freiberg, Mira, 1137–41
Frew, Aileen A., 299–305
Froehn, Uwe, 577–82
Frolow, Felix, 1013–15
Froncisz, Wojciech, 2371–7
Fujiwara, Terufumi, 1174
Fumagalli, Alessandro, 2265–7, 2553–5
Furlani, Anita, 2449–53
Gaffney, Christine, 1055–60, 1061–3
Galas, Anita M. R., 1867–71, 2505–13
Galbacs, Zoltan M., 237–45, 859–63
Garcia, Maria P., 1679–86
Garlaschelli, Luigi, 2265–7
Garner, C. David, 1575–85
Garnier–Suillerot, Arlette, 103–8
Geary, William J., 1103–7
Gergely, Arthur, 381–6, 2159–63
Giannetto, Antonino, 2445–8
Gibbon, Peter J., 2289–90
Gibson, John F., 2015–20
Giegerich, Gabriele, 577–82
Gill, Stephen, 493–503
Gillard, Robert D., 1165–6
Gillespie, Ronald J., 765–79
Glockling, Frank, 2191–5
Goddard, Richard, 147–58
Goggin, Peter L., 875–82
Golding, Bernard T., 337–43
Gomes da Costa, Rute, 2327–30
Gonzalez–Duarte, Pilar, 487–92
Goodfellow, Robin J., 1499–502
Goodgame, Margaret, 1429–32
Goodwin, Hilary J., 757–64
Gopalakrishnan, K., 353–7
Gorter, Syb, 1191–8
Gosselink, Johan W., 397–406
Goto, Masaru, 2499–503
Goulon, Jose, 1451–6
Gowda, N. M. Nanje, 2191–5
Gracey, Benjamin P., 1123–9
Granozzi, Gaetano, 2047–9
Graziani, Rodolfo, 805–8, 1949–52
Green, Jennifer C., 887–92
Green, Malcolm L. H., 1789–93, 2485–94, 2495–8, 2519–25
Green, Michael, 319–26, 1309–19 1321–6, 1327–31, 1333–40, 1679–86, 2475–83
Greenwood, Norman N., 481–3, 713–19
Griffiths, Malcolm, 159–65
Grim, Samuel O., 2353–8
Groves, Ian F., 2281–7
Guastini, Carlo, 2449–53
Guerchais, Jacques E., 283–9, 633–8
Guerney, Philip J., 757–64
Guglielmo, Giovanni, 2445–8
Guilard, Roger, 247–50, 1451–6
Gulliver, David J., 1895–8
Gupta, Abhay Kumar, 1845–9
Gupta, Krishna Swarup, 1845–9
Gupta, Yugul K., 549–53
Gupta, Yugul Kishore, 1845–9
Haase, Wolfgang, 2433–8
Hackett, Paul, 603–5, 939–42, 1247–51, 1253–9
Halfpenny, Joan, 221–3
Hall, Francis M., 915–16
Hall, Sydney R., 639–43, 2209–20
Handyside, Timothy M., 2331–6
Haran, Gerald, 2243–55
Harriman, Anthony, 931–8, 1231–8
Harrison, Philip G., 1055–60, 1061–3
Harrison, W. David, 251–5, 709–12, 1421–8
Hartman, J. Stephen, 1275–83
Hasso, Sundus, 899–906
Haszeldine, Robert N., 37–41, 511–15, 517–21, 523–9, 671–2, 1109–15
Hathaway, Brian, 143–6, 1117–21
Hathaway, Brian J., 1439–41
Hawkes, Geoffrey E., 1167–8
Hay, Robert W., 1531–9, 1819–23, 2131–6
Hayashi, Katsushige, 1377–9
Head, Robert A., 1637–9
Healy, James F., 1091–7
Healy, Peter C., 1795–802
Heath, Graham A., 2429–32
Heaton, Brian T., 1159–64, 1499–502, 1671–7, 2265–7, 2553–5
Henderson, Richard A., 821–4, 917–25
Hendriks, Hugo M. J., 623–31
Henrick, Kim, 225–7, 899–906
Herberhold, Max, 1261–73
Heyward, Malcolm P., 2185–9
Hidaka, Jinsai, 1377–9
Hidalgo, Margarita del V., 1555–8
Hider, Robert C., 1433–8
Hill, Sally E., 217–19
Hill, William E., 833–9, 841–3
Hitam, Ramli B., 1261–73
Hitchcock, Peter B., 79–87, 345–52
Hoffman, David M., 1471–82
Hoffman, Greg A., 1159–64
Hoffmann, Roald, 1471–82
Holloway, Clive E., 95–101
Holloway, John H., 1355–60, 1385–8, 1635–6
Holmes, Robert G. G., 523–9, 671–2
Holmes–Smith, Rupert D., 2461–8
Hooker, Richard H., 2029–36
Horvath, Laszlo, 859–63
Howard, Joseph, 967–75, 977–84
Howard, Judith A. K., 1327–31, 1333–40, 1757–64
Howarth, Oliver W., 541–8
Howell, James A. S., 43–50, 2533–7
Howlin, Brendan, 1433–8
Hubberstey, Peter, 2175–9
Hughes, David L., 1239–45
Hughes, Martin N., 2181–3
Humphries, Robyn E., 1275–83
Hunter, William E., 2461–8
Huntley, Christopher M., 1131–6
Hursthouse, Michael B., 307–12, 663–5, 787–91, 1205–11, 1625–9, 1867–71, 2065–72, 2505–13
Hussain, M. Sakhawat, 751–5, 2545–7
Hussein, Mohammed A., 1645–8
Hutton, Alan T., 2299–301
Hyde, Eileen M., 1217–24
Indrayan, Akshya K., 549–53
Ironside, Charles N., 1691–7
Irving, Harry M. N. H., 2299–301
Isab, Anvarhusein A., 135–41
Iskander, George M., 1645–8
Ismail, Ismail M., 1167–8
Iwamura, Hiizu, 257–61
Jackson, Peter F., 1395–400, 2099–107
Jameson, Reginald F., 9–13
Jaouen, Gerard, 1247–51, 2533–7
Jeffery, John C., 699–708, 2475–83
Jeffrey, John C., 1733–9, 1741–7
Jeliazkowa, Bojana G., 1185–9
Jenden, Charles M., 2409–14
Jensen, Hans Peter, 2567–8
Jeragh, Bakir, 1531–9
Jerez, Antonio, 733–6
Jimenez, Reyes, 2495–8
Johnson, Brian F. G., 233–5, 263–9, 603–5, 939–42, 1247–51 1253–9, 1395–400, 1641–4, 1881–4, 2051–8, 2085–92, 2099–107, 2119–22
Johnson, Charles E., 2015–20
Johnson, D. A., 2269–73
Jonas, Jiri, 1159–64
Jones, Deborah J., 809–13, 1179–84
Jones, Peter G., 1971–6, 2123–5, 2389–95
Jones, Rodney F., 1143–6
Julian, Robert L., 2371–7
Kaitner, Branko, 1531–9
Kalyanasundaram, Kuppuswany 1231–8
Kan, Chi Tat, 79–87, 2309–12
Kan, Yan–Ping, 1457–63
Kanazawa, Takuro, 1005–7
Kane–Maguire, Leon A. P., 1491–8
Katz, Nestor E., 1555–8
Kawada, Yuzo, 257–61
Kawasaki, Yoshikane, 793–7, 1443–9
Keat, Rodney, 1503–8
Kelley, Elizabeth A., 999–1004
Kelly, Raymond L., 477–9
Kennedy, John D., 481–3, 713–19
Kennett, Frances A., 851–7
Kergoat, Rene, 633–8
Kerr, K. Ann, 1401–5
Kerrison, S. John S., 2363–9
Kettle, Sidney F. A., 1175–8
Khanwalkar, Vinod, 445–50
Khathing, Darlando T., 669–70
Khwaja, Hanif, 445–50
Kijima, Tsuyoshi, 2499–503
Kimura, Masaru, 423–7
King, Paul, 875–82
King, Trevor J., 1061–3
Kisenyi, Jonathan M., 1729–32
Kite, Kenneth, 583–92, 2065–72
Klaehne, Eberhard, 1999–2007
Klein, Cheryl L., 2419–23
Knox, Selby A. R., 147–58, 159–65, 167–72, 173–85, 195–200, 1297–307, 1783–8
Koner, Dhananjoy, 911–13, 2385–8
Kotera, Katuji, 1907–10
Kowalski, Rick S. Z., 493–503
Kremnitz, Walter, 1261–73
Krishnamurthy, S. S., 1549–54
Krishnamurthy, Setharampattu S., 67–71
Krishnamurthy, Setharmpattu S. 2151–7
Kubicki, Marek M., 633–8
Kurmoo, Mohamedally, 1371–6, 1851–60, 2505–13, 2515–18
Kuroda, Reiko, 1179–84
Kwong, Si–San, 1457–63
Kydd, Ronald A., 1401–5
Laffey, Moira A., 307–12, 313–18
Laguna, Antonio, 1971–6
Laguna, Mariano, 1971–6
Lai, Ting–Fong, 1465–9
Lalinde, Elena, 2389–95
Lalor, Fergus J., 1981–5
Lampe, Paul A., 207–10
Lancashire, Robert, 693–8, 845–6
Landgraf, Guenter W., 1999–2007
Lappert, Michael F., 1959–64
Lappin, A. Graham, 1861–5
Laranjeira, Mauro C. M., 1861–5
Larsen, Nigel G., 815–19
Lau, Tai–Chu, 531–4, 865–8
Laurenson, Graham S., 597–602

Laurent, Jean Pierre, 2433–8
Laycock, David, 1355–60, 1635–6
Lazzaroni, Raffaello, 1019–22
Le Beuze, Albert, 2533–7
Lecomte, Claude, 247–50
Lefebvre, J., 2439–43
Leigh, G. J., 2295–8
Leigh, G. Jeffery, 821–4
Leporati, Enrico, 1411–16, 1965–70
LeQuere, Jean L., 283–9
Leupin, Peter, 927–30
Levason, William, 841–3, 1877–8 1895–8, 2009–13
Lewis, Erik J. R., 417–21
Lewis, Jack, 233–5, 263–9, 603–5 939–42, 1085–9, 1247–51, 1253–9, 1395–400, 1509–12, 1593–601, 1641–4, 1881–4, 2051–8, 2085–92, 2099–107, 2119–22, 2127–9, 2557–9
Licoccia, Silvia, 2449–53
Lindsay, Alan J., 2429–32
Lindsell, W. Edward, 1483–9
Liptrot, Michael C., 1593–601
Livage, J., 2439–43
Lloyd, D. Robert, 201–6, 2469–73
Lockhart, Joyce C., 2331–6
Longoni, Giuliano, 1671–7
Lukas, Benjamin, 1035–40
Lumbard, Keith W., 493–503
Luong–Thi, N. Tuyet, 345–52
Lyle, Samuel J., 2409–14
Mabbs, Frank E., 1565–74, 1575–85
McAlees, Alan J., 1291–6, 1699–708
McAteer, Colin H., 541–8
McAuliffe, Charles A., 535–40, 833–9, 841–3
McCleverty, Jon A., 429–38, 493–503, 951–65, 1521–6
McCrindle, Robert, 1291–6, 1699–708
McDonald, Walter S., 457–63, 713–19, 1217–24, 1225–30, 1829–35, 2469–73
McDonnell, Martin B., 2331–6
McEwan, David M., 875–82
McFarlane, William, 1915–21, 2353–8
Mackay, Kenneth M., 1029–34
Mackay, Maureen F., 451–5
McKee, Vickie, 1837–43
MacLean, Gregory K., 851–7
McMaster, A. D., 2275–9
McPartlin, Mary, 225–7, 757–64 899–906, 2099–107, 2113–16
McSweeney, Dan, 1117–21
Maeda, Yutaka, 229–31
Magon, Luciano, 1949–52
Maitlis, Peter M., 73–7, 999–1004, 1147–54, 1341–7
Majeste, Richard J., 2419–23
Malik, K. M. Abdul, 2065–72
Manning, Peter, 899–906
Manojlovic–Muir, Ljubica, 283–9, 299–305, 833–9
Marchetti, Fabio, 1665–70, 2197–202, 2257–60
Marcotrigiano, Giuseppe, 2541–3
Maresca, Luciana, 1–7, 1587–91, 1903–6
Markham, Richard, 387–95, 1217–24
Maroto, Alberto J. G., 1649–54
Marsden, Karen, 1749–55
Martin, Tony R., 1959–64
Martinengo, Secondo, 645–9, 1099–102, 1499–502, 2265–7
Maruya, Kenichi, 1341–7
Marzilli, Luigi G., 129–34, 567–72
Mascharak, Pradip K., 675–9
Mascherpa, Guy, 2313–16
Mason, Nigel J., 1103–7
Mathur, Pradeep, 43–50
Matsubayashi, Genetsu, 121–7
Matsuyama, Tomochika, 229–31
Mayers, F. Rudolph, 2379–83
Mays, Martin J., 737–45, 2021–8
Mazid, Mohamed A., 2065–72
Mazzi, Ulderico, 1381–4, 2455–9
Mazzocchin, Gian Antonio, 893–7, 2561–2
Mealli, Carlo, 799–804
Meli, Andrea, 799–804
Menabue, Ledi, 781–5, 2109–12, 2541–3
Mentasti, Edoardo, 721–5
Merlino, Stefano, 2257–60
Meyerstein, Dan, 943–50, 1137–41
Micheloni, Mauro, 61–5
Micic, Olga I., 1953–7
Middleton, A. Robert, 663–5
Millan, Andres, 73–7
Miller, Jack M., 117–20
Miller, John R., 1035–40
Miller, Tim J., 907–9
Mills, Andrew, 1213–16
Mills, Owen S., 1361–4
Mills, Rona M., 699–708, 1309–19, 1321–6, 1757–64
Minchin, Nigel J., 1795–802
Mingos, D. Michael P., 673–4
Mishra, Som K., 549–53
Missen, Paul H., 1929–32
Mitrprachachon, Pachanee, 699–708
Mok, K. F., 207–10
Monari, Magda, 1631–4
Moodie, W. Thomas, 2131–6
Moore, Iain, 1741–7, 1749–55
Moore, Peter, 207–10, 541–8
Moore, Peter T., 307–12
Morando, Pedro J., 2147–50
Moreto, Josep, 1341–7
Mori, Masayasu, 1611–16
Mori, Yoshihiko, 2359–62
Morris, George E., 541–8
Morrison, Ian E. G., 1035–40, 2231–6
Moulton, Christopher J., 387–95
Mountney, David N., 1851–60
Moya, Francisco, 109–16
Moynihan, Kelly J., 1401–5
Muir, James A., 2123–5
Muir, Kenneth W., 283–9, 299–305, 833–9
Muir, Mariel M., 2123–5
Mukaida, Masao, 1933–7
Mukhedkar, Anant J., 1899–902
Mukhedkar, Vasudha A., 1899–902
Munjoma, Shelley, 225–7
Murphy, Michael A., 493–503
Murray, Keith S., 109–16
Murray, Liam, 1503–8
Murray, Martin, 1741–7
Murugan, Puliampatti K., 55–60
Muschiol, Manfred, 1527–9
Nagy, Laszlo, 237–45, 859–63
Nair, Madhavan Sivasankaran, 55–60, 291–7, 555–9, 561–6
Naish, Pamela J., 1297–307
Nakamura, Akira, 2359–62
Nakatsu, Kazumi, 121–7
Narayanaswamy, Ramaier, 1777–82, 2009–13
Nardin, Giorgio, 681–5, 2549–51
Natarajan, P., 2403–7
Natile, Giovanni, 1–7, 1587–91, 1903–6
Nelson, Jane, 1837–43
Nelson, John H., 2415–18
Nelson, S. Martin, 407–15, 1837–43
Nelson, William J. H., 2099–107
Nepveu, Francoise, 2433–8
Neskovic, Olivera, 1417–20
Neuss, Geoffrey R. H., 37–41, 511–15, 1109–15
New, Douglas B., 307–12
Newton, Roger F., 327–35
Niazi, Shahida, 2527–31
Nicholls, J. Nicola, 1395–400
Nicholls, Peter, 1439–41
Nicholson, Brian K., 1023–7, 1029–34
Nicolini, Marino, 2303–8
Nikolic, Ruzica, 1417–20
Nisbet, Martin P., 465–9
Nishigaki, Satoshi, 121–7
Nishiwaki, Koichi, 793–7, 1443–9
Nixon, Leslie A., 1103–7
Norman, Nicholas C., 633–8
Norman, Paul R., 2131–6
Norton, Michael C., 1217–24
Nour, Maher M., 1645–8
Nowell, Ian W., 327–35, 1103–7
Nutkovich, Mordchi, 943–50
O'Brien, Paul, 1117–21, 1173–4, 1407–9
O'Connor, Charles J., 2419–23
Ogden, J. Steven, 505–10, 825–31 1877–8, 2009–13
Oguni, Nobuki, 2359–62
Ojo, J. Folorunso, 659–61, 2137–40
Ojudun, A. Olanrewaju, 659–61
Okamoto, Kenichi, 1377–9
Olubuyide, Olusegun, 2137–40
Olubuyide, Olusegun A., 659–61
Onaka, Satoru, 257–61
Oriaifo, Fidelis, 2137–40
Orpen, A. Guy, 187–93, 633–8, 737–45
Orrell, Keith G., 583–92, 2065–72, 2073–8
Osborn, Ruth S., 809–13
Osborne, Anthony G., 2379–83
Osella, Domenico, 2047–9
Oskam, Ad, 275–82, 1777–82
Overbosch, Peter, 1541–7
Overill, Richard E., 809–13
Overton, Colin, 2397–402
Owston, Philip G., 225–7
Pain, Geoffrey N., 1309–19, 1321–6, 1327–31, 1333–40
Palazzi, Antonio, 1631–4
Pampaloni, Guido, 1993–7
Paoletti, Piero, 61–5
Pardy, Richard B. A., 1509–12
Parkin, Donald, 327–35
Parkin, Gerard, 2519–25
Parmar, Swarn S., 1939–43
Parvez, Masood, 1291–6, 1699–708
Passmore, Jack, 851–7
Patel, Kalpana V., 359–62
Patel, Unita, 1407–9
Patil, Kashinath C., 2291–3
Payne, Martin, 887–92
Peake, Barrie M., 2037–9
Pedrosa De Jesus, Julio D., 1165–6
Pelin, William K., 201–6
Pelizzi, Corrado, 1349–54
Pelizzi, Giancarlo, 1349–54
Pellacani, Gian Carlo, 781–5, 2541–3
Pellinghelli, M. Angela, 1411–16 1965–70
Peloso, Arnaldo, 2141–6
Peppe, Clovis, 2165–8
Peringer, Paul, 667–8
Perlmutter–Hayman, Berta, 1945–8
Pertici, Paolo, 1019–22
Peters, Roger, 225–7
Peters, Roy, 787–91, 1205–11
Petillon, Francois Y., 283–9
Petkovic, Djordje M., 2425–7
Petrouleas, Vasili, 1575–85
Pettit, Leslie D., 485–6
Phelan, Kieran G., 1603–9
Phillips, Ian G., 2261–4
Pickering, Susan J., 699–708
Pico, Carlos, 733–6
Pilbrow, John R., 363–72, 373–80
Pinkerton, A. Alan, 1809–13, 1815–18
Platt, Andrew W. G., 1199–204
Plazzogna, Gualtiero, 805–8
Plews, Martin J., 1999–2007
Poggi, Antonio, 61–5
Pojer, Peter M., 451–5
Poli, Rinaldo, 1665–70
Poliakoff, Martyn, 651–7
Poncet, Jean Luc, 1451–6
Poon, Chung–Kwong, 531–4, 865–8, 1457–63, 1465–9
Porter, George, 931–8, 1231–8
Porter, Simon J., 1333–40, 2475–83
Poveda, Manuel L., 2485–94
Prampolini, Paolo, 781–5, 2109–12
Predieri, Giovanni, 1349–54
Prest, David W., 737–45, 2021–8
Preston, Peter N., 1483–9
Price, David D., 505–10
Priolo, Francesca Cusmano, 1825–8
Protas, Jean, 247–50
Prout, Keith, 2485–94, 2519–25
Puddephatt, Richard J., 299–305
Puga, Jose, 233–5
Pulgar, Lillian Bird, 2123–5
Pulham, Richard J., 217–19
Purcddu, Anna, 1285–9
Rabai, Gyula, 573–6, 1687–9
Radhakrishnan, A., 2403–7
Rae, A. Elizabeth, 429–38, 951–65
Raithby, Paul R., 233–5, 263–9, 307–12, 737–45, 1509–12, 1593–601, 1641–4, 2021–8, 2051–8, 2085–92, 2119–22, 2127–9, 2557–9
Ramaswamy, Duraiswamy, 291–7
Ramsden, John N., 2127–9
Randaccio, Lucio, 129–34, 567–72, 1009–11, 1559–63, 2549–51
Rankin, David W. H., 597–602, 1131–6, 1513–19, 2079–83, 2317–20
Rao, M. N. Sudheendra, 851–7

Rao, P. V. Subba, 2331–6
Raston, Colin L., 15–18, 1959–64
Ray, Noel, 143–6, 1117–21
Ray, Satyabrata, 911–13, 2385–8
Rayment, Ivan, 883–5
Raynor, J. Barrie, 1165–6, 1185–9
Razay, Hayat, 1733–9, 2475–83
Reedijk, Jan, 623–31, 1191–8
Reichenbach, Gustavo, 847–50
Reimer, Kenneth J., 1709–13
Resola, Sergio, 1349–54
Rest, Antony J., 1261–73, 1777–82, 1877–8, 2009–13, 2029–36
Ricevuto, Vittorio, 2445–8
Richard, Philippe, 247–50, 1451–6
Richards, Raymond L., 79–87, 345–52
Richens, David T., 1621–4
Ridgwell, Philip J., 999–1004
Rietmeijer, Frederik J., 1191–8
Rinaldi, Daniel, 1451–6
Rizzarelli, Enrico, 681–5
Roberts, Michael M., 25–31, 33–6, 869–73
Roberts, Nicholas K., 2093–7
Roberts, Paul J., 1699–708
Robinson, Brian H., 2037–9
Robson, Keith, 967–75, 977–84
Roesky, Herbert W., 883–5, 2117–18
Rogers, David Alan, 1873–6
Roncari, Edoardo, 1381–4, 2455–9
Rosales, Maria J., 233–5, 2051–8
Rosseinsky, David R., 2379–83
Rossi, Roberto, 1949–52
Rotondo, Enrico, 1825–8
Ruhl, Barbara L., 1531–9
Rush, James D., 2015–20
Russell, David R., 1355–60
Russo, Maria V., 2449–53
Ruzic, Ivan M., 363–72, 373–80
Rycroft, David S., 1503–8
Sadler, Ian H., 1499–502
Sadler, Peter J., 135–41, 1167–8, 2363–9
Saillard, Jean Yves, 2533–7
Sakai, Hiroshi, 229–31
Sakurai, Tosio, 1923–7
Saladini, Monica, 781–5, 2109–12
Salvadori, Piero, 1019–22
Sameshima, Kenji, 793–7
Sams, John R., 1709–13
Sanchez, C., 2439–43
Sandercock, Alan C., 129–34
Sandhu, Sarjit S., 1939–43
Sandstroem, Magnus, 875–82
Sangokoya, Samuel A., 225–7
Santappa, Muchi, 55–60, 291–7, 555–9
Sawyer, Jeffery F., 765–79
Sawyer, Jeffrey F., 2243–55
Scapacci, Giancarlo, 799–804
Schimkowiak, Juergen, 2117–18
Schlemper, Elmer O., 751–5
Schmidbaur, Hubert, 2317–20
Schmidt, Martin, 2117–18
Schroder, Martin, 1085–9
Schroeder, Martin, 1593–601
Schwarzenbach, Dieter, 1809–13
Secco, Fernando, 1945–8
Seddon, Elaine A., 887–92
Seeber, Renato, 893–7, 2561–2
Sellars, Philip J., 337–43
Sharma, Krishna R., 727–32
Sharp, David W. A., 283–9
Shaw, Bernard L., 387–95, 457–63, 1217–24, 1225–30, 1829–35
Shaw, Robert A., 1549–54
Sheahan, Dermot, 1117–21
Shearer, Harrison M. M., 883–5
Sheldrick, George M., 1971–6, 2117–18, 2123–5, 2389–95
Shimizu, Kiyoshi, 1005–7, 1907–10
Shohoji, M. Candida B., 2289–90
Sibley, Craig A., 1709–13
Sienel, Guenter R., 1999–2007
Siew, Pik Y., 1981–5
Siew, Pik Yuen, 747–50
Sik, Vladimi, 583–92
Sik, Vladimir, 2065–72, 2073–8
Silver, Jack, 1035–40, 1433–8, 2231–6
Simoes, Jose A. Martinho, 2327–30
Simpson, Jim, 2037–9
Singleton, Eric, 1069–79, 1389–91
Sironi, Angelo, 1099–102
Skelton, Brian W., 15–18, 607–13 639–43, 687–92, 1959–64, 2093–7, 2203–7, 2209–20, 2221–6, 2227–9
Slade, Roger C., 1439–41
Smith, David O., 2265–7, 2553–5
Smith, Garry, 1143–6
Smith, John M. A., 429–38, 951–65
Smith, Kenneth P., 651–7
Smith, Myles A., 1109–15
Smith, Peter J., 439–44
Smith, Thomas D., 363–72, 373–80, 693–8, 845–6
Snellgrove, Timothy R., 1691–7
Soria, Delia B., 1555–8
Sovago, Imre, 2159–63
Spalding, Trevor R., 201–6, 2469–73
Spiliadis, Stavros, 1809–13, 1815–18
Stanghellini, Pier Luigi, 1175–8
Stanley, Grahame L., 535–40
Stansfield, Robert F. D., 147–58 159–65, 167–72, 173–85, 187–93, 195–200
Stead, Martin J., 1081–4
Stedman, Geoffrey, 1603–9
Stenger, Monika, 577–82
Stephenson, Donald K., 1291–6
Stephenson, T. Anthony, 2343–51, 2429–32
Stobart, Stephen R., 2275–9, 2461–8
Stone, F. Gordon A., 147–58, 159–65, 167–72, 173–85, 195–200, 699–708, 1309–19, 1321–6, 1327–31, 1333–40, 1679–86, 1733–9, 1741–7, 1749–55, 1757–64, 2475–83
Stone, Paul J., 1691–7
Stoppioni, Piero, 1147–54
Strona, Luisella, 1159–64, 1499–502, 2265–7, 2553–5
Stufkens, Derk J., 275–82
Stynes, Dennis V., 95–101
Sugawara, Tadashi, 257–61
Sugimoto, Hiroshi, 1169–71, 1611–16
Sundaram, Ponnuswamy M., 67–71
Swash, John L. M., 485–6
Sykes, A. Geoffrey, 927–30, 1621–4
Sylva, Ronald N., 1911–14
Symons, Martin C. R., 2041–5
Symons, Martyn C. R., 985–90, 991–7, 2037–9
Tanaka, Toshio, 121–7
Tang, Tin–Wu, 865–8
Tasker, Peter A., 225–7, 2113–16
Tatsumisago, Masahiro, 121–7
Taylor, Brian F., 51–4
Taylor, David J., 1261–73
Taylor, Graham E., 319–26, 875–82, 1297–307, 1783–8
Taylor, John G., 833–9, 841–3
Tempest, Paul A., 2169–73
Thompson, Mary A., 299–305
Thomson, Ralph A., 1029–34
Thornton, Peter, 307–12, 313–18
Tirant, Selwyn, 363–72
Tiripicchio, Antonio, 1587–91
Tiripicchio–Camellini, Marisa, 1587–91
Todd, Michael R., 2079–83
Toftlund, Hans, 1851–60
Tola, Pascal, 1451–6
Tomkins, I. Barry, 687–92
Toniolo, Luigi, 1949–52
Toscano, Paul G., 129–34
Toscano, Paul J., 567–72, 1009–11, 1559–63
Tosi, Lucia, 103–8
Trampisch, Herbert, 1261–73
Trefonas, Louis M., 2419–23
Tuck, Dennis G., 2165–8
Turff, Jeremy W., 1877–8, 2009–13
Turner, James J., 651–7
Tyagi, Suresh, 143–6, 1117–21, 1439–41
Ueda, Nobuhiro, 1611–16
Ueno, Seiichi, 2499–503
Uguagliati, Paolo, 2303–8
Umezawa, Yoshio, 1977–80
Underhill, Allan E., 1065–8
Uson, Rafael, 1971–6, 2389–95
Valentine, Karen A., 1401–5
Van de Grampel, Johan C., 1773–6, 2337–42
Van den Bergen, Adrian M. B., 109–16
Van Koten, Gerard, 397–406, 1541–7
Vasudeva Murthy, A. R., 1549–54
Veiga, Maria Luisa, 733–6
Vekris, John E., 765–79
Venkatachalapathi, Kora, 55–60 291–7, 555–9
Venturini, Marcella, 1945–8
Verschoor, Gerrit C., 623–31
Victoriano, Luis, 2165–8
Vidrine, D. Warren, 2371–7
Vitali, Dario, 1665–70, 1993–7
Vittal, Jagadese P., 2291–3
Vitulli, Giovanni, 1019–22
Vrieze, Kees, 397–406, 1541–7
Vuik, Carol P. J., 95–101
Wada, Masanori, 793–7, 1443–9
Waddington, Thomas C., 465–9, 967–75, 977–84
Wade, Steven R., 271–4
Wakatsuki, Yasuo, 89–94, 1923–7
Walker, Nigel P., 663–5
Walker, Philip E., 327–35
Walkinshaw, Malcolm D., 2317–20, 2343–51
Wallbridge, Malcolm G. H., 271–4, 2243–55
Wallis, Helen L., 2181–3
Walton, Jennifer K., 2209–20, 2221–6, 2227–9
Walz, Leonhard, 2433–8
Wang, Bing, 2565–6
Wannowius, Klaus J., 577–82
Wardell, James L., 2321–6
Wasif, Saad, 1645–8
Waters, T. Neil M., 2568
Weeks, Brian, 1217–24
Welch, Alan J., 1679–86
Wells, Cecil F., 1617–20, 2185–9
West, Bruce O., 109–16
West, Douglas X., 985–90, 2041–5
Wetherell, Stuart N., 999–1004
Whelan, Tom, 2469–73
White, Allan H., 15–18, 607–13, 639–43, 687–92, 1795–802, 1959–64, 2093–7, 2203–7, 2209–20, 2221–6, 2227–9
White, Nicholas D., 319–26
Wieghardt, Karl, 943–50
Wigzell, John McM., 2321–6
Wild, Stanley Bruce, 2093–7
Wilkinson, Alan J., 651–7
Wilkinson, Geoffrey, 663–5
Wilkinson, James G., 2041–5
Willey, Gerald R., 271–4, 1729–32
Williams, Bruce L., 583–92, 2065–72
Williams, Geoffrey A., 451–5
Williams, Michael L., 2209–20
Williams, Stephen J., 825–31
Willis, Anthony C., 639–43
Wilson, Michael T., 1035–40
Wimbledon, Peter E., 2181–3
Wingfield, Jonathan N., 1239–45
Winter, Mark J., 147–58, 159–65 167–72, 173–85, 195–200
Witt, Michael, 2117–18
Wolochowicz, Iwona, 429–38, 951–65
Wong, Fook Sin, 687–92, 2203–7
Woodley, Valerie A., 477–9
Woods, Michael, 1549–54, 2151–7
Woodward, Peter., 147–58
Woodward, Peter, 159–65, 167–72, 173–85, 187–93, 195–200, 699–708, 875–82, 1309–19, 1321–6, 1333–40, 1749–55, 1757–64
Wyatt, Jane, 2037–9
Wyatt, Jane L., 991–7
Xing–Fu, Li, 19–23, 1361–4, 1365–9
Yamabe, Shinichi, 423–7
Yamaguchi, Osamu, 1005–7, 1907–10
Yamamoto, Miwako, 423–7
Yamamoto, Yasuo, 1137–41
Yamamoto, Yuroku, 1174
Yamamura, Takeshi, 1977–80
Yamaoka, Hitoshi, 229–31
Yamase, Toshihiro, 1987–91
Yamazaki, Hiroshi, 89–94, 1923–7
Yang, Chiu Her, 2539–40
Yin, Candido Choo, 2563–4
Zanazzi, Pier Francesco, 1665–70 1993–7
Zanello, Piero, 893–7
Zeidan, Hussein M., 1645–8
Zubieta, J. A., 2295–8
Zubieta, Jon A., 1041–7

SUBJECT INDEX, 1982

2B
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6

6A
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42

ABSORPTION
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x-ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18-octaethylporphyrinato)vanadium(IV), 1451–6

ACETAMIDE
Steroselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64

ACETATE
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Energy transfer in actinyl compounds. Part 2. Defect centers in sodium uranyl triacetate, 1691–7

ACETATO
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64

ACETATOBISISOPROPENYLPHENYLDIPHENYLARSINEPLATINUM
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64

ACETATODIOXONEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6

ACETATOISOPROPENYLPHENYLDIPHENYLARSINEPLATINUM
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64

ACETATOMOLYBDENUM
Synthetic pathways in binuclear molybdenum chemistry: μ-acetato-chloro-, and tertiary phosphine derivatives: x-ray structure determination of trans-[$(MoCl(PBu_3)(\mu\text{-}O_2CMe))_2$], 2519–25

ACETATOPHENYL
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3

ACETATOPHENYLLEAD
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3

ACETIMIDOYL
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x-ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{-}NC(H)Me)]$, 2021–8

ACETONITRILE
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22

ACETONITRILEIRIDIUM
Reactions involving transition metals. Part 15. Reactions of alkyl- and acylperoxy-anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21

ACETONITRILERHODIUM
Reactions involving transition metals. Part 15. Reactions of alkyl- and acylperoxy-anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21

ACETOXYPHENYLLEAD
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60

ACETYL
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Preparation of methyl and acetyl complexes of iron(II), 847–50

ACETYLACETONATE
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Interaction of vanadyl acetylacetonate with solvents. The vanadium-51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90

ACETYLACETONATO
Synthesis and characterization by spectroscopy and x-ray structure determination of palladium complexes containing the 1-3-η-1,2-di-tert-butyl-3-methyl-4-methylenecyclobutenyl ligand, 999–1004

ACETYLACETONATOAMINEDINICKEL
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18

ACETYLACETONATOBUTYLMETHYLMETHYLENECYCLOBUTENYLPALLADIUM
Synthesis and characterization by spectroscopy and x-ray structure determination of palladium complexes containing the 1-3-η-1,2-di-tert-butyl-3-methyl-4-methylenecyclobutenyl ligand, 999–1004

ACETYLACETONATOIRON
Reactions of π-allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds, 2385–8

ACETYLACETONATOMANGANESE
Direct synthesis of tris(acetylacetonato)manganese(III), 669–70

ACETYLALANINATOMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5

ACETYLATION
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5

ACETYLBENZOCROWN
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35

ACETYLBENZOHEXAOXACYCLOOCTADECINDIPERCHLORATO
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35

ACETYLBENZOHEXAOXACYCLOOCTADECINDIPERCHLORATOSTRONTIUM
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctad-

CHLORATOSTRONTIUM(contd)
ecin)diperchloratostrontium, 327–35
ACETYLENE
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri-μ-carbonyltris(η5-indenyl)-triangulo-trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ-vinylidenebis[carbonyl(1-5-η-indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
The transformations of parallel and perpendicular $L_2M(\mu$-acetylene)ML_2 complexes, 1471–82
ACETYLENEDICARBOXYLATE
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of $[Mo_2(\mu$-$(MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2)(\eta$-$C_5H_5)_2].2CH_2Cl_2$ and $[Mo_2(\mu$-$(MeO_2CC_2CO_2Me)_4)(\eta$-$C_5H_5)_2]$, 187–93
Dimolybdenum complexes containing bridging silyl-substituted acetylenes: crystal and molecular structure of μ-bis(trimethylsilyl-)acetylenetetracarbonylbis(η-cyclopentadienyl)dimolybdenum(-Mo–Mo), 195–200
A kinetic study of the reactions of methyl- and acetylpentacarbonylmanganese with acetylenes, 417–21
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ-[1,3-σ:1-2-η-1,2-bis(methoxycarbonyl)-3-oxopropene-1,3-diyl-$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η-cyclopentadienyl)tungsten] (W–W), 1783–8
ACETYLIDE
New platinum hydrido acetylides. Crystal and molecular structure of hydrido(3-hydroxy-3-methylpent-1-ynyl)bis(triphenylphosphine)platinum(II), 2449–53
ACETYLMANGANESEPENTACARBONYL
A kinetic study of the reactions of methyl- and acetylpentacarbonylmanganese with acetylenes, 417–21
ACETYLMETHYLPHOSPHINEIRON
Preparation of methyl and acetyl complexes of iron(II), 847–50
ACETYLPYRIDINE
Metal-ion controlled reactions of 2,6-diacetylpyridine with 1,2-diaminoethane and 2,6-diformylpyridine with o-phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o-phenylenediamine, 407–15
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6-diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x-ray structure of diaqua[2,6-diacetylpyridine bis(picolinoylhydrazonato)(2-)]manganese(II), 1349–54
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo-, methoxo-, or 1,1-azido-bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ-hydroxo derivative, 1837–43
ACETYLPYRIDINEBISPICOLINOYLHYDRAZONATE
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6-diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x-ray structure of diaqua[2,6-diacetylpyridine bis(picolinoylhydrazonato)(2-)]manganese(II), 1349–54
ACETYLPYRIDINEPICOLINOYLHYDRAZONE
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6-diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x-ray structure of diaqua[2,6-diacetylpyridine bis(picolinoylhydrazonato)(2-)]manganese(II), 1349–54
ACETYLSTYRYLCARBONYLCHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
ACID
Ternary coordination complexes of copper(II) with L-histidine and some selected amino acids, 55–60
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)-aspartic acid, L(+)-glutamic acid, or L(+)-cysteine as ligands, 291–7
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
The mechanism of formation of hydrazido(2-) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
Hydrolysis of α-amino acid esters in mixed-ligand complexes with 2,2'-bipyridylpalladium(II), 1819–23
The effect of added halide and thiocyanate ions on the nitroamine-nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
Dissociation of strong acids in aqueous solutions, 2425–7
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L-histidine, L-lysine, and L-arginine by α-zirconium phosphate, 2499–503
ACIDITY
Mesityl- and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel-carbon bond, 793–7
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
ACIDOLYSIS
Acid-induced reversal of amine attack at platinum-coordinated ethene versus acidolysis of platinum-carbon σ bonds, 1903–6
ACTINIDE
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
ACTIVATION
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
A fluxional arachno-1-metallapentaborane, $[1,1,1,-(CO)(PMe_3)_2(1-IrB_4H_9)]$, 481–3
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
ACYLALANINATEMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
ACYLCAMPHORATO
Steroselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
ACYLLEUCINATEMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
ACYLPYRIDINE
Metal-ion controlled reactions of 2,6-diacetylpyridine with 1,2-diaminoethane and 2,6-diformylpyridine with o-phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o-phenylenediamine, 407–15
ADDN
The sequential linking of alkynes at dichromium and dimolybdenum centers: x-ray crystal structure of carbonylbis(η-cyclopentadienyl)(μ-tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
Dimolybdenum complexes containing bridging silyl-substituted acetylenes: crystal and molecular structure of μ-bis(trimethylsilyl-)acetylenetetracarbonylbis(η-cyclopentadienyl)dimolybdenum(-Mo–Mo), 195–200

ADDN(contd)
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24–tetrasulfonated phthalocyanine, 373–80
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
Some oxidative–addition reactions of the diradical, perfluoro–N,N'–dimethylethane–1,2–bis(aminooxyl), $CF_3N(O)CF_2CF_2N(O)CF_3$, with iridium(I) and platinum(0) complexes, 671–2
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_a) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_a(ClO_4)_2$, 1531–9
ADDUCT
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24–tetrasulfonated phthalocyanine, 373–80
Potassium fluoride–succinic acid adduct: a fully refined x–ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen–bonded system, 809–13
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
Preparation and characterization of the uranyl fluoride–antimony pentafluoride adduct, $UF_2O_2.4SbF_5$, 1635–6
Stereoselectivity observed upon adduct formation of tris(3–trifluoroacetyl–D–camphorato)– and tris(3–heptafluorobutyryl–D–camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
Isomeric hypho–boranes. Properties and molecular structures of the adducts B_5H_9L (L = $Ph_2PCH_2PPh_2$, $Ph_2PCH_2CH_2PPh_2$, or $Me_2NCH_2CH_2NMe_2$) and B_4H_8L (L = $Me_2NCH_2CH_2NMe_2$), 2243–55
AGENT
Spectroscopic studies of metal complexes containing π–delocalized sulfur ligands. The resonance–Raman spectra of the antitumor agent [Cu(kts)] and the related cation $[Cu(H_2kts)]^{2+}$, 103–8
ALC
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
ALDEHYDE
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
ALDER
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
ALK
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6
ALKALI
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
Ligands for the alkali metals. Part 6. Some bis(crown) Schiff bases which form pocket complexes with alkali metal cations of appropriate size, 2331–6
ALKENYLPHOSPHINE
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
ALKENYLPLATINUM
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
ALKOXY
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
ALKOXYNITROSOBORATOMOLYBDENUM
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
ALKYL
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II),

ALKYL(contd)
337–43
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
ALKYLAMIDO
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 429–38
ALKYLAMINE
Preparation, characterization, and magnetic properties of organic–intercalated two–dimensional ionic ferromagnets $(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
ALKYLAMMONIUM
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
Cyano and thiocyanato derivatives of the hexachlorophosphate ion (PCl_6^-), 1199–204
ALKYLCYCLOOCTATETRAENYL
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
ALKYLCYCLOOCTATETRAENYLMETHANOLIRON
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
ALKYLDIPHENYLPHOSPHINOAMINE
Synthesis and conformational studies of (diphenylphosphinoamino-)cyclodiphosph(III)azanes, 1503–8
ALKYLENEBISSALICYLALDIMINE
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
ALKYLENEBISSALICYLALDIMINEDIAMINEDICOPPER
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
ALKYLGERMYL
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
ALKYLIMIDO
The preparation and reactions of azidobis[1,2–bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
ALKYLISONITRILEDECACARBONYLHYDRIDOTRIIRON
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu\text{–}CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3\text{–}CH{:}NR)]$, 43–50
ALKYLPEROXYIRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
ALKYLPROPIONAMIDEURANIUM
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4
ALKYLPYRIDINECOBALOXIME
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
ALKYLPYRIDYLHYDRIDOTRISOMIUM
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
ALKYLSILYL
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
ALKYNE
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2)(\eta\text{–}C_5H_5)_2].2CH_2Cl_2$ and $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)_4)(\eta\text{–}C_5H_5)_2]$, 187–93
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
ALKYNYLTRIOSMIUM
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
ALLENYLTRIOSMIUM
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
ALLYL
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds, 2385–8
ALLYLPALLADIUM
Mechanism of migration of ancillary ligands in binuclear palladium(II) allyl complexes, 2303–8
ALUMINUM
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
AMIDE
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2–trimethylpropionamide–O)uranium(IV), 19–23
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
AMIDOMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
AMINE
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
Electron spin resonance spectra of some low–spin ruthenium(III) complexes: a probe for solvation effects, 1185–9
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or –thioether ligands, 1457–63
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2–) ions: electronic and medium effects, 2147–50
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
AMINECOPPER
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
AMINEDICOBALT
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18

AMINEPENTACYANOFERRATE
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2–) ions: electronic and medium effects, 2147–50
AMINEPLATINUM
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
AMINESALICYLAMIDECOPPER
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
AMINO
Ternary coordination complexes of copper(II) with L–histidine and some selected amino acids, 55–60
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)–aspartic acid, L(+)–glutamic acid, or L(+)–cysteine as ligands, 291–7
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Hydrolysis of α–amino acid esters in mixed–ligand complexes with 2,2'–bipyridylpalladium(II), 1819–23
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
AMINOALKANE
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
AMINOALKYLDIMETHYLAMMONIUMTRICHLOROPLATINUM
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
AMINOAZABUTENYLPHENYL
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
AMINOBUTYRATE
Ternary coordination complexes of copper(II) with L–histidine and some selected amino acids, 55–60
AMINOCYCLOALKANE
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N–N)_2][M(IV)(N–N)_2X_2]X_4$ (X = halogen), 1851–60
AMINOCYCLODIPHOSPHAZANE
Synthesis and conformational studies of (diphenylphosphinoamino–)cyclodiphosph(III)azanes, 1503–8
AMINOETHANE
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
AMINOHALOPLATINUM
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
AMINOMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
AMINOPHOSPHINE
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
AMINOPROPANE
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
AMINOPROPANECOBALT
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
AMMINATION
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
AMMINE
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)– and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Paramagnetic dioxygen complexes of rhodium, 1165–6
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
Electrophilic behavior of nitrosyls: preparation and reactions of six–coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
AMMINECOBALT
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
AMMINEHALOCOBALT
Kinetics and mechanism of the reduction of pentaamminehalocobalt(III) complexes by ruthenium(II) species in aqueous solution, 2137–40
AMMINEMETAL
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
AMMINEPHENYLTHIOCARBAMATO
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
AMMINEPHENYLTHIOCARBAMATOCOBALT
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
AMMINEPLATINUM
On the nature of partially oxidized Magnus green, 2515–18
AMMONIA
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
AMMONIODIETHYLIDE
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91

AMMONIOETHYL
Acid–induced reversal of amine attack at platinum–coordinated ethene versus acidolysis of platinum–carbon σ bonds, 1903–6
AMMONIUM
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Condensation of ammonium phosphates with urea at 120°C, 2527–31
AMORPHOUS
Crystallization of amorphous silica into quartz, 1005–7
ANATION
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
ANGLE
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
ANION
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18
ANTIMONATE
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
ANTIMONITE
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
ANTIMONY
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
Preparation and characterization of the uranyl fluoride–antimony pentafluoride adduct, $UF_2O_2.4SbF_5$, 1635–6
Studies of dioxamide and dithiooxamide metal complexes. Part 1. Crystal and molecular structures of $SbCl_3L_{1.5}$ (L = N,N'–diethyldithiooxamide) and uncomplexed L, 1729–32
Complex formation between antimony trifluoride and alkali metal sulfates. The x–ray crystal structure of $K_2SO_4.SbF_3$ and antimony–121 Moessbauer studies of some related compounds, 2313–16
ANTITUMOR
Spectroscopic studies of metal complexes containing π–delocalized sulfur ligands. The resonance–Raman spectra of the antitumor agent [Cu(kts)] and the related cation $[Cu(H_2kts)]^{2+}$, 103–8
APOMYOGLOBIN
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24–tetrasulfonated phthalocyanine, 373–80
AQ
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
Dissociation of strong acids in aqueous solutions, 2425–7
AQUA
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
Structural, spectroscopic, and magnetic properties of diaqua(L–aspartato)nickel(II) hydrate, 2541–3
AQUADIMETHYLGLYOXIMATOPENTYLCOBALT
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
AQUAIRON
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
AQUATION
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2–) ions: electronic and medium effects, 2147–50
ARENE
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
ARENECYCLOOCTADIENERUTHENIUM
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
ARENEDIAZOATO
Coordination chemistry of arenediazoate anions: synthesis and x–ray crystallographic characterization of η–cyclopentadienyl(anti–p–nitrobenzenediazoato–N^1)(triphenylphosphine)nickel(II), [Ni(η–C_5H_5)(PPh_3)($ON_2C_6H_4NO_2$–p)], 1981–5
ARGININE
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
ARLYIMINOETHANE
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
ARSENAZO
Spectrophotometric study of the reactions of proton and copper(II) with Arsenazo I in aqueous solution, 1965–70
ARSENITE
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
ARSINE
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(*o*–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
Selective formation of positional isomers of substituted μ_3–benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Stabilization of copper(II) tertiary–phosphine or –arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen–arsenic ligands from o– and p–(diphenylarsino)benzoic acids, 1939–43
Tris(pentafluorophenyl)gold(III) complexes, 1971–6
Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type $[Pd(\eta^5–C_5H_5)L_2]PF_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7
ARSINEIRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
ARYL
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand

ARYL(contd)
substitution, 1521–6
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Synthesis and characterization of paramagnetic triazenido complexes of rhenium(III). The crystal structure of [1,3–bis(p–tolyl)triazenido–N^1,N^3]dichlorobis(triphenylphosphine)rutheniu-m(III), 1949–52
ARYLAZONITROBENZENE
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
ARYLAZOOXIMATO
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
ARYLAZOOXIMATOPHENYLAZOPHENYLPALLADI-UM
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
ARYLIMINOETHANE
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
ARYLPALLADIUM
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
ARYLTETRAAZADIENE
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
ARYLTHIOLATE
A convenient route to complexes of the type $[MoO(SR)_4]^-$ (R = aryl) and $[MoO(S(CH_2)_nS)_2]^-$ (n = 2 or 3): preparation and crystal structure of tetraphenylphosphonium N,N–dimethylhydr-azido(2–)oxotris(thiophenolato)molybdate(VI) diethyl ether solvate, 2295–8
ASCORBATE
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
ASPARTATO
Structural, spectroscopic, and magnetic properties of diaqua(L–aspartato)nickel(II) hydrate, 2541–3
ASPARTATONICKEL
Structural, spectroscopic, and magnetic properties of diaqua(L–aspartato)nickel(II) hydrate, 2541–3
AURATE
Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaur-ate(III), revealing a short hydrogen bond, 751–5
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
AXIAL
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_a) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_a(ClO_4)_2$, 1531–9
AZACYCLOPENTADECANE
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacycl-opentadecane, 2131–6
AZAPENTANEDIAMINE
Fast reactions at planar four–coordinate complexes. Part 5. The solvent effect on the leaving group in the reactions of neutral and cationic palladium(II) complexes, 2445–8
AZIDATION
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
AZIDE
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Electrophilic behavior of nitrosyls: preparation and reactions of six–coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Reactions of $[Os_3(\mu\text{–}H)_2(CO)_{10}]$ with organic azides: structural characterization of $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}HN_3Ph)]$ and $[Os_3(\mu\text{–}H)_2(CO)_9(\mu_3\text{–}NPh)]$, 2085–92
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22
AZIDO
The preparation and reactions of azidobis[1,2–bis(diphenylphosphi-no)ethane]nitridotungsten(IV), 821–4
AZIDOBISBISDIPHENYLPHOSPHINOETHANENITRI-DOTUNGSTEN
The preparation and reactions of azidobis[1,2–bis(diphenylphosphi-no)ethane]nitridotungsten(IV), 821–4
AZIDOPROPANE
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
AZIDOSULFUR
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
BACKBONDING
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
BARIUM
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6
BARRIER
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinu-m(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 2. Complexes bis(η^6–benzene)chr-omium and bis(η^6–benzene)chromium iodide, 977–84
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorheniu-m(I), 2065–72
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
BASE
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)t-itanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
Reduction of Schiff–base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand–to–metal electron–transfer process, 1085–9
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
Ligands for the alkali metals. Part 6. Some bis(crown) Schiff bases which form pocket complexes with alkali metal cations of appropriate size, 2331–6
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Comments, 2567–8
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Reply to comments, 2568
BASICITY
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotrip-hosphazadienes, 1549–54

BENZALDEHYDE
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
BENZENE
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3
The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5–tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1–), 1993–7
BENZENECHROMIUM
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 2. Complexes bis(η^6–benzene)chromium and bis(η^6–benzene)chromium iodide, 977–84
BENZENETRICARBONYLCHROMIUM
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
BENZENETRICARBONYLMANGANESE
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
BENZIMIDAZOLYLMETHYLTHIOBENZENECOPPER
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2–bis(benzimidazol–2'–ylmethylthio)benzene (bbtb) and the x–ray crystal structure at –52 °C of $[Cu(bbtb)(H_2O)(ClO_4]_2.5EtOH$, 1191–8
BENZIMIDOYL
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
BENZOATE
Stabilization of copper(II) tertiary–phosphine or –arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen–arsenic ligands from o– and p–(diphenylarsino)benzoic acids, 1939–43
BENZOCROWN
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Ligands for the alkali metals. Part 6. Some bis(crown) Schiff bases which form pocket complexes with alkali metal cations of appropriate size, 2331–6
BENZONITRILE
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
BENZOTHIAZOLETHIOLATO
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
BENZOTHIAZOLETHIOLATOCADMATE
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
BENZOTHIAZOLETHIOLATOCADMIUM
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
BENZOTRIAZOLATOMETHYLBENZIMIDAZOLYLMETHYLAMINECOPPER
Dimeric copper(II) compounds with a tripodal imidazole–containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ–(benzotriazolato–N^1,N^3)bis([tris(N–methylbenzimidazol–2–ylmethyl)amine–N,N^3,$N^{3'}$,$N^{3''}$]copper(II)) trinitrate, 623–31
BENZOYL
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
BENZOYLGLYCINATEMETHYLIMIDAZOLECOPPER
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
BENZOYLOXYPALLADIUM
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
BENZOYLOXYPHOSPHINOPLATINUM
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
BENZOYLPEROXIDE
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
BENZOYLVALINATE
Magnetic and spectroscopic properties of dimeric copper(II) N–benzoylvalinates, 2109–12
BENZYLIDENECYCLOHEPTADIENE
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
BENZYNE
Selective formation of positional isomers of substituted μ_3–benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
BICYCLOALKENE
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
BICYCLODECATETRAENEBISCARBONYLCYCLOPENTADIENYLMOLYBDENUM
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
BIMETAL
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
BINUCLEAR
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
BIPYRIDINE
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
Photoelectrochemical behavior of ruthenium(II) complex layers at a platinum electrode immobilized by the common–ion effect in aqueous electrolyte solution, 1977–80
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
BIPYRIDINESILVER
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
BIPYRIDYL
Properties and x–ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'–bipyridyl or 2,2':6',2''–terpyridyl, 681–5
Electronic properties and crystal structure of (2,2'–bipyridyl)–catena–μ–(oxalato–O^1,O^2:$O^{1'}$,$O^{2'}$)copper(II) dihydrate and aqua(2,2'–bipyridyl)(oxalato–O^1,O^2)copper(II) dihydrate, 1117–21
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6

BIPYRIDYLHYDRIDOTRIOSMIUM
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91

BIPYRIDYLOXALATO
Electronic properties and crystal structure of (2,2'–bipyridyl)–catena–μ–(oxalato–$O^1,O^2:O^{1'},O^{2'}$)copper(II) dihydrate and aqua(2,2'–bipyridyl)(oxalato–O^1,O^2)copper(II) dihydrate, 1117–21

BIPYRIDYLTHIODIACETATECOPPER
Properties and x–ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'–bipyridyl or 2,2':6',2''–terpyridyl, 681–5

BISALKYLPEROXY
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–[IrX(CO)L_2] (X = halogen, L = phosphine or arsine), 37–41

BISBENZIMIDAZOLYLMETHYLTHIOBENZENE
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2–bis(benzimidazol–2'–ylmethylthio)benzene (bbtb) and the x–ray crystal structure at –52 °C of [Cu(bbtb)(H_2O)](ClO_4)$_2$.5EtOH, 1191–8

BISBENZIMIDAZOLYLMETHYLTHIOBENZENECOPPER
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2–bis(benzimidazol–2'–ylmethylthio)benzene (bbtb) and the x–ray crystal structure at –52 °C of [Cu(bbtb)(H_2O)](ClO_4)$_2$.5EtOH, 1191–8

BISCYCLOPENTADIENYL
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200

BISDIBUTYLPHOSPHINYLPENTANE
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5–bis(di–tert–butylphosphino)pentane and 1,4–bis(di–tert–butylphosphino)but–2–ene, 387–95

BISDICYANOETHYLENEDITHIOLATOPLATINATE
A study of the one–dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8

BISDIMETHYLARSINOPROPYLPHENYLARSINE
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40

BISDIMETHYLARSINOPROPYLPHENYLARSINENICKEL
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40

BISDIMETHYLTHIABUTYLPYRIDINE
Sulfur–ligand–metal complexes. Part 14. Bis[2–(3,3–dimethyl–2–thiabutyl)pyridine] complexes of copper(II) and related metal ions, 815–19

BISDIMETHYLTHIAPYRIDINE
Sulfur–ligand–metal complexes. Part 14. Bis[2–(3,3–dimethyl–2–thiabutyl)pyridine] complexes of copper(II) and related metal ions, 815–19

BISDIPHENYLMETHYLENEAMINO
Crystal structure of bis(diphenylmethyleneamino) monosulfide,S(N:CPh_2)$_2$, 221–3

BISDIPHENYLPHOSPHINODIOXAOCTANE
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8–bis(diphenylphosphino)–3,6–dioxaoctane: six– and four–coordinate complexes and trans bidentate behavior, 833–9

BISDIPHENYLPHOSPHINODIOXAOCTANENICKEL
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8–bis(diphenylphosphino)–3,6–dioxaoctane: six– and four–coordinate complexes and trans bidentate behavior, 833–9

BISMETHYLPHENYLARSINOETHANE
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40

BISPENTAMETHYLCYCLOPENTADIENYL
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19

BISPYRIDYLAMINOCOPPER
The preparation and properties of [Cu(chelate)X_2] complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6

BISTRIAMINOPROPANE
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7

BISTRIAMINOPROPANECOBALT
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7

BISTRIETHYLPHOSPHINE
Synthesis and x–ray crystal structure of ab–dimethyl–df–dinitro–ce–bis(triethylphosphine)platinum(IV), 663–5

BISTRIFLUOROMETHYLAMINOOXY
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl–)aminooxy ligand, 523–9

BISTRIFLUOROMETHYLAMINOOXYIRIDIUM
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl–)aminooxy ligand, 523–9

BISTRIMETHYLPHOSPHINE
Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, [Me_3P:N:PMe_3]Br.H_2O, 2317–20

BISTRIMETHYLSILYL
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200

BISTRIMETHYLSILYLACETYLENE
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200

BISTRIMETHYLSILYLACETYLENEDIMOLYBDENUM
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200

BISTRIMETHYLSILYLACETYLENETETRACARBONYLBISCYCLOPENTADIENYLDI
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200

BOND
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16

Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5

Potassium fluoride–succinic acid adduct: a fully refined x–ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen–bonded system, 809–13

Potassium fluoride–malonic acid, K.F.$CH_2(CO_2H)_2$: x–ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84

Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9

Synthesis and crystal and molecular structures of mixed–valence tetranuclear, [$Re_4I_8(CO)_6$], and trinuclear, [$Re_3I_6(CO)_6$], compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70

Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of [$CoFe(Me_4C_4B_8H_8)(PEt_3)_2$], 1679–86

Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9

Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound [PtW–

BOND(contd)
(μ–C(OMe)C_6H_4Me–4)$(CO)_5(\eta$–$C_6H_{12})$] and the crystal structure of one isomer of [$Pt_3(\mu$–C(OMe)C_6H_4Me–4)$_3(CO)_3$], 1741–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC_6H_4Me–4)$(CO)_2(PR_3)_2(\eta$–$C_5H_5)$] with carbon monoxide. Crystal structure of [$Pt_2W(\mu_3$–CC_6H_4Me–4)$(CO)_4(PMePh_2)_2(\eta$–$C_5H_5)$], 1749–55
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of [FePtW(μ_3–CR)$(CO)_5(PMePh_2)_2(\eta$–$C_5H_5)$] and [FePtW(μ_3–CR)$(CO)_6(PEt_3)(\eta$–$C_5H_5)$] (R = C_6H_4Me–4), 1757–64
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
The reactivity of the unsaturated dimeric rhenium complexes [$Re_2H_2(CO)_6$($(EtO)_2POP(OEt)_2$)] and [$Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)$]: x–ray crystal structure of [$Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu$–NC(H)Me)], 2021–8
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to [$Mn_2(CO)_{10}$] and [$Mn_2(CO)_8(PR_3)_2$] induced by ionizing radiation: an electron spin resonance study, 2037–9
Synthesis and structural characterization of the complexes [$Os_3(CO)_{10}(CON_3Ph)$(NCMe)] and [$Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)$], 2119–22
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
BONDING
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Paramagnetic dioxygen complexes of rhodium, 1165–6
Ab initio calculations on the bonding properties of isonitrile and nitrile ligands, 2533–7
BORATO
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
BORATOMOLYBDENUM
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
BORATOTUNGSTEN
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
BOROHYDRIDO
Peripheral electrophilic properties of dichloro[N,N'–ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium–hydrogen–boron unit, 2197–202
BORON
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
Peripheral electrophilic properties of dichloro[N,N'–ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium–hydrogen–boron unit, 2197–202
BRIDGE
Synthesis of the compounds [$Hg(PPh_2[M(CO)_5])_2$] (M = chromium, molybdenum, or tungsten), 667–8
Synthesis and crystal structure of $(S_3N_3O_4)_2S$, a compound with two six–membered rings bridged by a sulfur atom, 2117–18
Peripheral electrophilic properties of dichloro[N,N'–ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium–hydrogen–boron unit, 2197–202
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
BRIDGED
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H_2L): [Cu_4L_4].8MeOH, a complex with a ferromagnetic ground state, 2433–8
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes [$Pt(NH_3)_4$][$Pt(NH_3)_4X_2$]Y_4 (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of [$Pt(NH_3)_4$][$Pt(NH_3)_4Br_2$][HSO_4]$_4$ and [$Pt(NH_3)_4$][$Pt(NH_3)_4I_2$][HSO_4]$_3$[OH].H_2O, 2505–13
BROENSTED
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
BROMIDE
The preparation and properties of [Cu(chelate)X_2] complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Halogen exchange reactions involving uranium(V) and –(VI) halides, 1385–8
Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, [Me_3P:N:PMe_3]Br.H_2O, 2317–20
BROMINE
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
BROMOACETYLBENZOCROWN
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
BROMOALKANE
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
BROMOCYCLOPENTADIENYLPHOSPHINEOSMIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
BROMODIMETHOXYPHENYLTRIMETHYLPHOSPHINENICKEL
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–[NiR_2L_2], where R = 2,6–dimethoxyphenyl, 1443–9
BROMODIPYRIDINEMERCURY
Structural studies of mercury(II) halide pyridine complexes [$HgX_2(py)_2$], X = chloride, bromide, or iodide, 15–18
BROMOOCTAETHYLPORPHYRINATOVANADIUM
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,1-7,18–octaethylporphyrinato)vanadium(IV), 1451–6
BUTADIENE
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–[$Pt_2Cl_4(PR_3)_2(\mu$–$C_4H_6)$]. Crystal structures of [$Pt_2Cl_4(PMe_2Ph)_2(\mu$–$C_4H_6)$] (meso isomer) and [$(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)$] which contains two trans–fused five–membered rings, 457–63

BUTADIENEBISDICHLORODIMETHYLPHOSPHINEPLATINUM
Transition metal–carbon bonds. Part 51. Action of amines on buta-1,3-diene complexes of type cis,cis-$[Pt_2Cl_4(PR_3)_2(\mu\text{-}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{-}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans-fused five-membered rings, 457–63
BUTADIENEBISDICHLOROPHOSPHINEPLATINUM
Transition metal–carbon bonds. Part 51. Action of amines on buta-1,3-diene complexes of type cis,cis-$[Pt_2Cl_4(PR_3)_2(\mu\text{-}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{-}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans-fused five-membered rings, 457–63
BUTANEDIONE
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis-bis(butane-2,3-dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
BUTANEDIYL
Cobalt metallocycles. Part 10. Preparation and x-ray structures of two isomeric dicyanocobaltacyclopentanes, 1923–7
BUTYL
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans-$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
BUTYLAMMONIUM
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di-μ-chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
BUTYLMETHYLMETHYLENECYCLOBUTENYL
Synthesis and characterization by spectroscopy and x-ray structure determination of palladium complexes containing the 1–3-η-1,2-di-tert-butyl-3-methyl-4-methylenecyclobutenyl ligand, 999–1004
BUTYLMETHYLMETHYLENECYCLOBUTENYLPALLADIUM
Synthesis and characterization by spectroscopy and x-ray structure determination of palladium complexes containing the 1–3-η-1,2-di-tert-butyl-3-methyl-4-methylenecyclobutenyl ligand, 999–1004
BUTYLPHOSPHINE
Synthetic pathways in binuclear molybdenum chemistry: μ-acetato-chloro-, and tertiary phosphine derivatives: x-ray structure determination of trans-$[(MoCl(PBu_3)(\mu\text{-}O_2CMe))_2]$, 2519–25
BUTYLPHOSPHINO
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2-methyl-1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3 PP']-chloropalladium(II) and -chlorohydridoiridium(III), 1829–35
BUTYLPHOSPHINOPENTENYL
Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5-bis(di-tert-butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5-bis(di-tert-butylphosphino)pent-2-en-3-yl-C^3,P,P']chloroplatinum(II), 1225–30
BUTYLPHOSPHINOPENTYL
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR\text{-}CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5-bis(di-tert-butylphosphino)pent-3-ylidene-$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5-bis(di-tert-butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5-bis(di-tert-butylphosphino)pent-2-en-3-yl-C^3,P,P']chloroplatinum(II), 1225–30
BUTYLPHOSPHINOPENTYLIDENE
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR\text{-}CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5-bis(di-tert-butylphosphino)pent-3-ylidene-$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
BUTYLPHOSPHINYLPENTANE
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5-bis(di-tert-butylphosphino)pentane and 1,4-bis(di-tert-butylphosphino)but-2-ene, 387–95
BUTYLSALICYLIDENEIMINATOCOPPER
Kinetics of ligand substitution in bis(N-tert-butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82
BUTYLSELENOPYRIDYLMERCURY
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
CADMIUM
Metal-ion controlled reactions of 2,6-diacetylpyridine with 1,2-diaminoethane and 2,6-diformylpyridine with o-phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o-phenylenediamine, 407–15
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2-mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
Association and hydration equilibriums in concentrated aqueous solutions containing magnesium nitrate. Part 1. Cadmium(II) chloride complexes in aqueous solutions of magnesium nitrate and its mixtures with ammonium nitrate, 1417–20
Zero-field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
CAMPHORATOEUROPIUM
Steroselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
CARBABORANE
Metallaborane chemistry. Part 12. Electron hyper-deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
CARBACOBALTAFERRABORANE
Metallaborane chemistry. Part 12. Electron hyper-deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
CARBAFERRABORANE
Metallaborane chemistry. Part 12. Electron hyper-deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
CARBAMETALLABORANE
Metallaborane chemistry. Part 12. Electron hyper-deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
CARBENE
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound $[PtW(\mu\text{-}C(OMe)C_6H_4Me\text{-}4)(CO)_5(\eta\text{-}C_8H_{12})]$ and the crystal structure of one isomer of $[Pt_3(\mu\text{-}C(OMe)C_6H_4Me\text{-}4)_3(CO)_3]$, 1741–7
Tris(pentafluorophenyl)gold(III) complexes, 1971–6
CARBIDE
New carbide clusters in the cobalt sub-group. Part 9. Preparation and crystallographic characterization of dicarbidododeca-μ-carbonyldodecacarbonyl-polyhedro-tridecacobaltate(4-) as its tetrakis(benzyltrimethylammonium) salt $[N(CH_2Ph)Me_3]_4[Co_{13}C_2(CO)_{24}].Me_2CO$, 645–9
CARBIDO
New carbide clusters in the cobalt sub-group. Part 9. Preparation and crystallographic characterization of dicarbidododeca-μ-carbonyldodecacarbonyl-polyhedro-tridecacobaltate(4-) as its tetrakis(benzyltrimethylammonium) salt $[N(CH_2Ph)Me_3]_4[Co_{13}C_2(CO)_{24}].Me_2CO$, 645–9

CARBIDO(contd)
The synthesis of the cluster dianion $[Os_{10}C(CO)_{24}]^{2-}$ by pyrolysis. X-ray structure analysis of $[N(PPh_3)_2]_2[Os_{10}C(CO)_{24}]$ and $[Os_5C(CO)_{14}H(NC_5H_4)]$, 2099–107
CARBON
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low-temperature matrixes, 651–7
Carbon-13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
The photochemical water–gas shift reaction catalyzed by bis(2,2'-bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
CARBONYL
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans-$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu\text{-}CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3\text{-}CH{:}NR)]$, 43–50
Dimolybdenum complexes derived from cyclooctatetraene. Crystal and molecular structures of $[Mo_2(CO)_2(\eta\text{-}C_5H_5)_2(C_8H_8)]$ (two isomers) and of $[Mo_2(CO)_4(\eta\text{-}C_5H_5)_2(\eta^3,\eta'^3\text{-}C_{16}H_{16})]$, 147–58
Dimolybdenum complexes derived from cycloocta-1,5-diene and penta-1,3-diene. Crystal and molecular structure of tricarbonyl-μ-(cyclooct-1-en-5-yne)bis(η-cyclopentadienyl)dimolybdenum(-Mo–Mo), 159–65
Reactions of cyclic 1,3-dienes with ethyne coordinated at a dimetal center. Crystal structure of μ-(7-8-η:9-10-η-bicyclo[4.2.2]deca-2,4,7,9-tetraene)bis[carbonyl(η-cyclopentadienyl)molybdenum](-3Mo–Mo), 167–72
Crystal and molecular structures of undecacarbonyl(cyanomethane-)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
Oxygen-17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
Reactions of $[Os_3(\mu\text{-}H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu\text{-}H)(CO)_{10}(\mu\text{-}NHNCPh_2)]$ and $[Os_3(\mu\text{-}H)(CO)_{10}(\mu\text{-}NHNCPhMe)]$, 263–9
The formation, structure, and reversible carbonylation of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut-2-yne, 283–9
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri-μ-carbonyltris(η^5-indenyl)-triangulo-trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ-vinylidenebis[carbonyl(1-5-η-indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
A kinetic study of the reactions of methyl- and acetylpentacarbonylmanganese with acetylenes, 417–21
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Further comments on one-electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low-temperature matrixes, 651–7
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Preparation of methyl and acetyl complexes of iron(II), 847–50
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five-coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of $[NEt_4][Ge_2Co_7(CO)_{21}]$ and $[NEt_4][Ge(Co_7(CO)_{20})]$; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
High nuclearity carbonyl clusters of rhodium. Part 3. Crystal and molecular structure of hexadeca-μ-carbonylenneacarbonyl-polyhedro-tetradecarhodate(4-) in its tetraethylammonium salt, 1099–102
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Cationic carbonyl complexes of ruthenium(II) containing 2,2'-bipyridyl or 1,10-phenanthroline, 1143–6
Selective formation of positional isomers of substituted μ_3-benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Carbon-13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
The deformation vibrations of $[Os_{3-n}Ru_n(CO)_{12}]$ (n = 0–3) in the 150–30 cm^{-1} region, 1175–8
Doubly- and triply-bridging ligands derived from 2-pyridone and 2-aminopyridine. Crystal and molecular structure of the 2-pyridylamido complex nonacarbonyl-μ-hydrido-(μ_3-2-pyridylamido)-triangulo-triosmium formed from 2-aminopyridine and dodecacarbonyltriosmium, 1205–11
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
Solution and matrix photochemistry of the isoelectronic series of half-sandwich carbonyl(η^5-cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, $[M(\eta^5\text{-}C_5H_5)(CO)_{3-n}(NO)_n]$ (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low-valent platinum compounds: x-ray crystal structure of di-μ_3-carbonyl-1-carbonyl-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Protonation of cyclo-platinumdirhodium complexes. X-ray crystal structure of 2,3;2,3-di-μ-carbonyl-1-carbonyl-1,2-μ-hydrido-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra-μ_3-carbonylbis[bis(η-pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di- and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x-ray crystal structure of di-μ-carbonyl-1,2-dicarbonyl-2-η^5-cyclopentadienyl-1-η^5-pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
A high-pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Hexanuclear rhodium hydrido carbonyl clusters, 1499–502
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X-ray crystal structure of 1,2-μ-carbonyl-2,2,2,3,3,3,4,4,4-nonacarbonyl-1-(1'-5'-η-ethyltetramethylcyclopentadienyl)-di-μ-hydrido-tetrahedro-cobalttriosmium, 1509–12
Some silyl and germyl compounds of six-coordinated rhodium(III) carbonyl halides, 1513–19
Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x-ray crystal structure of dodecacarbonyl-μ_3-sulfido-(μ_4-thiocarbonyl-C,σ-S)tetraosmium(4 Os–Os), 1641–4
Synthesis and crystal and molecular structures of mixed-valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_6(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d-μ-carbonyl-

CARBONYL(contd)
e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of [FePtW(μ_3–CR)(CO)$_5$(PMePh$_2$)$_2$(η–C$_5$H$_5$)] and [FePtW(μ_3–CR)(CO)$_6$(PEt$_3$)(η–C$_5$H$_5$)] (R = C$_6$H$_4$Me–4), 1757–64
Photochemistry of acetylacetonato–, trifluoroacetylacetonato–, and hexafluoroacetylacetonatodicarbonylrhodium and –iridium complexes in frozen gas matrixes at 12 K. Infrared spectroscopic evidence for carbon monoxide dissociation and chelate ring–opening processes, 1777–82
The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5–tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1–), 1993–7
The reactivity of the unsaturated dimeric rhenium complexes [Re$_2$H$_2$(CO)$_6$((EtO)$_2$POP(OEt)$_2$)] and [Re$_2$H$_2$(CO)$_6$(Ph$_2$PCH$_2$PPh$_2$)]: x–ray crystal structure of [Re$_2$H(CO)$_6$(Ph$_2$PCH$_2$PPh$_2$)(μ–NC(H)Me)], 2021–8
Photochemistry of tricarbonyl(1–6–η–cycloheptatriene)molybdenum in frozen gas matrixes at 12 K. Photodissociation of cycloheptatriene and carbon monoxide ligands, 2029–36
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to [Mn$_2$(CO)$_{10}$] and [Mn$_2$(CO)$_8$(PR$_3$)$_2$] induced by ionizing radiation: an electron spin resonance study, 2037–9
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
Preparation and some reactions of [Os$_5$(CO)$_{19}$]: the molecular structures of [Os$_5$(CO)$_{19}$] and [Os$_5$(CO)$_{16}$(P(OMe)$_3$)$_3$], 2051–8
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72
Reactions of [Os$_3$(μ–H)$_2$(CO)$_{10}$)] with organic azides: structural characterization of [Os$_3$(μ–H)(CO)$_{10}$(μ–HN$_3$Ph)] and [Os$_3$(μ–H)$_2$(CO)$_9$(μ_3–NPh)], 2085–92
The synthesis of the cluster dianion [Os$_{10}$C(CO)$_{24}$]$^{2-}$ by pyrolysis. X–ray structure analysis of [N(PPh$_3$)$_2$][Os$_{10}$C(CO)$_{24}$] and [Os$_5$C(CO)$_{14}$H(NC$_5$H$_4$)], 2099–107
Synthesis and structural characterization of the complexes [Os$_3$(CO)$_{10}$(CON$_3$Ph)(NCMe)] and [Os$_3$(CO)$_{10}$(CON$_3$Ph)(NC$_5$H$_5$)], 2119–22
Synthesis and molecular structure of [Au$_4$Cl$_8$], and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca–μ–carbonyldecacarbonyl–μ_{10}–thiodecarhodate(2–), 2265–7
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds, 2385–8
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster [NiRh$_6$(CO)$_{16}$]$^{2-}$, 2553–5
CARBONYLATION
The formation, structure, and reversible carbonylation of [(η^5–C$_5$H$_5$)M,M'(CO)$_7$(SR)] complexes: reactions of [(η^5–C$_5$H$_5$)M,M'(CO)$_8$(SR)] with hexafluorobut–2–yne, 283–9
Preparation of methyl and acetyl complexes of iron(II), 847–50
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC$_6$H$_4$Me–4)(CO)$_2$(PR$_3$)$_2$(η–C$_5$H$_5$)] with carbon monoxide. Crystal structure of [Pt$_2$W(μ_3–CC$_6$H$_4$Me–4)(CO)$_4$(PMePh$_2$)$_2$(η–C$_5$H$_5$)], 1749–55
CARBONYLBISCYCLOPENTADIENYLMOLYBDENUM
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
CARBONYLBISCYCLOPENTADIENYLTETRAPHENYLBUTENETETRAYLDICHROMIU
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
CARBONYLBISMETHYLCYCLOPENTADIENYLDIRHODIUM
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
CARBONYLBISTRIPHENYLPHOSPHINEIRON
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
CARBONYLCYANOMETHANETRIOSMIUM
Crystal and molecular structures of undecacarbonyl(cyanomethane–)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
CARBONYLCYCLOHEXADIENYLIRON
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
CARBONYLCYCLOOCTATETRAENECHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CARBONYLCYCLOOCTATRIENECHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CARBONYLCYCLOPENTADIENYLIRON
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
CARBONYLCYCLOPENTADIENYLMETHYLTHIOLATODITUNGSTEN
The formation, structure, and reversible carbonylation of [(η^5–C$_5$H$_5$)M,M'(CO)$_7$(SR)] complexes: reactions of [(η^5–C$_5$H$_5$)M,M'(CO)$_8$(SR)] with hexafluorobut–2–yne, 283–9
CARBONYLCYCLOPENTADIENYLOXODIPHENYLPROPENEDIYLDIRUTHENIUM
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
CARBONYLCYCLOPENTADIENYLRHODIUMMANGANESE
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di– and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x–ray crystal structure of di–μ–carbonyl–1,2–dicarbonyl–2–η^5–cyclopentadienyl–1–η^5–pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
CARBONYLCYCLOPENTADIENYLRUTHENIUM
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
CARBONYLCYCLOPENTADIENYLTRICYCLODECENYLCARBONYLRUTHENIUM
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
CARBONYLCYCLOPENTADIENYLTRICYCLODECENYLRUTHENIUM
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15

CARBONYLDIMOLYBDENUMSILVER
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
CARBONYLDIPHENYLALLENEDIYLHYDROXOHYDRIDOTRIOSMIUM
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
CARBONYLDITUNGSTENSILVER
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
CARBONYLHALODIARSINEIRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–[IrX(CO)L_2] (X = halogen, L = phosphine or arsine), 37–41
CARBONYLHALODIPHOSPHINEIRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–[IrX(CO)L_2] (X = halogen, L = phosphine or arsine), 37–41
CARBONYLHYDRIDOBISPENTAMETHYLCYCLOPENTADIENYL
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
CARBONYLHYDRIDOCOBALTTRIOSMIUM
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12
CARBONYLHYDRIDOETHOXYPHOSPHINERHENIUM
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of [$Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)$] and [$Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2$], 737–45
CARBONYLHYDRIDOETHYLPHOSPHITERHENIUM
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of [$Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)$] and [$Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2$], 737–45
CARBONYLHYDRIDOTRISPHOSPHINEMETAL
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
CARBONYLINDENYLRHODIUM
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
CARBONYLMETALDIPHENYLPHOSPHIDO
Synthesis of the compounds [$Hg(PPh_2[M(CO)_5])_2$] (M = chromium, molybdenum, or tungsten), 667–8
CARBONYLMETHYLCYCLOOCTATETRAENECHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CARBONYLMETHYLCYCLOPENTADIENYLRHODIOPLATINUM
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
CARBONYLMETHYLCYCLOPENTADIENYLTRIPHENYLPHOSPHINEPLATINUMDIRH
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
CARBONYLMETHYLIDYNETRICOBALT
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
CARBONYLMOLYBDENUM
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
CARBONYLPENTANEDIONATORHODIUM
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
CARBONYLPHENYLCYCLOOCTATETRAENECHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CARBONYLPHENYLMETHYLENEHYDRAZIDOHYDRIDOTRIOSMIUM
Reactions of [$Os_3(\mu$–H$)_2(CO)_{10}$] with diazo compounds: structural characterization of [$Os_3(\mu$–H$)(CO)_{10}(\mu$–NHNCPh_2)] and [$Os_3(\mu$–H$)(CO)_{10}(\mu$–NHNCPhMe)], 263–9
CARBONYLTHIORHODATE
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca–μ–carbonyldecacarbonyl–μ_{10}–thiodecarhodate(2–), 2265–7
CARBONYLTRICHLOROBISTRIPHENYLPHOSPHINEIRIDIUM
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
CARBONYLTRIPLATINUM
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
CARBONYLTRISDIETHYLDITHIOCARBAMATOTECHNETIUM
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
CARBONYLTRISINDENYLTRIRHODIUM
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
CARBONYLTUNGSTEN
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
CARBOXYHETEROCYCL
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
CARBOXYLATE
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
CARBOXYLATO
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with [M(CO)(MeCN)$(PPh_3)_2$]+ (M = Ir or Rh), 517–21
CARBOXYLATOIRIDIUM
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with [M(CO)(MeCN)$(PPh_3)_2$]+ (M = Ir or Rh), 517–21
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
CARBOXYLATORHODIUM
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with [M(CO)(MeCN)$(PPh_3)_2$]+ (M = Ir or Rh), 517–21
CARBOXYPYRAZINECOBALT
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
CARBYNE
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC_6H_4Me–4)(CO)$_2(PR_3)_2(\eta$–$C_5H_5)$] with carbon monoxide. Crystal structure of [$Pt_2W(\mu_3$–CC_6H_4Me–4$)(CO)_4(PMePh_2)_2(\eta$–$C_5H_5)$], 1749–55
Chemistry of di– and trimetal complexes with bridging carbene or

CARBYNE(contd)
carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3-tolylidyne groups: crystal structures of $[FePtW(\mu_3\text{-}CR)(CO)_5(PMePh_2)_2(\eta\text{-}C_5H_5)]$ and $[FePtW(\mu_3\text{-}CR)(CO)_6(PEt_3)(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4), 1757–64
CARNOSINE
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
CAROTENE
Moessbauer spectroscopic study of the β-carotene–iodine system, 229–31
CATALYSIS
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
CATALYST
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
CATION
Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
CD
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Comments, 2567–8
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Reply to comments, 2568
CERIUM
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Crystal and molecular structures of tetraphenylars tetrakis(dimethyldithiophosphinato)cerium and –thulium and their comparison with results obtained from paramagnetic nuclear magnetic resonance data in solution, 1809–13
CESIUM
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
CHAIN
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
CHALCOGEN
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
CHARGE
Moessbauer spectroscopic study of the β-carotene–iodine system, 229–31
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
CHELATE
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(o–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Configurational effects in the reaction of cobalt(II) Schiff base complexes with alkyl bromides, 1285–9
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)$-$_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
Stabilization of copper(II) tertiary–phosphine or –arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen–arsenic ligands from o– and p–(diphenylarsino)benzoic acids, 1939–43
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72
CHELATION
Coordinating tendencies of a 14–membered tetraaza macrocycle which forms a seven–membered chelate ring, 61–5
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(o–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
CHLORIDE
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$

CHLORIDE(contd)
and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low-temperature matrixes, 651–7
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(*o*–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Preparation, characterization, and magnetic properties of organic–intercalated two–dimensional ionic ferromagnets $(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4
Association and hydration equilibriums in concentrated aqueous solutions containing magnesium nitrate. Part 1. Cadmium(II) chloride complexes in aqueous solutions of magnesium nitrate and its mixtures with ammonium nitrate, 1417–20
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x–ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
CHLORINATION
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
CHLORINE
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
CHLORO
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
Cyano and thiocyanato derivatives of the hexachlorophosphate ion (PCl_6^-), 1199–204
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR-CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5–bis(di–tert–butylphosphino)pent–3–ylidene–$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5–bis(di–tert–butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5–bis(di–tert–butylphosphino)pent–2–en–3–yl–C^3,P,P']chloroplatinum(II), 1225–30
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
Preparation and crystal structure of the four–coordinate gold(I) complex chlorotris(triphenylphosphine)gold(I), 2123–5
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
CHLOROALUMINUM
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^+)(SbF_6^-)_5$, $(Se_4^{2+})(AlCl_4^-)_2$, and $(Te_4^{2+})(SbF_6^-)_2$, 765–79
CHLOROAURATE
Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
CHLOROBISDIMETHYLPHENYLPHOSPHINEHYDRAZIDOTUNGSTEN
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(V), 345–52
CHLOROBISDIMETHYLPYRAZOLEDIMETHYLTIN
Crystal structure of dichlorobis(3,5–dimethylpyrazole–N^2)dimethyltin(IV), 805–8
CHLOROCYANOPHOSPHATE
Cyano and thiocyanato derivatives of the hexachlorophosphate ion (PCl_6^-), 1199–204
CHLOROCYCLOPENTADIENYLPHOSPHINERUTHENIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
CHLOROCYCLOPENTADIENYLTITANIUM
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
CHLORODIALKYLPROPIONAMIDE
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4
CHLORODIBUTYLCYCLODIPHOSPHAZANE
Synthesis and conformational studies of (diphenylphosphinoamino)cyclodiphosph(III)azanes, 1503–8
CHLORODIETHYLPROPIONAMIDEURANATE
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4
CHLORODIETHYLPROPIONAMIDEURANIUM
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4
CHLORODIOXOTRIPHENYLPHOSPHINE
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
CHLORODIPHENYLPYRIDYLPHOSPHINEGOLD
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
CHLORODIPYRIDINEMERCURY
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
CHLOROISOTHIOCYANATOPHOSPHATE
Cyano and thiocyanato derivatives of the hexachlorophosphate ion

CHLOROISOTHIOCYANATOPHOSPHATE(contd)
(PCl_6^-), 1199–204
CHLOROMERCURATE
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
CHLOROMETHOXYTITANIUM
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
CHLOROMETHYLBENZENE
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–$C^{\alpha},C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
CHLOROMOLYBDENUM
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
Synthetic pathways in binuclear molybdenum chemistry: μ–acetato–chloro–, and tertiary phosphine derivatives: x–ray structure determination of trans–[($MoCl(PBu_3)(\mu$–$O_2CMe)$)$_2$], 2519–25
CHLOROOXOTECHNETIUM
Synthesis of six–coordinate technetium(V) complexes with N–phenylsalicylideneimine. X–ray crystal structure of chlorooxobis(N–phenylsalicylideneiminato)technetium(V), 2455–9
CHLOROPENTAMETHYLCYCLOPENTADIENYLDIRHODIUM
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex [$Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)$] and the η^4–benzocyclobutadiene complex [$Rh(C_5Me_5)(C_8Ph_4H_2)$], identified by x–ray structure determinations, 1341–7
CHLOROPHENOXYCYCLOPHOSPHAZENE
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
CHLOROPHENYLCYCLOALKOXYVINYLNICKEL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
CHLOROPHENYLPHOSPHINETECHNETATE
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at –100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
CHLORORUTHENIUM
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
CHLOROSALICYLALDAZINE
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
CHLOROSILYLRUTHENOCENE
Some new and recent ferrocene– and ruthenocene–centered reagents for n–type silicon surfaces in photoelectrochemical use, 2379–83
CHLOROSTANNATO
The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18
CHLOROTETRAMETHYLBISDIMETHYLPHENYLPHOSPHINEDIAZADIPLATINABIC
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–[$Pt_2Cl_4(PR_3)_2(\mu$–$C_4H_6)$]. Crystal structures of [$Pt_2Cl_4(PMe_2Ph)_2(\mu$–$C_4H_6)$] (meso isomer) and [$(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)$] which contains two trans–fused five–membered rings, 457–63
CHLOROTETRAPHENYLPHLORINATOGOLD
Phlorin complex of gold(III), 1169–71
CHLOROTETRAPYRIDINECOBALT
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
CHLOROTETRATHIACYCLOTETRADECANERUTHENIUM
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
CHLOROTRISDIPHENYLPYRIDYLPHOSPHINEDISILVER
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and [$Ag_2Cl_2L_3$], 207–10
CHROMATE
Matrix–isolation studies on molecular potassium chromate(VI), molybdate(VI), and tungstate(VI), 505–10
CHROMIUM
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)–aspartic acid, L(+)–glutamic acid, or L(+)–cysteine as ligands, 291–7
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
Synthesis of the compounds [$Hg(PPh_2[M(CO)_5])_2$] (M = chromium, molybdenum, or tungsten), 667–8
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Syntheses of diethyldithiocarbamate chelates of chromium(III) and molybdenum(V) by oxidative decarbonylation, 845–6
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Preparation, characterization, and magnetic properties of organic–intercalated two–dimensional ionic ferromagnets ($(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, [$M(\eta^5$–$C_5H_5)(CO)_{3-n}(NO)_n$] (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 3. Synthesis and crystal structure of the trivalent metal complex [$Cr(C_5(CO_2Me)_5)_3$].ca.3.75H_2O, 2227–9
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
CHROMYL
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
CLUSTER
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x–ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
New carbide clusters in the cobalt sub–group. Part 9. Preparation and crystallographic characterization of dicarbidododeca–μ–carbonyldodecacarbonyl–polyhedro–tridecacobaltate(4–) as its tetrakis(benzyltrimethylammonium) salt [$N(CH_2Ph)Me_3]_4[Co_{13}$–$C_2(CO)_{24}$].Me_2CO, 645–9
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–

CLUSTER(contd)
bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five–coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of $[NEt_4][Ge_2Co_7(CO)_{21}]$ and $[NEt_4][Ge(Co_7(CO)_{20})]$; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
High nuclearity carbonyl clusters of rhodium. Part 3. Crystal and molecular structure of hexadeca–μ–carbonylenneacarbonyl–polyhedro–tetradecarhodate(4–) in its tetraethylammonium salt, 1099–102
Selective formation of positional isomers of substituted μ_3–benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Carbon–13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
A method for the simulation of powder electron spin resonance spectra when $S > {}^1\Psi 2$. Application to the
iron–molybdenum–sulfur
protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and –tungsten cubane–like cluster dimers, 1575–85
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound $[PtW(\mu\text{–}C(OMe)C_6H_4Me\text{–}4)(CO)_5(\eta\text{–}C_8H_{12})]$ and the crystal structure of one isomer of $[Pt_3(\mu\text{–}C(OMe)C_6H_4Me\text{–}4)_3(CO)_3]$, 1741–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of $[FePtW(\mu_3\text{–}CR)(CO)_5(PMePh_2)_2(\eta\text{–}C_5H_5)]$ and $[FePtW(\mu_3\text{–}CR)(CO)_6(PEt_3)(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1757–64
The preparation, variable–temperature nuclear magnetic resonance spectra, and behavior under reflux conditions of $[Os_3(CO)_{10}(\mu\text{–}ER)_2]$ (E = S, R = Me, Ph, or CH_2Ph; E = Se, R = Ph), 1881–4
Preparation and some reactions of $[Os_5(CO)_{19}]$: the molecular structures of $[Os_5(CO)_{19}]$ and $[Os_5(CO)_{16}(P(OMe)_3)_3]$, 2051–8
Reactions of $[Os_3(\mu\text{–}H)_2(CO)_{10}]$ with organic azides: structural characterization of $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}HN_3Ph)]$ and $[Os_3(\mu\text{–}H)_2(CO)_9(\mu_3\text{–}NPh)]$, 2085–92
The synthesis of the cluster dianion $[Os_{10}C(CO)_{24}]^{2-}$ by pyrolysis. X–ray structure analysis of $[N(PPh_3)_2]_2[Os_{10}C(CO)_{24}]$ and $[Os_5C(CO)_{14}H(NC_5H_4)]$, 2099–107
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca–μ–carbonyldecacarbonyl–μ_{10}–thiodecarhodate(2–), 2265–7
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
A new type of pyrrole coordination: μ_3–pyrrole–2,3–diyl triosmium complexes, 2563–4
COBALOXIMATE
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
COBALOXIME
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
COBALT
Molecular structures and bonding of η–cyclopentadienyl(substituted diene)cobalt complexes, 89–94
Water–soluble cobalt(II) complexes of N,N'–substituted bis(salicylaldimine–5–sulfonic acids). Oxygen–carrying properties and conversion into cobalt(III) organometallic compounds, 109–16
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Formation constants of complexes of tyrosine, 485–6
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
New carbide clusters in the cobalt sub–group. Part 9. Preparation and crystallographic characterization of dicarbidododeca–μ–carbonyldodecacarbonyl–polyhedro–tridecacobaltate(4–) as its tetrakis(benzyltrimethylammonium) salt $[N(CH_2Ph)Me_3]_4[Co_{13}C_2(CO)_{24}].Me_2CO$, 645–9
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)– and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarboxylation, 693–8
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five–coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of $[NEt_4][Ge_2Co_7(CO)_{21}]$ and $[NEt_4][Ge(Co_7(CO)_{20})]$; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Coordination of alkali metals by open–chain polyethers in transition metal complexes. Part 1. X–ray crystal and molecular structure of tetrakis[1–(o–carboxymethoxyphenoxy)2–(o–hydroxyphenoxy)ethanato(1–)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45

COBALT(contd)
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato–)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6–diacetylpyridine N,N'–dimethyl–N,N'–1,10–phenanthroline–2,9–diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and –trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
Reduction potentials for μ–superoxo/μ–peroxodicobalt(III) couples 1621–4
Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10–phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
Cobalt metallocycles. Part 10. Preparation and x–ray structures of two isomeric dicyanocobaltacyclopentanes, 1923–7
Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacyclopentadecane, 2131–6
Kinetics and mechanism of the reduction of pentaamminehalocobalt(III) complexes by ruthenium(II) species in aqueous solution, 2137–40
Photochemistry of cis–bis(ethylenediamine)dinitrocobalt(III) in acetonitrile, 2403–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3–CC_6H_4Me–4)(\mu–CO)(CO)_5(\eta–C_5H_5)(\eta–C_9H_7)]$, 2475–83
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
Synthesis and x–ray structure of a cobalt(II) complex of a negatively charged quinquedentate macrocyclic ligand, 2557–9
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(–I) tetraphenylborate in acetonitrile, 2561–2
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2–donor macrocyclic ligands, 2565–6
COBALTATE
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
COBALTIC
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
COBALTTRIOSMIUM
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12
COBALTTUNGSTEN
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3–CC_6H_4Me–4)(CO)_8(\eta–C_5H_5)]$ and $[Rh_2W(\mu_3–CC_6H_4Me–4)(acac)_2(\mu–CO)(CO)_2(\eta–C_5H_5)]$ (acac = acetylacetonate), 699–708
COFACTOR
A method for the simulation of powder electron spin resonance spectra when $S > {}^1\Psi 2$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3–}$ clusters, 1565–74
COMPD
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of $[FePtW(\mu_3–CR)(CO)_5(PMePh_2)_2(\eta–C_5H_5)]$ and $[FePtW(\mu_3–CR)(CO)_6(PEt_3)(\eta–C_5H_5)]$ (R = C_6H_4Me–4), 1757–64
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8–n}(OPh)_n$, 2151–7
COMPLEXATION
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at –100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
COND
A study of the one–dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8
CONDENSATION
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
Condensation of ammonium phosphates with urea at 120°C, 2527–31
CONFIGURATION
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
Cyano and thiocyanato derivatives of the hexachlorophosphate ion ($PCl_6^–$), 1199–204
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
The transformations of parallel and perpendicular $L_2M(\mu–acetylene)ML_2$ complexes, 1471–82
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
CONFORMATION
Synthesis and conformational studies of (diphenylphosphinoamino–)cyclodiphosph(III)azanes, 1503–8
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
CONST
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
Formation constants of complexes of tyrosine, 485–6
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92
Equilibrium studies of binary and mixed–ligand complexes of

CONST(contd)
zinc(II) involving imidazole, histamine, and L-histidine as ligands 555–9
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
A spectrophotometric study on equilibriums of p-(4-hydroxy-1-naphthylazo)nitrobenzene with proton and of p-(2,4-dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
Association and hydration equilibriums in concentrated aqueous solutions containing magnesium nitrate. Part 1. Cadmium(II) chloride complexes in aqueous solutions of magnesium nitrate and its mixtures with ammonium nitrate, 1417–20
COORDINATION
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five-coordinate germanium, 1023–7
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Coordination selectivity in the reaction of aluminum(III) with 8-hydroxy-7-[6'-sulfo-2'-naphthyl)azo]quinoline-5-sulfonic acid, 1377–9
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
Equilibriums and mechanism of the interaction of indium(III) with the indicator ferron, 1945–8
Steroselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
Synthesis and x-ray structure of a cobalt(II) complex of a negatively charged quinquedentate macrocyclic ligand, 2557–9
COPPER
The copper-catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
Ternary coordination complexes of copper(II) with L-histidine and some selected amino acids, 55–60
Coordinating tendencies of a 14-membered tetraaza macrocycle which forms a seven-membered chelate ring, 61–5
Spectroscopic studies of metal complexes containing π-delocalized sulfur ligands. The resonance-Raman spectra of the antitumor agent [Cu(kts)] and the related cation $[Cu(H_2kts)]^{2+}$, 103–8
The preparation and properties of $[Cu(chelate)X_2]$ complexes. Crystal structure and electronic properties of [bis(2-pyridyl)amine]dibromocopper(II), 143–6
Studies of some ternary complexes of copper(II) involving π-bonding ligands. Part 2, 353–7
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Studies on transition metal-peptide complexes. Part 6. Influence of side-chain donor group on the equilibrium and thermodynamics of binary and ternary copper(II)-dipeptide complexes, 381–6
Formation constants of complexes of tyrosine, 485–6
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
Dimeric copper(II) compounds with a tripodal imidazole-containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ-(benzotriazolato-N^1,N^3)bis([tris(N-methylbenzimidazol-2-ylmethyl)amine-$N,N^3,N^{3'},N^{3''}$]copper(II)) trinitrate, 623–31
Structural studies in metal-purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
Properties and x-ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'-bipyridyl or 2,2':6',2''-terpyridyl, 681–5
Metal-exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
Sulfur-ligand-metal complexes. Part 14. Bis[2-(3,3-dimethyl-2-thiabutyl)pyridine] complexes of copper(II) and related metal ions, 815–19
Electrochemical behavior of complexes of copper(II) with 14-membered saturated tetraaza macrocycles, 893–7
Studies on copper-protoporphyrin-iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
Electronic properties and crystal structure of (2,2'-bipyridyl)-catena-μ-(oxalato-$O^1,O^2:O^{1'},O^{2'}$)copper(II) dihydrate and aqua(2,2'-bipyridyl)(oxalato-O^1,O^2)copper(II) dihydrate, 1117–21
On the nature and mechanism of decomposition of monovalent copper complexes with tetraaza macrocyclic ligands in aqueous solutions. A pulse radiolytic study, 1137–41
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2-bis(benzimidazol-2'-ylmethylthio)benzene (bbtb) and the x-ray crystal structure at -52 °C of $[Cu(bbtb)(H_2O)(ClO_4)]_2.5EtOH$, 1191–8
Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x-ray structure of copper(I) iodide-diethyl disulfide (2/1), 1401–5
A spectrophotometric study on equilibriums of p-(4-hydroxy-1-naphthylazo)nitrobenzene with proton and of p-(2,4-dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
A new contribution to the determination of the complex equilibriums of oxidized glutathione with proton and copper(II) in aqueous solution, 1803–8
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo-, methoxo-, or 1,1-azido-bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ-hydroxo derivative, 1837–43
Stabilization of copper(II) tertiary-phosphine or -arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen-arsenic ligands from o- and p-(diphenylarsino)benzoic acids, 1939–43
Spectrophotometric study of the reactions of proton and copper(II) with Arsenazo I in aqueous solution, 1965–70
Magnetic and spectroscopic properties of dimeric copper(II) N-benzoylvalinates, 2109–12
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13-pentaazacyclopentadecane, 2131–6
Studies on transition metal-peptide complexes. Part 7. Copper(II) complexes of dipeptides containing L-histidine, 2159–63
Glyoxalbis[(2S)-pyrrolidin-2-ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3-hydroxy-5-hydroxymethyl-4-(4'-hydroxy-3'-methyl-4'-phenyl-2'-azabut-1'-en-1'-yl)-2-methylpyridine (H_2L): $[Cu_4L_4].8MeOH$, a complex with a ferromagnetic ground state, 2433–8
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2-donor macrocyclic ligands, 2565–6
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Comments, 2567–8
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Reply to comments, 2568
COUPLING
Reduction-oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus

COUPLING(contd)
hyperfine coupling and solution structures, 1815–18
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
Interaction of vanadyl acetylacetonate with solvents. The vanadium–51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
CRAFTS
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CRYSTAL
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2–trimethylpropionamide–O)uranium(IV), 19–23
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 34. Preparation and x–ray structure of the polyiodo compound hexaiodobis[(pentamethylcyclopentadienyl)iridium] and related species, 73–7
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x–ray structure of trans–bis[1,2–bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum–tetrahydrofuran (1:2), 79–87
Molecular structures and bonding of η–cyclopentadienyl(substituted diene)cobalt complexes, 89–94
Synthesis, spectroscopy, and x–ray crystallographic analysis of (η^3–dithiobenzoato–SCS')oxo(trithioperoxybenzoato–S,S',S'')molybdenum(IV) and μ–oxobis[bis(dithiobenzoato–S,S')oxomolybdenum(V)], 121–7
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
The preparation and properties of $[Cu(chelate)X_2]$ complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cyclooct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 159–65
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2)(\eta\text{–}C_5H_5)_2].2CH_2Cl_2$ and $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)_4)(\eta\text{–}C_5H_5)_2]$, 187–93
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
Crystal structure of bis(diphenylmethyleneamino) monosulfide,S(N:$CPh_2)_2$, 221–3
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
Crystal and molecular structures of undecacarbonyl(cyanomethane–)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
Crystal structure of fluoro(2,3,7,8,12,13,17,18–octaethylporphyrinato)oxoniobium; demonstration of the presence of six–coordinated niobium, 247–50
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Reactions of $[Os_3(\mu\text{–}H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}NHNCPh_2)]$ and $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}NHNCPhMe)]$, 263–9
The formation, structure, and reversible carbonylation of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut–2–yne, 283–9
The di–μ–bis[(diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioximе)bis(trifluoroacetoxy)cobalt(II), 337–43
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 429–38
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu\text{–}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{–}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
Dimeric copper(II) compounds with a tripodal imidazole–containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ–

CRYSTAL(contd)
(benzotriazolato-N^1,N^3)bis([tris(N-methylbenzimidazol-2-ylmethyl)amine-N,N^3,N^3',N^3'']copper(II)) trinitrate, 623–31
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x-ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
New carbide clusters in the cobalt sub-group. Part 9. Preparation and crystallographic characterization of dicarbidododeca-μ-carbonyldodecacarbonyl-polyhedro-tridecacobaltate(4–) as its tetrakis(benzyltrimethylammonium) salt $[N(CH_2Ph)Me_3]_4[Co_{13}C_2(CO)_{24}].Me_2CO$, 645–9
Synthesis and x-ray crystal structure of ab-dimethyl-df-dinitro-ce-bis(triethylphosphine)platinum(IV), 663–5
Properties and x-ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'-bipyridyl or 2,2':6',2''-terpyridyl, 681–5
Cyclopentadienylruthenium and -osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η-cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_8(\eta\text{-}C_5H_5)]$ and $[Rh_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(acac)_2(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$ (acac = acetylacetonate), 699–708
Secondary bonding. Part 8. The crystal and molecular structure of diphenyl telluroxide, 709–12
Some ten-vertex nido-metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno-nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6-hydrido-6,6-bis(triphenylphosphine)-nido-6-iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
Preparation and characterization of mixed oxides of selenium and tellurium, 733–6
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x-ray crystal structures of $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato-S)cobalt(III) perchlorate monohydrate, 747–50
Crystal structure of hydrogenbis(pyridine N-oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(o-diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Charge-transfer interactions in the square-planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^+)(SbF_6^-)_5$, $(Se_4^{2+})(AlCl_4^-)_2$, and $(Te_4^{2+})(SbF_6^-)_2$, 765–79
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
Ortho-metalation reactions of 2-substituted pyridines, 1,2-, 1,3-, and 1,4-diazines, and 2,2'-bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl-μ-(2,2'-bipyridyl-6-yl)-μ-hydrido-triangulo-triosmium(3Os-Os), 787–91
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x-ray structure of the trithiocarbonate complex S,S-(methyl trithiocarbonato)[1,1,1,-tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
Crystal structure of dichlorobis(3,5-dimethylpyrazole-N^2)dimethyltin(IV), 805–8
Potassium fluoride–succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8-bis(diphenylphosphino)-3,6-dioxaoctane: six- and four-coordinate complexes and trans bidentate behavior, 833–9
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di-μ-chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
Crystal structure of 2,2,4,4,6-pentafluoro-6-[N-(1,2,4,3,5-trithiadiazol-1-ylidene)amino]cyclotriphosphazene, 883–5
Addition of dimethylphenylphosphine to μ- and μ_3-alkynyl and μ_3-allenyl ligands in triosmium clusters: x-ray crystal structures of three zwitterionic adducts, 899–906
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy- and mixed alkoxy-amido complexes of tris(3,5-dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)-, bis(isopropoxy)-, and ethoxy(isopropoxy)-nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, 951–65
Synthesis and characterization by spectroscopy and x-ray structure determination of palladium complexes containing the 1-3-η-1,2-di-tert-butyl-3-methyl-4-methylenecyclobutenyl ligand, 999–1004
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans-cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
Formation of dicarbonyl(η^5-cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec-4-en-8-yl)ruthenium or dicarbonyl(η^5-cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec-4-en-8-ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five-coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of $[NEt_4][Ge_2Co_7(CO)_{21}]$ and $[NEt_4][Ge(Co_7(CO)_{20})]$; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
The chemistry of molybdenum oxohydrazido(2-) complexes; the x-ray crystal structure of [N,N-dimethylhydrazido(2-)-N^2]oxobis(quinolin-8-olato)molybdenum(VI), a complex with a bent hydrazido(2-) ligand, 1041–7
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3
Preparation, characterization, and magnetic properties of organic-intercalated two-dimensional ionic ferromagnets $(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
High nuclearity carbonyl clusters of rhodium. Part 3. Crystal and molecular structure of hexadeca-μ-carbonylenneacarbonyl-polyhedro-tetradecarhodate(4-) in its tetraethylammonium salt, 1099–102
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10-(2'-dimethylaminopropyl)phenothiazine-S]palladium(II), 1103–7
Electronic properties and crystal structure of (2,2'-bipyridyl)-catena-μ-(oxalato-O^1,O^2:$O^{1'},O^{2'}$)copper(II) dihydrate and aqua(2,2'-bipyridyl)(oxalato-O^1,O^2)copper(II) dihydrate, 1117–21
The molecular structure of silyl monothioacetate in the crystal at 130 K and in the gas phase, 1131–6
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
Potassium fluoride-malonic acid, $KF.CH_2(CO_2H)_2$: x-ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2-bis(benzimidazol-2'-ylmethylthio)benzene (bbtb) and the x-ray crystal structure at -52 °C of $[Cu(bbtb)(H_2O)][ClO_4]_2.5EtOH$, 1191–8
Doubly- and triply-bridging ligands derived from 2-pyridone and 2-aminopyridine. Crystal and molecular structure of the 2-pyridylamido complex nonacarbonyl-μ-hydrido-(μ_3-2-pyridylamido)-triangulo-triosmium formed from 2-aminopyridine and dodecacarbonyltriosmium, 1205–11
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR$-

$CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5–bis(di–tert–butylphosphino)pent–3–ylidene–$C^{3,3}$,P,P'] chloroiridium(III), 1217–24

Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5–bis(di–tert–butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5–bis(di–tert–butylphosphino)pent–2–en–3–yl–C^3,P,P']chloroplatinum(II), 1225–30

Coordination of alkali metals by open–chain polyethers in transition metal complexes. Part 1. X–ray crystal and molecular structure of tetrakis[1–(o–carboxymethoxyphenoxy)2–(o–hydroxyphenoxy)ethanato(1–)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45

Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6

Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307

Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19

Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6

Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31

Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di– and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x–ray crystal structure of di–μ–carbonyl–1,2–dicarbonyl–2–η^5–cyclopentadienyl–1–η^5–pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40

Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex [Rh(C_5Me_5)($C_4Ph_2HCPh{:}C_5Ph_2H_2$)] and the η^4–benzocyclobutadiene complex [Rh(C_5Me_5)($C_8Ph_4H_2$)], identified by x–ray structure determinations, 1341–7

Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54

Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60

N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), $[UCl_3(EtCONEt_2)_4]^+[UCl_5(EtCONEt_2)]^-$, 1361–4

Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at –100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4

Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x–ray structure of copper(I) iodide–diethyl disulfide (2/1), 1401–5

Secondary bonding. Part 9. Crystal and molecular structures of μ–oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8

Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9

Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12

Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6

Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_a) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_a(ClO_4)_2$, 1531–9

On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63

Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91

The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6–diacetylpyridine N,N'–dimethyl–N,N'–1,10–phenanthroline–2,9–diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and –trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601

Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9

Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x–ray crystal structure of dodecacarbonyl–μ_3–sulfido–(μ_4–thiocarbonyl–C,σ–S)tetraosmium(4 Os–Os), 1641–4

Synthesis and crystal and molecular structures of mixed–valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_6(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70

A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7

Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86

Light–induced reactions of trans–chloro(cyanomethyl)bis(triphenylphosphine)palladium(II) and the crystal and molecular structures of its acetone, acetonitrile, and benzene solvates, 1699–708

Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ–bonded 1,2–bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ–[1',2'–bis(p–methoxyphenylimino)propyl–C^1'(Pd^1):N,N'–(Pd^2)]–1,1–dichloro–2–(1''–3''–η–2''–methylallyl)–1–triphenylphosphinedipalladium, 1715–28

Studies of dioxamide and dithiooxamide metal complexes. Part 1. Crystal and molecular structures of $SbCl_3L_{1.5}$ (L = N,N'–diethyldithiooxamide) and uncomplexed L, 1729–32

Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9

Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound [PtW–(μ–C(OMe)C_6H_4Me–4)(CO)$_5$(η–C_8H_{12})] and the crystal structure of one isomer of $[Pt_3(\mu$–C(OMe)C_6H_4Me–4$)_3(CO)_3]$, 1741–7

Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC_6H_4Me–4)(CO)$_2$($PR_3)_2$(η–C_5H_5)] with carbon monoxide. Crystal structure of $[Pt_2W(\mu_3$–CC_6H_4Me–4)(CO)$_4$($PMePh_2)_2$(η–C_5H_5)], 1749–55

Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten

trimetal compounds with μ_3–tolylidyne groups: crystal structures of [FePtW(μ_3–CR)(CO)$_5$(PMePh$_2$)$_2$(η–C$_5$H$_5$)] and [FePtW(μ_3–CR)(CO)$_6$(PEt$_3$)(η–C$_5$H$_5$)] (R = C$_6$H$_4$Me–4), 1757–64

Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–C^{1,3}:C$^{1-2}$]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8

Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802

Crystal and molecular structures of tetraphenylars tetrakis(dimethyldithiophosphinato)cerium and –thulium and their comparison with results obtained from paramagnetic nuclear magnetic resonance data in solution, 1809–13

Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with (Me$_3$C)$_2$PCH$_2$CHMe(CH$_2$)$_3$P(CMe$_3$)$_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35

Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43

Preparation of η^2:η^2–o–xylylene complexes of ruthenium(0) via facile δ–hydrogen abstraction reactions. The crystal and molecular structure of tris(dimethylphenylphosphine)(1–α–η:2–α'–η–o–phenylenedimethylene)ruthenium, 1867–71

Cobalt metallocycles. Part 10. Preparation and x–ray structures of two isomeric dicyanocobaltacyclopentanes, 1923–7

Synthesis and characterization of paramagnetic triazenido complexes of rhenium(III). The crystal structure of [1,3–bis(p–tolyl)triazenido–N^1,N^3]dichlorobis(triphenylphosphine)rhenium(III), 1949–52

Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C$^{\alpha}$,C$^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64

Tris(pentafluorophenyl)gold(III) complexes, 1971–6

Coordination chemistry of arenediazoate anions: synthesis and x–ray crystallographic characterization of η–cyclopentadienyl(anti–p–nitrobenzenediazoato–N^1)(triphenylphosphine)nickel(II), [Ni(η–C$_5$H$_5$)(PPh$_3$)(ON$_2$C$_6$H$_4$NO$_2$–p)], 1981–5

The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5–tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1–), 1993–7

The reactivity of the unsaturated dimeric rhenium complexes [Re$_2$H$_2$(CO)$_6$((EtO)$_2$POP(OEt)$_2$)] and [Re$_2$H$_2$(CO)$_6$(Ph$_2$PCH$_2$PPh$_2$)]: x–ray crystal structure of [Re$_2$H(CO)$_6$(Ph$_2$PCH$_2$PPh$_2$)(μ–NC(H)Me)], 2021–8

Preparation and some reactions of [Os$_5$(CO)$_{19}$]: the molecular structures of [Os$_5$(CO)$_{19}$] and [Os$_5$(CO)$_{16}$(P(OMe)$_3$)$_3$], 2051–8

A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methyiseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72

Reactions of [Os$_3$(μ–H)$_2$(CO)$_{10}$)] with organic azides: structural characterization of [Os$_3$(μ–H)(CO)$_{10}$(μ–HN$_3$Ph)] and [Os$_3$(μ–H)$_2$(CO)$_9$(μ_3–NPh)], 2085–92

Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type [Pd(η^5–C$_5$H$_5$)L$_2$]PF$_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7

The synthesis of the cluster dianion [Os$_{10}$C(CO)$_{24}$]$^{2-}$ by pyrolysis. X–ray structure analysis of [N(PPh$_3$)$_2$]$_2$[Os$_{10}$C(CO)$_{24}$] and [Os$_5$C(CO)$_{14}$H(NC$_5$H$_4$)], 2099–107

Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16

Synthesis and crystal structure of (S$_3$N$_3$O$_4$)$_2$S, a compound with two six–membered rings bridged by a sulfur atom, 2117–18

Synthesis and structural characterization of the complexes [Os$_3$(CO)$_{10}$(CON$_3$Ph)(NCMe)] and [Os$_3$(CO)$_{10}$(CON$_3$Ph)(NC$_5$H$_5$)], 2119–22

Preparation and crystal structure of the four–coordinate gold(I) complex chlorotris(triphenylphosphine)gold(I), 2123–5

Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9

Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73

Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7

Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of HC$_5$(CO$_2$Me)$_5$, Li[C$_5$(CO$_2$Me)$_5$].H$_2$O, K[C$_5$(CO$_2$Me)$_5$].(MeOH), and Tl(C$_5$CO$_2$Me)$_5$], 2209–20

Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of Ba[C$_5$(CO$_2$Me)$_5$]$_2$, 2221–6

Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 3. Synthesis and crystal structure of the trivalent metal complex [Cr(C$_5$(CO$_2$Me)$_5$)$_3$].ca.3.75H$_2$O, 2227–9

Isomeric hypho–boranes. Properties and molecular structures of the adducts B$_5$H$_9$L (L = Ph$_2$PCH$_2$PPh$_2$, Ph$_2$PCH$_2$CH$_2$PPh$_2$, or Me$_2$NCH$_2$CH$_2$NMe$_2$) and B$_4$H$_8$L (L = Me$_2$NCH$_2$CH$_2$NMe$_2$), 2243–55

Synthesis and molecular structure of [Au$_4$Cl$_8$], and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60

A convenient route to complexes of the type [MoO(SR)$_4$]$^-$ (R = aryl) and [MoO(S(CH$_2$)$_n$S)$_2$]$^-$ (n = 2 or 3): preparation and crystal structure of tetraphenylphosphonium N,N–dimethylhydrazido(2–)oxotris(thiophenolato)molybdate(VI) diethyl ether solvate, 2295–8

Complex formation between antimony trifluoride and alkali metal sulfates. The x–ray crystal structure of K$_2$SO$_4$.SbF$_3$ and antimony–121 Moessbauer studies of some related compounds, 2313–16

Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, [Me$_3$P:N:PMe$_3$]Br.H$_2$O, 2317–20

Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51

MeNC insertion into Pd–C$_6$F$_5$ bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95

The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18

Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23

Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H$_2$L): [Cu$_4$L$_4$].8MeOH, a complex with a ferromagnetic ground state, 2433–8

New platinum hydrido acetylides. Crystal and molecular structure of hydrido(3–hydroxy–3–methylpent–1–ynyl)bis(triphenylphosphine)platinum(II), 2449–53

Synthesis of six–coordinate technetium(V) complexes with N–phenylsalicylideneimine. X–ray crystal structure of chlorooxobis(N–phenylsalicylideneiminato)technetium(V), 2455–9

Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8

Bonding in clusters. Part 5. The electronic, molecular, and crystal structure of 1,10–bis(diazo)–closo–decarborane(10). A combined theoretical, photoelectron, and x–ray crystallographic study, 2469–73

Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex [RhFeW(μ_3–

CC_6H_4Me–4)(μ–CO)$(CO)_5(\eta$–$C_5H_5)(\eta$–$C_9H_7)$], 2475–83
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi– and trinuclear compounds. Molecular structures of $[H(\eta^5$–$C_5H_5)_2Mo(\mu$–σ:η^5–$C_5H_4)Mo(\eta^5$–$C_5H_5)]$, $[(\eta^5$–$C_5H_5)(OC)Mo(\mu$–η^5:σ–$C_5H_4)Mo(CO)_2(\eta^5$–$C_5H_5)]$, and $[(Mo(\eta^5$–$C_5H_5))_2(\mu$–η^5–C_5H_4–η^5–$C_5H_4)H_3]PF_6$, 2485–94
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
Synthetic pathways in binuclear molybdenum chemistry: μ–acetato–chloro–, and tertiary phosphine derivatives: x–ray structure determination of trans–$[(MoCl(PBu_3)(\mu$–$O_2CMe))_2]$, 2519–25
Structural, spectroscopic, and magnetic properties of diaqua(L–aspartato)nickel(II) hydrate, 2541–3
Structure of bis(5,6,11,12–tetrahydro–2,8–dimethylphenhomazine)nickel(II) perchlorate, 2545–7
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
Synthesis and x–ray structure of a cobalt(II) complex of a negatively charged quinquedentate macrocyclic ligand, 2557–9

CRYSTN
Crystallization of amorphous silica into quartz, 1005–7
Crystallization and transformation of amorphous germanium dioxide derived from hydrolysis of germanium isopropoxide, 1907–10

CUMYL
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41

CUPRATE
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6

CYANO
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N–dimethylethylenediamine)ferrate(II), 1555–8
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5

CYANOBUTANEDIYL
Cobalt metallocycles. Part 10. Preparation and x–ray structures of two isomeric dicyanocobaltacyclopentanes, 1923–7

CYANOCUPRATE
Unstable intermediates. Part 199. Electron–gain and –loss centers in irradiated potassium tetracyanocuprate(I), 985–90

CYANODIMETHYLETHYLENEDIAMINEFERRATE
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N–dimethylethylenediamine)ferrate(II), 1555–8

CYANODIMETHYLGLYOXIMATOTRIMETHYL
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11

CYANOETHYLENEDITHIOLATE
A study of the one–dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8

CYANOMETHANE
Crystal and molecular structures of undecacarbonyl(cyanomethane–)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95

CYANOMETHANETRIOSMIUM
Crystal and molecular structures of undecacarbonyl(cyanomethane–)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5

CYANOMETHYL
Light–induced reactions of trans–chloro(cyanomethyl)bis(triphenylphosphine)palladium(II) and the crystal and molecular structures of its acetone, acetonitrile, and benzene solvates, 1699–708

CYANOMETHYLPALLADIUM
Light–induced reactions of trans–chloro(cyanomethyl)bis(triphenylphosphine)palladium(II) and the crystal and molecular structures of its acetone, acetonitrile, and benzene solvates, 1699–708

CYANONITROSYLFERRATE
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5

CYANOPHOSPHATE
Cyano and thiocyanato derivatives of the hexachlorophosphate ion (PCl_6^-), 1199–204

CYCLIC
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9

CYCLIZATION
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu$–$C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu$–$C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63

CYCLOALKADIENYLPHOSPHONIUM
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51

CYCLOALKOXYVINYL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7

CYCLOALKOXYVINYLARYLNICKEL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7

CYCLOALKYLALKOXYCARBENEARYLNICKEL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7

CYCLOBUTABENZENE
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7

CYCLOBUTABENZENERHODIUM
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7

CYCLOCONDENSATION
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9

CYCLODIPHOSPHAZANE
Synthesis and conformational studies of (diphenylphosphinoamino–)cyclodiphosph(III)azanes, 1503–8

CYCLOHEPTADIENYLIRON
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51

CYCLOHEPTATRIENE
Photochemistry of tricarbonyl(1–6–η–cycloheptatriene)molybdenum in frozen gas matrixes at 12 K. Photodissociation of cycloheptatriene and carbon monoxide ligands, 2029–36

CYCLOHEXANONE
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32

CYCLOHEXENE
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32

CYCLOMETALATION
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)$-$_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
CYCLOOCTADIENE
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cycloct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 159–65
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
CYCLOOCTADIENECHLOROIRIDADECABORANE
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
CYCLOOCTADIENERUTHENIUM
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
CYCLOOCTATETRAENE
Dimolybdenum complexes derived from cyclooctatetraene. Crystal and molecular structures of $[Mo_2(CO)_2(\eta\text{–}C_5H_5)_2(C_8H_8)]$ (two isomers) and of $[Mo_2(CO)_4(\eta\text{–}C_5H_5)_2(\eta^3,\eta'^3\text{–}C_{16}H_{16})]$, 147–58
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CYCLOOCTATETRAENEIRON
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives $[Fe(CO)_3(C_8H_7X)]$ (X = Me, Ph, Br, or CPh_3), 939–42
CYCLOOCTATETRAENYLIRON
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
CYCLOOCTATRIENECHROMIUM
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
CYCLOOCTATRIENERUTHENIUM
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
CYCLOOCTENETRIOSMIUM
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
CYCLOPENTADIENE
Dimolybdenum complexes derived from cyclooctatetraene. Crystal and molecular structures of $[Mo_2(CO)_2(\eta\text{–}C_5H_5)_2(C_8H_8)]$ (two isomers) and of $[Mo_2(CO)_4(\eta\text{–}C_5H_5)_2(\eta^3,\eta'^3\text{–}C_{16}H_{16})]$, 147–58
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cycloct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 159–65
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
CYCLOPENTADIENEDIYL
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi– and trinuclear compounds. Molecular structures of $[H(\eta^5\text{–}C_5H_5)_2Mo(\mu\text{–}\sigma{:}\eta^5\text{–}C_5H_4)Mo(\eta^5\text{–}C_5H_5)]$, $[(\eta^5\text{–}C_5H_5)(OC)Mo(\mu\text{–}\eta^5{:}\sigma\text{–}C_5H_4)Mo(CO)_2(\eta^5\text{–}C_5H_5)]$, and $[(Mo(\eta^5\text{–}C_5H_5))_2(\mu\text{–}\eta^5\text{–}C_5H_4\text{–}\eta^5\text{–}C_5H_4)H_3]PF_6$, 2485–94
CYCLOPENTADIENYL
The formation, structure, and reversible carbonylation of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut–2–yne, 283–9
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, $[M(\eta^5\text{–}C_5H_5)(CO)_{3-n}(NO)_n]$ (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di– and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x–ray crystal structure of di–μ–carbonyl–1,2–dicarbonyl–2–η^5–cyclopentadienyl–1–η^5–pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type $[Pd(\eta^5\text{–}C_5H_5)L_2]PF_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7
Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
Stereochemically nonrigid silanes, germanes, and stannanes. Part 11. Mechanistic implications of diastereotopic effects induced in methylcyclopentadienyl, indenyl, and pentamethylcyclopentadienyl ring systems by chiral tin substituents, 2275–9
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
CYCLOPENTADIENYLIRIDIUMPHOSPHINOETHYLPHOSPHINETUNGSTEN
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
CYCLOPENTADIENYLIRON
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91

CYCLOPENTADIENYLNITROSYLBISTRIMETHYLPHOSPHINEOSMIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
CYCLOPENTADIENYLOSMIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
CYCLOPENTADIENYLPHENYLLEAD
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
CYCLOPENTADIENYLPHOSPHINORHODIUMTUNGSTEN
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
CYCLOPENTADIENYLRHODIOPLATINUM
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
CYCLOPENTADIENYLRHODIUM
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex [Rh(C_5Me_5)($C_4Ph_2HCPh{:}C_5Ph_2H_2$)] and the η^4–benzocyclobutadiene complex [Rh(C_5Me_5)($C_8Ph_4H_2$)], identified by x–ray structure determinations, 1341–7
CYCLOPENTADIENYLRUTHENIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
CYCLOPENTADIENYLTITANIUM
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
CYCLOPENTADIENYLTRISDIETHYLDITHIOCARBAMATOMERCURIONIOBIUM
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x–ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
CYCLOPENTADIENYLURANIUM
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
CYCLOPHOSPHAZENE
Kinetic studies of the reactions of hexachlorocyclotriphosphazene and octachlorocyclotetraphosphazene with tert–butylamine, 67–71
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
CYCLOPOLYALKENE
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
CYCLOTRIPHOSPHAZADIENE
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
CYCLOTRIPHOSPHAZATRIENE
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
CYCLOTRIPHOSPHAZENE
Crystal structure of 2,2,4,4,6–pentafluoro–6–[N–(1,2,4,3,5–trithiadiazol–1–ylidene)amino]cyclotriphosphazene, 883–5
CYSTEINATO
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
CYSTEINATOTIN
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
CYTOCHROME
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
DECABORANE
Bonding in clusters. Part 5. The electronic, molecular, and crystal structure of 1,10–bis(diazo)–closo–decarborane(10). A combined theoretical, photoelectron, and x–ray crystallographic study, 2469–73
DECACARBONYL
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}(\mu$–$CNR_2)$] and [$Fe_3H(CO)_9(\mu_3$–CH:NR)], 43–50
Reactions of [$Os_3(\mu$–$H)_2(CO)_{10}$] with diazo compounds: structural characterization of [$Os_3(\mu$–$H)(CO)_{10}(\mu$–NHNCPh$_2$)] and [$Os_3(\mu$–$H)(CO)_{10}(\mu$–NHNCPhMe)], 263–9
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
DECACARBONYLBISCYANOMETHANETRIOSMIUM
Crystal and molecular structures of undecacarbonyl(cyanomethane-)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
DECARBONYLATION
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
DECOMPN
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
DEHYDRATION
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
DEUTERIUM
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
DIACETYL
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
DIACETYLPYRIDINE
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
DIALKYL
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}(\mu$–$CNR_2)$] and [$Fe_3H(CO)_9(\mu_3$–CH:NR)], 43–50
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
DIALKYLDITHIOCARBAMATE
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
DIALKYLISONITRILE
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}(\mu$–$CNR_2)$] and [$Fe_3H(CO)_9(\mu_3$–CH:NR)], 43–50
DIALKYLSILYL
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19

DIAMINE
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
DIAMINOALKANE
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
DIAMINOCYCLOALKANE
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N–N)_2][M(IV)(N–N)_2X_2]X_4$ (X = halogen), 1851–60
DIAMINOPROPANE
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–h,droxo derivative, 1837–43
DIARYL
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
DIAZACYCLOHEXADECANEPALLADIUM
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
DIAZADIPLATINABICYCLOOCTANE
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu–C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu–C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
DIAZENIDOBISPYRIDINETUNGSTEN
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
DIAZIDO
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
DIAZINE
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
DIAZINYLHYDRIDOTRIOSMIUM
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
DIAZO
Bonding in clusters. Part 5. The electronic, molecular, and crystal structure of 1,10–bis(diazo)–closo–decarborane(10). A combined theoretical, photoelectron, and x–ray crystallographic study, 2469–73
DIAZOALKANE
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–!–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
DIAZODECABORANE
Bonding in clusters. Part 5. The electronic, molecular, and crystal structure of 1,10–bis(diazo)–closo–decarborane(10). A combined theoretical, photoelectron, and x–ray crystallographic study, 2469–73
DIBENZO
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
DIBROMODIMETHOXYPHENYLTRIMETHYLPHOSPHINENICKEL
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
DIBROMOOCTAETHYLPORPHYRINATOVANADIUM
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18–octaethylporphyrinato)vanadium(IV), 1451–6
DICARBIDOTETRACOSACARBONYLTRIDECACOBALTATE
New carbide clusters in the cobalt sub–group. Part 9. Preparation and crystallographic characterization of dicarbidododeca–μ–carbonyldodecacarbonyl–polyhedro–tridecacobaltate(4–) as its tetrakis(benzyltrimethylammonium) salt $[N(CH_2Ph)Me_3]_4[Co_{13}C_2(CO)_{24}].Me_2CO$, 645–9
DICARBONYL
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
DICATION
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
DICHLORIDE
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
DICHLORO
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
DICHLOROBISDIMETHYLPYRAZOLEDIMETHYLTIN
Crystal structure of dichlorobis(3,5–dimethylpyrazole–N²)dimethyltin(IV), 805–8
DICHLOROHETEROARYLPLATINUM
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
DICHLOROTETRAPYRIDINECOBALT
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
DICHLOROTETRATHIACYCLOTETRADECANERUTHENIUM
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
DICHROMIUM
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85

DICOBALT
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_8(\eta\text{-}C_5H_5)]$ and $[Rh_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(acac)_2(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$ (acac = acetylacetonate), 699–708
Reduction potentials for μ-superoxo/μ-peroxodicobalt(III) couples 1621–4
DICOBALTTUNGSTEN
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_8(\eta\text{-}C_5H_5)]$ and $[Rh_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(acac)_2(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$ (acac = acetylacetonate), 699–708
DIELS
Reactions of cyclic 1,3-dienes with ethyne coordinated at a dimetal center. Crystal structure of μ-(7–8–η:9–10–η-bicyclo[4.2.2]deca-2,4,7,9-tetraene)bis[carbonyl(η-cyclopentadienyl)molybdenum](-3Mo–Mo), 167–72
DIENE
Molecular structures and bonding of η-cyclopentadienyl(substituted diene)cobalt complexes, 89–94
DIETHYL
Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x-ray structure of copper(I) iodide–diethyl disulfide (2/1), 1401–5
DIETHYLAMINOETHYLDIPHENYLPHOSPHINE
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
DIETHYLDITHIOCARBAMATE
Syntheses of diethyldithiocarbamate chelates of chromium(III) and molybdenum(V) by oxidative decarbonylation, 845–6
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N-dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
DIETHYLENETRIAMINE
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
DIFERRACYCLOPENTADIENE
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl–1–carbonyl–1,2–bis(η-cyclopentadienyl)–μ-[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
DIFERRACYCLOPENTENONE
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl–1–carbonyl–1,2–bis(η-cyclopentadienyl)–μ-[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
DIFFRACTION
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
DIHALIDE
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x-ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18–octaethylporphyrinato)vanadium(IV), 1451–6
DIHALO
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans-dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
DIHALOBISETHYLENEDIAMINERUTHENIUM
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans-dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
DIHALODIOXOMOLYBDENUM
Infrared and electronic spectra of matrix–isolated dichlorodioxo- and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
DIHALODIPYRIDINEMERCURY
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
DIHODIUMTUNGSTEN
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_8(\eta\text{-}C_5H_5)]$ and $[Rh_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(acac)_2(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$ (acac = acetylacetonate), 699–708
DIHYDRATE
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
DIHYDROXYPHENYLAZONITROBENZENE
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
DIIMINE
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
DIINDENYL
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
DIIRON
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η-cyclopentadienyl)–μ-[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
DIISOCYANATE
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8–bis(diphenylphosphino)–3,6–dioxaoctane: six– and four–coordinate complexes and trans bidentate behavior, 833–9
DIKETONE
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Photochemistry of acetylacetonato–, trifluoroacetylacetonato–, and hexafluoroacetylacetonatodicarbonylrhodium and –iridium complexes in frozen gas matrixes at 12 K. Infrared spectroscopic evidence for carbon monoxide dissociation and chelate ring–opening processes, 1777–82
DIMANGANESE
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
DIMER
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi– and trinuclear compounds. Molecular structures of $[H(\eta^5\text{-}C_5H_5)_2Mo(\mu\text{-}\sigma\text{:}\eta^5\text{-}C_5H_4)Mo(\eta^5\text{-}C_5H_5)]$, $[(\eta^5\text{-}C_5H_5)(OC)Mo(\mu\text{-}\eta^5\text{:}\sigma\text{-}C_5H_4)Mo(CO)_2(\eta^5\text{-}C_5H_5)]$, and $[(Mo(\eta^5\text{-}C_5H_5))_2(\mu\text{-}\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)H_3]PF_6$, 2485–94
Synthetic pathways in binuclear molybdenum chemistry: μ–acetato–chloro–, and tertiary phosphine derivatives: x-ray structure determination of trans–$[(MoCl(PBu_3)(\mu\text{-}O_2CMe))_2]$, 2519–25
DIMERIZATION
Dimolybdenum complexes derived from cyclooctatetraene. Crystal

DIMERIZATION(contd)
and molecular structures of $[Mo_2(CO)_2(\eta\text{–}C_5H_5)_2(C_8H_8)]$ (two isomers) and of $[Mo_2(CO)_4(\eta\text{–}C_5H_5)_2(\eta^3,\eta'^3\text{–}C_{16}H_{16})]$, 147–58
DIMETHOXYPHENYLPHOSPHINENICKEL
Lithiation and intermolecular exchange of tertiary methylphosphines in trans-$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
DIMETHYL
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2)(\eta\text{–}C_5H_5)_2].2CH_2Cl_2$ and $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)_4)(\eta\text{–}C_5H_5)_2]$, 187–93
A kinetic study of the reactions of methyl– and acetylpentacarbonylmanganese with acetylenes, 417–21
Synthesis and x–ray crystal structure of ab–dimethyl–df–dinitro–ce–bis(triethylphosphine)platinum(IV), 663–5
DIMETHYLAMINOALKYLDIMETHYLAMMONIUM
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
DIMETHYLAMINOALKYLDIMETHYLAMMONIUMTRICHLOROPLATINUM
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
DIMETHYLDINITROBISTRIETHYLPHOSPHINEPLATINUM
Synthesis and x–ray crystal structure of ab–dimethyl–df–dinitro–ce–bis(triethylphosphine)platinum(IV), 663–5
DIMETHYLGLYOXIMATO
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
DIMETHYLGLYOXIME
The cis– and trans–effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
DIMETHYLPYRAZOLYLBORATO
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 429–38
DIMOLYBDENUM
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cyclooct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(-Mo–Mo), 159–65
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](-3Mo–Mo), 167–72
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2)(\eta\text{–}C_5H_5)_2].2CH_2Cl_2$ and $[Mo_2(\mu\text{–}(MeO_2CC_2CO_2Me)_4)(\eta\text{–}C_5H_5)_2]$, 187–93
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
DINICKEL
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
DINITRATO
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
DINITRATODIOXOPHENYLPHOSPHINE
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
DINITRO
Synthesis and x–ray crystal structure of ab–dimethyl–df–dinitro–ce–bis(triethylphosphine)platinum(IV), 663–5
DINITROGENMOLYBDENUM
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
DINITROGENTUNGSTEN
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
DIOXIDE
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
DIOXIME
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
DIOXO
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
DIOXYGEN
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24–tetrasulfonated phthalocyanine, 373–80
Paramagnetic dioxygen complexes of rhodium, 1165–6
DIPEPTIDE
Studies on transition metal–peptide complexes. Part 6. Influence of side–chain donor group on the equilibrium and thermodynamics of binary and ternary copper(II)–dipeptide complexes, 381–6
Studies on transition metal–peptide complexes. Part 7. Copper(II) complexes of dipeptides containing L–histidine, 2159–63
DIPHENYL
Secondary bonding. Part 8. The crystal and molecular structure of diphenyl telluroxide, 709–12
DIPHENYLPHOSPHINE
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
DIPHENYLPHOSPHINO
Synthesis and conformational studies of (diphenylphosphinoamino-)cyclodiphosph(III)azanes, 1503–8
DIPHENYLPHOSPHINOAMINO
Synthesis and conformational studies of (diphenylphosphinoamino-)cyclodiphosph(iii)azanes, 1503–8
DIPHENYLPHOSPHINOMETHANE
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
DIPHENYLPHOSPHINOOCTANE
Preparation and spectroscopic characterization of pseudotetrahedral $[NiX_2(Ph_2P(CH_2)_8PPh_2)]$ (X = Cl, Br, or I) and planar $[Ni(NCS)_2(Ph_2P(CH_2)_8PPh_2)]$, 841–3
DIPHENYLPYRIDYLPHOSPHINE
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
DIPHOSPHINE
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu\text{–}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{–}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
DIPHOSPHINOPENTYL
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)$-

DIPHOSPHINOPENTYL(contd)
$_3P(CMe_3)_2$. Crystal structures of [2-methyl-1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3 PP']-chloropalladium(II) and -chlorohydridoiridium(III), 1829–35
DIPOTASSIUM
Coordination of alkali metals by open-chain polyethers in transition metal complexes. Part 1. X-ray crystal and molecular structure of tetrakis[1-(o-carboxymethoxyphenoxy)2-(o-hydroxyphenoxy)ethanato(1-)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45
DIPYRIDINE
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
DIRHODACYCLOPROPANE
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low-valent platinum compounds: x-ray crystal structure of di-μ_3-carbonyl-1-carbonyl-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
DIRHODIUM
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_8(\eta\text{-}C_5H_5)]$ and $[Rh_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(acac)_2(\mu\text{-}CO)(CO)_2(\eta\text{-}C_5H_5)]$ (acac = acetylacetonate), 699–708
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low-valent platinum compounds: x-ray crystal structure of di-μ_3-carbonyl-1-carbonyl-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Protonation of cyclo-platinumdirhodium complexes. X-ray crystal structure of 2,3;2,3-di-μ-carbonyl-1-carbonyl-1,2-μ-hydrido-2,3-bis(η-pentamethylcyciopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
DIRUTHENACYCLOPENTADIENE
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
DIRUTHENACYCLOPENTENONE
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
DIRUTHENIUM
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
DISELENIC
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
DISILYL
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
DISPROPORTIONATION
Some oxygen-donor complexes of cyclopentadienyluranium(IV) N-thiocyanate: steric considerations and stability, 1365–9
Coordination compounds of indium. Part 40. Reactions of nonaqueous solutions of indium(I) halides, 2165–8
DISSOCN
Kinetic studies on the closure of a chelate ring in [(2-dimethylaminoethyl)dimethylammonium]- and [(3-dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
Some silyl and germyl compounds of six-coordinated rhodium(III) carbonyl halides, 1513–19
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N-dimethylethylenediamine)ferrate(II), 1555–8
Dissociation of strong acids in aqueous solutions, 2425–7
DISSOLN
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
DISULFIDE
Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x-ray structure of copper(I) iodide-diethyl disulfide (2/1), 1401–5
DITHIA
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
DITHIASTANNOLANE
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
DITHIATRIAZAPHOSPHORINE
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis-$NPCl_2(NSOCl)_2$, 1773–6
DITHIOBENZOATE
Synthesis, spectroscopy, and x-ray crystallographic analysis of (η^3-dithiobenzoato-SCS')oxo(trithioperoxybenzoato-S,S',S'')molybdenum(IV) and μ-oxobis[bis(dithiobenzoato-S,S')oxomolybdenum(V)], 121–7
DITHIOCARBAMATO
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2-mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
DITHIOCARBENE
Preparation of some metallodithiocarboxylato- and metallodithiocarbene-metal complexes, 1631–4
DITHIOCARBOXYLATE
Preparation of some metallodithiocarboxylato- and metallodithiocarbene-metal complexes, 1631–4
DITHIOPHOSPHATO
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2-mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
DITHIZONATE
Photochromism in organomercury(II) dithizonates, 2299–301
DITUNGSTEN
Further comments on one-electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
DMSO
The structural reformulation of def-tri-μ-chloro-a-chloro-bcghi-pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
DODECACARBONYLTHIOCARBONYLSULFIDOTETRAOSMIUM
Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x-ray crystal structure of dodecacarbonyl-μ_3-sulfido-(μ_4-thiocarbonyl-C,σ-S)tetraosmium(4 Os–Os), 1641–4
DONATION
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus-31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
DONOR
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2-donor macrocyclic ligands, 2565–6
DOPANT
Zero-field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
DRUG
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10-(2'-dimethylaminopropyl)phenothiazine-S]palladium(II), 1103–7
EARTH
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,-11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$,

EARTH(contd)
2221–6
ELEC
A study of the one-dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8
The cis- and trans-effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
Chemistry of ruthenium. Part 6. Bis(2,2'-bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
ELECTROCHEM
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Arylazooximates of ortho-palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
Electrochemical behavior of complexes of copper(II) with 14-membered saturated tetraaza macrocycles, 893–7
Reduction of Schiff-base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand-to-metal electron-transfer process, 1085–9
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or -thioether ligands, 1457–63
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6-diacetylpyridine N,N'-dimethyl-N,N'-1,10-phenanthroline-2,9-diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and -trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10-phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
Electrophilic behavior of nitrosyls: preparation and reactions of six-coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(-I) tetraphenylborate in acetonitrile, 2561–2
ELECTRON
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus-31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
The photoelectron spectra of enneacarbonyl-μ_3-methylidynetricobalt and some derivatives, 201–6
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Electron structure of bis[μ-carbonyl(η^5-cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
ELECTRONIC
The transformations of parallel and perpendicular $L_2M(\mu$-acetylene)ML_2 complexes, 1471–82
ELECTROPHILE
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x-ray structure of the trithiocarbonate complex S,S-(methyl trithiocarbonato)[1,1,1,-tris(diphenylphospinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
The preparation and reactions of azidobis[1,2-bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
ELIMINATION
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
ENERGY
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
A fluxional arachno-1-metallapentaborane, [1,1,1,-(CO)$(PMe_3)_2$(1--IrB_4H_9)], 481–3
Potassium fluoride-succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru-Ru), 1297–307
Thermodynamics of the semiconductor-metal transition in the lanthanide monosulfides, 2269–73
ENTHALPY
Coordinating tendencies of a 14-membered tetraaza macrocycle which forms a seven-membered chelate ring, 61–5
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
ENTROPY
Thermodynamics of the semiconductor-metal transition in the lanthanide monosulfides, 2269–73
EQUIL
A spectrophotometric study on equilibriums of p-(4-hydroxy-1-naphthylazo)nitrobenzene with proton and of p-(2,4-dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
A new contribution to the determination of the complex equilibriums of oxidized glutathione with proton and copper(II) in aqueous solution, 1803–8
Equilibriums and mechanism of the interaction of indium(III) with the indicator ferron, 1945–8
ESR
Water-soluble cobalt(II) complexes of N,N'-substituted bis(salicylaldimine-5-sulfonic acids). Oxygen-carrying properties and conversion into cobalt(III) organometallic compounds, 109–16
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24-tetrasulfonated phthalocyanine, 373–80
Reduction-oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Reactions of nickel(II) complexes containing arsine ligands with electron-deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Dimeric copper(II) compounds with a tripodal imidazole-containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ-(benzotriazolato-N^1,N^3)bis([tris(N-methylbenzimidazol-2-ylmethyl)amine-N,N^3,$N^{3'}$,$N^{3''}$]copper(II)) trinitrate, 623–31
Properties and x-ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'-bipyridyl or 2,2':6',2''-terpyridyl, 681–5
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
The role of the superoxide radical in the osmium tetroxide-catalyzed decomposition of hydrogen peroxide, 859–63
Unstable intermediates. Part 199. Electron-gain and -loss centers in irradiated potassium tetracyanocuprate(I), 985–90
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Studies on copper-protoporphyrin-iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40

ESR(contd)
Paramagnetic dioxygen complexes of rhodium, 1165–6
Electron spin resonance spectra of some low-spin ruthenium(III) complexes: a probe for solvation effects, 1185–9
Copper(I) and copper(II) chelates containing imidazole and thioether groups; synthesis of the ligand 1,2-bis(benzimidazol-2'-ylmethylthio)benzene (bbtb) and the x-ray crystal structure at -52 °C of $[Cu(bbtb)(H_2O)](ClO_4)_2.5EtOH$, 1191–8
Zero-field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi- and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
A method for the simulation of powder electron spin resonance spectra when $S > 1/2$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and -tungsten cubane-like cluster dimers, 1575–85
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo-, methoxo-, or 1,1-azido-bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ-hydroxo derivative, 1837–43
Photochemical studies of the alkylammonium molybdates. Part 6. Photoreducible octahedron site of $[Mo_7O_{24}]^{6-}$ as determined by electron spin resonance, 1987–91
Electron spin resonance and Moessbauer evidence for the trianion di-μ-sulfidobis[o-xylene-α,α'-dithiolatoferrate](3-), 2015–20
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5
Magnetic and spectroscopic properties of dimeric copper(II) N-benzoylvalinates, 2109–12
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
Mixed-valence fluoropolytungstates, 2439–43
ESTER
Hydrolysis of α-amino acid esters in mixed-ligand complexes with 2,2'-bipyridylpalladium(II), 1819–23
ETHER
Alkali and alkaline earth metal complexes of 4'-acetobenzocrown ethers. Crystal and molecular structure of (18-acetyl-2,3,5,6,8,9,-11,12,14,15-decahydro-1,4,7,10,13,16-benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or -thioether ligands, 1457–63
Gas-phase molecular structures of bis(difluorothiophosphoryl)methane, $CH_2(PF_2S)_2$, and bis(difluorothiophosphoryl) ether, $O(PF_2S)_2$, determined by electron diffraction, 2079–83
ETHOXYMETHYLACROLEIN
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x-ray structure of (5,14,15,16,17,18-hexahydro-7-methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
ETHYL
Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x-ray structure of copper(I) iodide-diethyl disulfide (2/1), 1401–5
ETHYLAMIDO
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, 429–38
ETHYLAMINO
Organoboron compounds. Part 17. Preparation and properties of some 2,4-diphenyl- and 2-diethylamino-4-phenyl-1,3,5,2-oxadiazaboroles, 907–9
ETHYLAMINOETHYLDIPHENYLPHOSPHINERHODIUM
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
ETHYLAMINOPHENYLOXADIAZABOROLE
Organoboron compounds. Part 17. Preparation and properties of some 2,4-diphenyl- and 2-diethylamino-4-phenyl-1,3,5,2-oxadiazaboroles, 907–9
ETHYLAZONIAPENTADIYLPLATINUM
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X-ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
ETHYLDITHIOCARBAMATE
Syntheses of diethyldithiocarbamate chelates of chromium(III) and molybdenum(V) by oxidative decarbonylation, 845–6
ETHYLDITHIOCARBAMATOCADMATE
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2-mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
ETHYLDITHIOCARBAMATOTECHNETIUM
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
ETHYLDITHIOOXAMIDE
Studies of dioxamide and dithiooxamide metal complexes. Part 1. Crystal and molecular structures of $SbCl_3L_{1.5}$ (L = N,N'-diethyldithiooxamide) and uncomplexed L, 1729–32
ETHYLENE
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri-μ-carbonyltris(η^5-indenyl)-triangulo-trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ-vinylidenebis[carbonyl(1-5-η-indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Synthesis and reactivity of platinum–formaldehyde complexes $[Pt(PR_3)_2(CH_2O)]$, 1637–9
ETHYLENEBISSALICYLIDENEIMINATE
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
ETHYLENEBISSALICYLIDENEIMINATO
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
ETHYLENEBISSALICYLIDENEIMINATOMERCURY
Syntheses of N,N'-ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
ETHYLENEBISSALICYLIDENEIMINATOTITANIUM
Peripheral electrophilic properties of dichloro[N,N'-ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium–hydrogen–boron unit, 2197–202
ETHYLENEDIAMINE
Metal-ion controlled reactions of 2,6-diacetylpyridine with 1,2-diaminoethane and 2,6-diformylpyridine with o-phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o-phenylenediamine, 407–15
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans-dihalobis(ethylenediamine)ruthenium(III) cations: ligand-field versus ligand-to-metal charge-transfer excited states, 531–4
Photochemistry of cis-bis(ethylenediamine)dinitrocobalt(III) in acetonitrile, 2403–7
ETHYLIDENEIMINO
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x-ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{-}NC(H)Me)]$, 2021–8
ETHYLPORPHYRINATO
Crystal structure of fluoro(2,3,7,8,12,13,17,18-octaethylporphyrinato)oxoniobium; demonstration of the presence of six-coordinated niobium, 247–50
ETHYLPORPHYRINATOIRIDIUM
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet-visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
ETHYLSALICYLIDENEIMINE
Kinetics of ligand substitution in bis(N-tert-butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82

ETHYLSELENOPYRIDYLMERCURY
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
ETHYLTETRAMETHYLCYCLOPENTADIENYL
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X-ray crystal structure of 1,2-μ-carbonyl-2,2,2,3,3,3,4,4,4-nonacarbonyl-1-(1'-5'-η-ethyltetramethylcyclopentadienyl)-di-μ-hydrido-tetrahedro-cobalttriosmium, 1509–12
ETHYNYLDIMOLYBDENUM
Reactions of cyclic 1,3-dienes with ethyne coordinated at a dimetal center. Crystal structure of μ-(7-8-η:9-10-η-bicyclo[4.2.2]deca-2,4,7,9-tetraene)bis[carbonyl(η-cyclopentadienyl)molybdenum](-3Mo–Mo), 167–72
EUROPIUM
Stereoselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
A Moessbauer spectroscopic study of the iodides of europium, 2409–14
EXCHANGE
A carbon-13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Halogen exchange reactions involving uranium(V) and -(VI) halides, 1385–8
Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ-bonded 1,2-bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ-[1',2'-bis(p-methoxyphenylimino)propyl-C1'(Pd^1):N,N'-(Pd^2)]-1,1-dichloro-2-(1''-3''-η-2''-methylallyl)-1-triphenylphosphinedipalladium, 1715–28
Mechanism of migration of ancillary ligands in binuclear palladium(II) allyl complexes, 2303–8
EXPLOSION
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Lithiation and intermolecular exchange of tertiary methylphosphines in trans-$[NiR_2L_2]$, where R = 2,6-dimethoxyphenyl, 1443–9
FERRATE
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N-dimethylethylenediamine)ferrate(II), 1555–8
Electron spin resonance and Moessbauer evidence for the trianion di-μ-sulfidobis[o-xylene-α,α'-dithiolatoferrate](3-), 2015–20
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2-) ions: electronic and medium effects, 2147–50
FERRATHIOMOLYBDENUM
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and -tungsten cubane-like cluster dimers, 1575–85
FERRATHIOTUNGSTEN
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and -tungsten cubane-like cluster dimers, 1575–85
FERROCENE
Some new and recent ferrocene- and ruthenocene-centered reagents for n-type silicon surfaces in photoelectrochemical use, 2379–83
FERROMAGNETISM
Preparation, characterization, and magnetic properties of organic-intercalated two-dimensional ionic ferromagnets $(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
FERRON
Equilibriums and mechanism of the interaction of indium(III) with the indicator ferron, 1945–8
FLUORESCENCE
Energy transfer in actinyl compounds. Part 2. Defect centers in sodium uranyl trivalate, 1691–7
FLUORIDE
Potassium fluoride–succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
Potassium fluoride–malonic acid, $KF.CH_2(CO_2H)_2$: x-ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Preparation and characterization of the uranyl fluoride–antimony pentafluoride adduct, $UF_2O_2.4SbF_5$, 1635–6
FLUORINE
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
FLUORO
Crystal structure of fluoro(2,3,7,8,12,13,17,18-octaethylporphyrinato)oxoniobium; demonstration of the presence of six-coordinated niobium, 247–50
Cationic carbonyl complexes of ruthenium(II) containing 2,2'-bipyridyl or 1,10-phenanthroline, 1143–6
Mixed-valence fluoropolytungstates, 2439–43
FLUOROACETATE
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis-bis(butane-2,3-dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
FLUOROACETOXYCOBALT
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis-bis(butane-2,3-dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
FLUOROANTIMONATE
Cationic carbonyl complexes of ruthenium(II) containing 2,2'-bipyridyl or 1,10-phenanthroline, 1143–6
FLUOROANTIMONY
Charge-transfer interactions in the square-planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
FLUOROBUTYNEHEXACARBONYLCYCLOPENTADIENYLMETHYLTHIOLATODITUNG
The formation, structure, and reversible carbonylation of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut-2-yne, 283–9
FLUOROETHYLPORPHYRINATOOXONIOBIUM
Crystal structure of fluoro(2,3,7,8,12,13,17,18-octaethylporphyrinato)oxoniobium; demonstration of the presence of six-coordinated niobium, 247–50
FLUOROMETHYLAMINOOXY
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
FLUOROMETHYLAMINOOXYL
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
FLUOROMETHYLAMINOOXYMERCURY
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
FLUOROMETHYLETHANEBISAMINOOXYL
Some oxidative-addition reactions of the diradical, perfluoro-N,N'-dimethylethane-1,2-bis(aminooxyl), $CF_3N(O)CF_2CF_2N(-O)CF_3$, with iridium(I) and platinum(0) complexes, 671–2
FLUOROPHENYL
Tris(pentafluorophenyl)gold(III) complexes, 1971–6
FLUOROPHOSPHATE
Cyclopentadienylruthenium and -osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η-cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
FLUOROPOLYTUNGSTATE
Mixed-valence fluoropolytungstates, 2439–43
FLUOROTHIOPHOSPHORYL
Gas-phase molecular structures of bis(difluorothiophosphoryl)methane, $CH_2(PF_2S)_2$, and bis(difluorothiophosphoryl) ether, $O(PF_2S)_2$, determined by electron diffraction, 2079–83

FLUOROTHIOPHOSPHORYLMETHANE
Gas–phase molecular structures of bis(difluorothiophosphoryl)methane, $CH_2(PF_2S)_2$, and bis(difluorothiophosphoryl) ether, $O(PF_2S)_2$, determined by electron diffraction, 2079–83
FLUOROTRITHIADIAZOLYLIDENEAMINO
Crystal structure of 2,2,4,4,6–pentafluoro–6–[N–(1,2,4,3,5–trithiadiazol–1–ylidene)amino]cyclotriphosphazene, 883–5
FLUOROTRITHIADIAZOLYLIDENEAMINOCYCLOTRIPHOSPHAZENE
Crystal structure of 2,2,4,4,6–pentafluoro–6–[N–(1,2,4,3,5–trithiadiazol–1–ylidene)amino]cyclotriphosphazene, 883–5
FLUXION
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5–bis(di–tert–butylphosphino)pentane and 1,4–bis(di–tert–butylphosphino)but–2–ene, 387–95
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
FLUXIONALITY
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu\text{–}CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3\text{–}CH{:}NR)]$, 43–50
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5–bis(di–tert–butylphosphino)pentane and 1,4–bis(di–tert–butylphosphino)but–2–ene, 387–95
Coordination chemistry of sulfines. Part 5. σ–S and η^3–SCS coordination of sulfines to rhodium(I). Fluxional behavior of $[RhCl(PR_3)(XYCSO)]$ (R = alkyl; X, Y = aryl, S–aryl, S–alkyl, or Cl) complexes and influence of sulfine geometry on the formation of $[RhCl(PR_3)_2(XYCSO)]$, 397–406
A fluxional arachno–1–metallapentaborane, $[1,1,1,–(CO)(PMe_3)_2(1–\text{–}IrB_4H_9)]$, 481–3
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonyiplatinummanganese (Pt–Mn), 1733–9
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of $[FePtW(\mu_3\text{–}CR)(CO)_5(PMePh_2)_2(\eta\text{–}C_5H_5)]$ and $[FePtW(\mu_3\text{–}CR)(CO)_6(PEt_3)(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1757–64
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorheniu–m(I), 2065–72
FORMALDEHYDE
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
Synthesis and reactivity of platinum–formaldehyde complexes $[Pt(PR_3)_2(CH_2O)]$, 1637–9
FORMAMIDATION
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives $[Fe(CO)_3(C_8H_7X)]$ (X = Me, Ph, Br, or CPh_3), 939–42
FORMAMIDE
Stereoselectivity observed upon adduct formation of tris(3–trifluoroacetyl–D–camphorato)– and tris(3–heptafluorobutyryl–D–camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
FORMAMIDINESULFINATE
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
FORMATION
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
Formation constants of complexes of tyrosine, 485–6
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
Stereoselectivity observed upon adduct formation of tris(3–trifluoroacetyl–D–camphorato)– and tris(3–heptafluorobutyryl–D–camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
FORMIMIDOYL
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x–ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{–}NC(H)M:)]$, 2021–8
FORMYLATION
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives $[Fe(CO)_3(C_8H_7X)]$ (X = Me, Ph, Br, or CPh_3), 939–42
FORMYLPYRIDINE
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
FREE
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
FRIEDEL
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
FULVENYLCYCLOBUTADIENE
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)–dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7
FULVENYLCYCLOBUTADIENEMETHYLCYCLOPENTADIENYLRHODIUM
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)–dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7
FUNCTION
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
GALLIUM
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
GAMMA
Unstable intermediates. Part 199. Electron–gain and –loss centers in irradiated potassium tetracyanocuprate(I), 985–90
GERMANE
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
GERMANIUM
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of $[NEt_4][Ge(Co_5(CO)_{16})]$, a cluster which contains five–coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of $[NEt_4][Ge_2Co_7(CO)_{21}]$ and $[NEt_4][Ge(Co_7(CO)_{20})]$; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
Crystallization and transformation of amorphous germanium dioxide derived from hydrolysis of germanium isopropoxide, 1907–10
GERMYL
Some silyl and germyl compounds of six–coordinated rhodium(III)

GERMYL(contd)
carbonyl halides, 1513–19
GLUTATHIONE
A new contribution to the determination of the complex equilibriums of oxidized glutathione with proton and copper(II) in aqueous solution, 1803–8
GLYOXALBISPYRROLIDINYLMETHYLIMINE
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
GLYOXIMATO
Relation between cobalt–carbon bond lengthening and conformational changes in octahedral neopentylcobaloximes. Crystal and molecular structure of bis(dimethylglyoximato)neopentyl(trimethylphosphine)cobalt(III), 2549–51
GOLD
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
Phlorin complex of gold(III), 1169–71
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
Tris(pentafluorophenyl)gold(III) complexes, 1971–6
Preparation and crystal structure of the four–coordinate gold(I) complex chlorotris(triphenylphosphine)gold(I), 2123–5
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
GRADIENT
The cis– and trans–effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
GREEN
On the nature of partially oxidized Magnus green, 2515–18
GRIGNARD
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
GROUP
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
The formation, structure, and reversible carbonylation of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut–2–yne, 283–9
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
HALFSANDWICH
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, $[M(\eta^5\text{–}C_5H_5)(CO)_{3-n}(NO)_n]$ (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
HALIDE
The preparation and properties of $[Cu(chelate)X_2]$ complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
Preparation and spectroscopic characterization of pseudotetrahedral $[NiX_2(Ph_2P(CH_2)_8PPh_2)]$ (X = Cl, Br, or I) and planar $[Ni(NCS)_2(Ph_2P(CH_2)_8PPh_2)]$, 841–3
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Electron spin resonance spectra of some low–spin ruthenium(III) complexes: a probe for solvation effects, 1185–9
Halogen exchange reactions involving uranium(V) and –(VI) halides, 1385–8
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
Coordination compounds of indium. Part 40. Reactions of nonaqueous solutions of indium(I) halides, 2165–8
HALO
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
Coordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands, 1895–8
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito–, chloro–, and bromoplatinum(II) and (IV) complexes, 2363–9
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
HALOAMMINE
Kinetics and mechanism of the reduction of pentaamminehalocobalt(III) complexes by ruthenium(II) species in aqueous solution, 2137–40
HALOBISETHYLENEDIAMINERUTHENIUM
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
HALOBORON
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
HALOETHYLENEDIAMINERUTHENIUM
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
HALOGEN
Halogen exchange reactions involving uranium(V) and –(VI) halides, 1385–8
Coordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands, 1895–8
HALOISONITROSOKETONEISONITROSOKETONATO
Chemistry of ruthenium. Part 4. trans–Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
HALOISONITROSOKETONEISONITROSOKETONATO-RUTHENIUM
Chemistry of ruthenium. Part 4. trans–Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
HALOMERCURATE
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
HALOPALLADATE
Coordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands, 1895–8

HALOPLATINUM
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito–, chloro–, and bromoplatinum(II) and (IV) complexes, 2363–9
HALOPORPHYRINATOVANADIUM
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18–octaethylporphyrinato)vanadium(IV), 1451–6
HALOTETRAAMINORUTHENIUM
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
HAZARD
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–[NiR_2L_2], where R = 2,6–dimethoxyphenyl, 1443–9
HEAT
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
HEPTAMOLYBDATE
Photochemical studies of the alkylammonium molybdates. Part 6. Photoreducible octahedron site of $[Mo_7O_{24}]^{6-}$ as determined by electron spin resonance, 1987–91
HEPTANAL
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
HETEROARYL
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
HETEROARYLPHOSPHINE
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
HETEROCYCL
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
HETEROCYCLE
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
HETEROGENITE
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
HEXAAMMINECOBALT
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
HEXACARBONYL
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
HEXACARBONYLTRIPLATINUM
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
HEXADIENEDIMOLYBDENUM
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
HEXARHODIUM
Hexanuclear rhodium hydrido carbonyl clusters, 1499–502
HISTAMINE
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
HISTIDINE
Ternary coordination complexes of copper(II) with L–histidine and some selected amino acids, 55–60
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
Studies on transition metal–peptide complexes. Part 7. Copper(II) complexes of dipeptides containing L–histidine, 2159–63
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
HISTIDINEHYDRIDOCOPPER
Ternary coordination complexes of copper(II) with L–histidine and some selected amino acids, 55–60
HYDRATE
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, $[Me_3P{:}N{:}PMe_3]Br.H_2O$, 2317–20
HYDRAZIDE
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N^N]oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
HYDRAZIDO
Reactions of $[Os_3(\mu–H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPh_2)]$ and $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPhMe)]$, 263–9
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
HYDRAZIDOHYDRIDOTRIOSMIUM
Reactions of $[Os_3(\mu–H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPh_2)]$ and $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPhMe)]$, 263–9
HYDRAZIDOHYDRIDOTUNGSTEN
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
HYDRAZIDOOXOQUINOLINOLATOMOLYBDENUM
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N^N]oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
HYDRAZINE
Nitrogen–tracer experiments on the reaction of hydrazine with an excess of nitrous acid, 1603–9
Synthesis and characterization of a new sulfate derivative of hydrazine, $N_2H_5HSO_4$, 2291–3
HYDRAZINIUM
Synthesis and characterization of a new sulfate derivative of hydrazine, $N_2H_5HSO_4$, 2291–3
HYDRAZINOPHENANTHROLINE
Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9
HYDRAZONE
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
HYDRIDE
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
The reactivity of the unsaturated dimeric rhenium complexes

HYDRIDE(contd)
[$Re_2H_2(CO)_8((EtO)_2POP(OEt)_2)$] and [$Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)$]: x-ray crystal structure of [$Re_2H(CO)_8(Ph_2PCH_2PPh_2)(\mu$-NC(H)Me)], 2021–8
HYDRIDO
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}(\mu$-$CNR_2)$] and [$Fe_3H(CO)_9(\mu_3$-CH:NR)], 43–50
Ternary coordination complexes of copper(II) with L-histidine and some selected amino acids, 55–60
The di-μ-bis((diphenylphosphino)methane-μ-hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Hydrazido(2–) complexes of tungsten(V) and -(VI) and a bis(diazenido) complex of tungsten(IV). X-ray crystal structure of cis-trichlorobis(dimethylphenylphosphine)hydrazidotungsten(-V), 345–52
Synthesis, reactions, and crystal structures of carbonyl-free hydride-bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or -iridium(III) cations with dihydridobis(η^5-cyclopentadienyl)molybdenum and -tungsten, 541–8
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Selective formation of positional isomers of substituted μ_3-benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Doubly- and triply-bridging ligands derived from 2-pyridone and 2-aminopyridine. Crystal and molecular structure of the 2-pyridylamido complex nonacarbonyl-μ-hydrido-(μ_3-2-pyridylamido)-triangulo-triosmium formed from 2-aminopyridine and dodecacarbonyltriosmium, 1205–11
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR$-$CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5-bis(di-tert-butylphosphino)pent-3-ylidene-$C^{3,3}$,P,P']chloroiridium(III), 1217–24
Protonation of cyclo-platinumdirhodium complexes. X-ray crystal structure of 2,3;2,3-di-μ-carbonyl-1-carbonyl-1,2-μ-hydrido-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt-Rh)(Rh-Rh) tetrafluoroborate, 1321–6
Hexanuclear rhodium hydrido carbonyl clusters, 1499–502
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X-ray crystal structure of 1,2-μ-carbonyl-2,2,2,3,3,3,4,4,4-nonacarbonyl-1-(1'-5'-η-ethyltetramethylcyclopentadienyl)-di-μ-hydrido-tetrahedro-cobalttriosmium, 1509–12
A structural and spectroscopic characterization of 1,2;1,3-bis(μ-diphenylphosphido)-2,3-μ-hydrido-cyclo-tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
Further evidence for 1,2-hydrogen shift equilibriums in the bis(η-cyclopentadienyl)methyltungsten system, 1789–93
Reactions of [$Os_3(\mu$-$H)_2(CO)_{10}$] with organic azides: structural characterization of [$Os_3(\mu$-$H)(CO)_{10}(\mu$-$HN_3Ph)$] and [$Os_3(\mu$-$H)_2(CO)_9(\mu_3$-NPh)], 2085–92
The synthesis of the cluster dianion $[Os_{10}C(CO)_{24}]^{2-}$ by pyrolysis. X-ray structure analysis of [$N(PPh_3)_2]_2[Os_{10}C(CO)_{24}$] and [$Os_5C(CO)_{14}H(NC_5H_4)$], 2099–107
New platinum hydrido acetylides. Crystal and molecular structure of hydrido(3-hydroxy-3-methylpent-1-ynyl)bis(triphenylphosphine)platinum(II), 2449–53
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi- and trinuclear compounds. Molecular structures of [$H(\eta^5$-$C_5H_5)_2Mo(\mu$-σ:η^5-$C_5H_4)Mo(\eta^5$-$C_5H_5)$], [(η^5-C_5H_5)(OC)$Mo(\mu$-η^5:σ-$C_5H_4)Mo(CO)_2(\eta^5$-$C_5H_5)$], and [$(Mo(\eta^5$-$C_5H_5))_2(\mu$-η^5-C_5H_4-η^5-$C_5H_4)H_3]PF_6$, 2485–94
Photochemical studies on binuclear hydridomolybdenocene compounds, 2495–8
HYDRIDOBISMETHYLPLATINUM
The di-μ-bis((diphenylphosphino)methane-μ-hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
HYDRIDOBISTRIPHENYLPHOSPHINEIRIDADECABORANE
Some ten-vertex nido-metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno-nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6-hydrido-6,6-bis(triphenylphosphine)-nido-6-iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
HYDRIDOGALLIUM
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
HYDRIDOTUNGSTEN
Hydrazido(2–) complexes of tungsten(V) and -(VI) and a bis(diazenido) complex of tungsten(IV). X-ray crystal structure of cis-trichlorobis(dimethylphenylphosphine)hydrazidotungsten(-V), 345–52
HYDROBROMIC
Dissociation of strong acids in aqueous solutions, 2425–7
HYDROCHLORIC
Dissociation of strong acids in aqueous solutions, 2425–7
HYDROCHLORIDE
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
HYDROGEN
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
The osmium tetraoxide-catalyzed decomposition of hydrogen peroxide, 237–45
Crystal structure of hydrogenbis(pyridine N-oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
Potassium fluoride-succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
The role of the superoxide radical in the osmium tetroxide-catalyzed decomposition of hydrogen peroxide, 859–63
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Potassium fluoride-malonic acid, $KF.CH_2(CO_2H)_2$: x-ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus-nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Further evidence for 1,2-hydrogen shift equilibriums in the bis(η-cyclopentadienyl)methyltungsten system, 1789–93
Pulse-radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'-bipyridine, 1953–7
Peripheral electrophilic properties of dichloro[N,N'-ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium-hydrogen-boron unit, 2197–202
Synthesis and characterization of a new sulfate derivative of hydrazine, $N_2H_5HSO_4$, 2291–3
HYDROGENATION
Polymer-supported complexes. Part 2. Polystyrene-anchored pentane-2,4-dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
A high-pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
HYDROGENBIPYRIDINE
Crystal structure of hydrogenbis(pyridine N-oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
HYDROIODIC
Dissociation of strong acids in aqueous solutions, 2425–7
HYDROLYSIS
Kinetic studies on the closure of a chelate ring in [(2-dimethylaminoethyl)dimethylammonium]- and [(3-dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives [$Fe(CO)_3(C_8H_7X)$] (X = Me, Ph, Br, or CPh_3), 939–42
Hydrolysis of α-amino acid esters in mixed-ligand complexes with 2,2'-bipyridylpalladium(II), 1819–23

HYDROLYSIS(contd)
The hydrolysis of metal ions. Part 4. Indium(III), 1911–14
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacyclopentadecane, 2131–6
HYDROPEROXIDE
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–[IrX(CO)L_2] (X = halogen, L = phosphine or arsine), 37–41
HYDROXIDE
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
Photoelectrochemical behavior of ruthenium(II) complex layers at a platinum electrode immobilized by the common–ion effect in aqueous electrolyte solution, 1977–80
HYDROXY
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
HYDROXYARYLAZONITROBENZENE
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
HYDROXYCYCLOTRIPHOSPHAZATRIENE
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
HYDROXYIMINO
Chemistry of ruthenium. Part 6. Bis(2,2'–bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
HYDROXYL
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
HYDROXYLAMINE
Kinetics and mechanism of the oxidation of hydroxylamine by iodine, 573–6
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
HYDROXYMETHYLPYRIDINE
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H_2L): [Cu_4L_4].8MeOH, a complex with a ferromagnetic ground state, 2433–8
HYDROXYNAPHTHYLAZONITROBENZENE
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
HYDROXYPHENOXYCARBONYLMETHOXYPHENOXYETHANE
Coordination of alkali metals by open–chain polyethers in transition metal complexes. Part 1. X–ray crystal and molecular structure of tetrakis[1–(o–carboxymethoxyphenoxy)2–(o–hydroxyphenoxy)ethanato(1–)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45
HYDROXYPHENOXYCARBOXYMETHOXYPHENOXYETHANE
Coordination of alkali metals by open–chain polyethers in transition metal complexes. Part 1. X–ray crystal and molecular structure of tetrakis[1–(o–carboxymethoxyphenoxy)2–(o–hydroxyphenoxy)ethanato(1–)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45
HYDROXYPHENYLAZONITROBENZENE
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
HYDROXYQUINOLINATOIRON
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds, 2385–8
HYDROXYSULFONAPHTHYLAZOQUINOLINESULFONATE
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
HYPERSTOICHIOMETRIC
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
IMIDAZOLE
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
IMIDAZOLYLPHENYLLEAD
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
IMIDO
The preparation and reactions of azidobis[1,2–bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
Reactions of [$Os_3(\mu$–H)$_2$(CO)$_{10}$)] with organic azides: structural characterization of [$Os_3(\mu$–H)(CO)$_{10}(\mu$–$HN_3Ph)$] and [$Os_3(\mu$–H)$_2$(CO)$_9(\mu_3$–NPh)], 2085–92
IMIDOYL
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
IMINE
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10–phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
IMINIUM
Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, [Me_3P:N:PMe_3]Br.H_2O, 2317–20
IMINOALKYL
Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ–bonded 1,2–bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ–[1',2'–bis(p–methoxyphenylimino)propyl–C1'(Pd^1):N,N'–(Pd^2)]–1,1–dichloro–2–(1''–3''–η–2''–methylallyl)–1–triphenylphosphinedipalladium, 1715–28
INDENYL
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Stereochemically nonrigid silanes, germanes, and stannanes. Part 11. Mechanistic implications of diastereotopic effects induced in methylcyclopentadienyl, indenyl, and pentamethylcyclopentadienyl ring systems by chiral tin substituents, 2275–9
INDENYLRHODIUM
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
INDIUM
The hydrolysis of metal ions. Part 4. Indium(III), 1911–14
Equilibriums and mechanism of the interaction of indium(III) with the indicator ferron, 1945–8
Coordination compounds of indium. Part 40. Reactions of nonaqueous solutions of indium(I) halides, 2165–8
INDOLATO
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
INELASTIC
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 2. Complexes bis(η^6–benzene)chr-

INELASTIC(contd)
omium and bis(η^6–benzene)chromium iodide, 977–84
INORG
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis–$NPCl_2(NSOCl)_2$, 1773–6
INSERTION
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu\text{–}CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3\text{–}CH{:}NR)]$, 43–50
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x–ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{–}NC(H)Me)]$, 2021–8
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
INTERCALATE
Preparation, characterization, and magnetic properties of organic–intercalated two–dimensional ionic ferromagnets $(C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
INTERCALATION
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
INTERMEDIATE
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
INTERMOL
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
INTRAMOL
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
INVERSION
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72
IODATE
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
IODIDE
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulfides: x–ray structure of copper(I) iodide–diethyl disulfide (2/1), 1401–5
Synthesis and crystal and molecular structures of mixed–valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_6(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70
A Moessbauer spectroscopic study of the iodides of europium, 2409–14
IODINE
Moessbauer spectroscopic study of the β–carotene–iodine system, 229–31
Kinetics and mechanism of the oxidation of hydroxylamine by iodine, 573–6
Synthesis and crystal and molecular structures of mixed–valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_6(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70
IODO
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 34. Preparation and x–ray structure of the polyiodo compound hexaiodobis[(pentamethylcyclopentadienyl)iridium] and related species, 73–7
IODODIPYRIDINEMERCURY
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
ION
The hydrolysis of metal ions. Part 4. Indium(III), 1911–14
IONIZATION
A new contribution to the determination of the complex equilibriums of oxidized glutathione with proton and copper(II) in aqueous solution, 1803–8
Spectrophotometric study of the reactions of proton and copper(II) with Arsenazo I in aqueous solution, 1965–70
IR
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Matrix–isolation studies on molecular potassium chromate(VI), molybdate(VI), and tungstate(VI), 505–10
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
Preparation and characterization of mixed oxides of selenium and tellurium, 733–6
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
Potassium fluoride–succinic acid adduct: a fully refined x–ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen–bonded system, 809–13
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Preparation of methyl and acetyl complexes of iron(II), 847–50
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
Syntheses of tervalent iridium complexes of octaethylporphyrin. Infuence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
Synthesis and characterization of a new sulfate derivative of hydrazine, $N_2H_5HSO_4$, 2291–3
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32

IR(contd)
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
IRIDADECABORANE
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
IRIDAPENTABORANE
A fluxional arachno–1–metallapentaborane, [1,1,1,–(CO)$(PMe_3)_2$(1–IrB_4H_9)], 481–3
IRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 34. Preparation and x–ray structure of the polyiodo compound hexaiodobis[(pentamethylcyclopentadienyl)iridium] and related species, 73–7
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl–)aminooxy ligand, 523–9
Some oxidative–addition reactions of the diradical, perfluoro–N,N'–dimethylethane–1,2–bis(aminooxyl), $CF_3N(O)CF_2CF_2N(–O)CF_3$, with iridium(I) and platinum(0) complexes, 671–2
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR–CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5–bis(di–tert–butylphosphino)pent–3–ylidene–$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
Photochemistry of acetylacetonato–, trifluoroacetylacetonato–, and hexafluoroacetylacetonatodicarbonylrhodium and –iridium complexes in frozen gas matrixes at 12 K. Infrared spectroscopic evidence for carbon monoxide dissociation and chelate ring–opening processes, 1777–82
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)–_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
IRIDIUMHYDRIDOCYCLOPENTADIENYLMOLYBDENUM
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
IRON
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu–CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3–CH:NR)]$, 43–50
Kinetics of axial ligand exchange in ruthenium(II) tetraphenylporphyrin complexes, 95–101
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Preparation of methyl and acetyl complexes of iron(II), 847–50
Influence of coordination number on copper(I)–copper(II) redox interconversions. Part 3. Reduction of a sterically constrained bis(substituted phenanthroline) complex of copper(II) by iron(II) and ruthenium(II) complexes, 927–30
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di– and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x–ray crystal structure of di–μ–carbonyl–1,2–dicarbonyl–2–η^5–cyclopentadienyl–1–η^5–pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Model compounds for microbial iron–transport compounds. Part 3. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from 2,3–dihydroxypyridine and 2–mercapto–3–pyridinol, 1433–8
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
A method for the simulation of powder electron spin resonance spectra when $S > 1/2$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and –tungsten cubane–like cluster dimers, 1575–85
Preparation of some metallodithiocarboxylato– and metallodithiocarbene–metal complexes, 1631–4
Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
The cis– and trans–effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of $[FePtW(\mu_3–CR)(CO)_5(PMePh_2)_2(\eta–C_3H_5)]$ and $[FePtW(\mu_3–CR)(CO)_6(PEt_3)(\eta–C_5H_5)]$ (R = C_6H_4Me–4), 1757–64
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x–ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of

IRON(contd)
new organoiron compounds, 2385–8
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η-cyclopentadienyl)(1-phenyl-1-silacyclohex-1-yl)(triphenylphosphine)iron(II), 2461–8
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo-metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex [RhFeW(μ_3-CC_6H_4Me-4)(μ-CO)(CO)$_5$(η-C_5H_5)(η-C_9H_7)], 2475–83
ISOCYANATE
Organoboron compounds. Part 17. Preparation and properties of some 2,4-diphenyl- and 2-diethylamino-4-phenyl-1,3,5,2-oxadiazaboroles, 907–9
ISOCYANIDE
Chemistry of cis-bis(2,2'-bipyridine)dicarbonylmolybdenum(0) and -tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
ISOCYANOMETHYLPHOSPHINETRIOSMIUM
Reactions of [$Os_3H_2(CO)_9(PR_3)$], PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
ISOELECTRONIC
Solution and matrix photochemistry of the isoelectronic series of half-sandwich carbonyl(η^5-cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, [M(η^5-C_5H_5)(CO)$_{3-n}$(NO)$_n$] (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
ISOMERISM
Arylazooximates of ortho-palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
The reactivity of the unsaturated dimeric rhenium complexes [$Re_2H_2(CO)_6$($(EtO)_2POP(OEt)_2$)] and [$Re_2H_2(CO)_6$($Ph_2PCH_2PPh_2$)]: x-ray crystal structure of [$Re_2H(CO)_6$($Ph_2PCH_2PPh_2$)(μ-NC(H)Me)], 2021–8
ISOMERIZATION
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans-dihalobis(ethylenediamine)ruthenium(III) cations: ligand-field versus ligand-to-metal charge-transfer excited states, 531–4
Preparation of methyl and acetyl complexes of iron(II), 847–50
Selective formation of positional isomers of substituted μ_3-benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Acid-induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X-ray crystal structure of nonacarbonyl-μ_3-(3,3-diphenylallene-1,1-diyl)-μ-hydrido-μ-hydroxotriosmium (2 Os–Os), 1625–9
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis-$NPCl_2(NSOCl)_2$, 1773–6
The preparation, variable-temperature nuclear magnetic resonance spectra, and behavior under reflux conditions of [$Os_3(CO)_{10}$(μ-$ER)_2$] (E = S, R = Me, Ph, or CH_2Ph; E = Se, R = Ph), 1881–4
Substitution and isomerization reactions at platinum(II) involving halide, tertiary phosphine, carbonyl, and isonitrile ligands, 2261–4
ISONITRILE
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}$(μ-CNR_2)] and [$Fe_3H(CO)_9$(μ_3-CH:NR)], 43–50
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5-cyclopentadienyl)iron] and aryl isonitriles, 1389–91
The reactivity of the unsaturated dimeric rhenium complexes [$Re_2H_2(CO)_6$($(EtO)_2POP(OEt)_2$)] and [$Re_2H_2(CO)_6$($Ph_2PCH_2PPh_2$)]: x-ray crystal structure of [$Re_2H(CO)_6$($Ph_2PCH_2PPh_2$)(μ-NC(H)Me)], 2021–8
Ab initio calculations on the bonding properties of isonitrile and nitrile ligands, 2533–7
ISONITRILEDECACARBONYLHYDRIDOTRIIRON
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}$(μ-CNR_2)] and [$Fe_3H(CO)_9$(μ_3-CH:NR)], 43–50
ISONITROSOKETONATORUTHENIUM
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
ISOPROPANOL
Kinetics of solvolysis of the trans-dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'-bipyridine)silver(II) ions, 2185–9
ISOPROPENYLPHENYL
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64
ISOPROPENYLPHENYLDIPHENYLARSINE
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64
ISOPROPENYLPHENYLDIPHENYLARSINEPLATINUM
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(*o*-diphenylarsinophenyl)propenyl)platinum(II)], 757–64
ISOPROPYLDITHIOPHOSPHATOCADMATE
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2-mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of [NBu_4][$Cd(S_2CNEt_2)_3$], [NEt_4][$Cd(C_7H_4NS_2)_3$], and [NMe_4][$Cd(S_2P(OCHMe_2)_2)_3$], 493–503
ISOPROPYLIMINOMETHYLNONACARBONYLHYDRIDOTRIIRON
Synthesis and fluxional character of complexes of the type [$Fe_3H(CO)_{10}$(μ-CNR_2)] and [$Fe_3H(CO)_9$(μ_3-CH:NR)], 43–50
ISOTHIOCYANATE
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2-trimethylpropionamide-O)uranium(IV), 19–23
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato-S)cobalt(III) perchlorate monohydrate, 747–50
Preparation and spectroscopic characterization of pseudotetrahedral [$NiX_2(Ph_2P(CH_2)_8PPh_2)$] (X = Cl, Br, or I) and planar [$Ni(NCS)_2(Ph_2P(CH_2)_8PPh_2)$], 841–3
ISOTHIOCYANATOPHOSPHATE
Cyano and thiocyanato derivatives of the hexachlorophosphate ion (PCl_6^-), 1199–204
ISOTHIOCYANATOTRISTRIMETHYLPROPIONAMIDEURANIUM
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2-trimethylpropionamide-O)uranium(IV), 19–23
ISOTOPE
The resolution of chlorine and bromine isotope shifts in the phosphorus-31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
Vibrational spectroscopic studies of trivalent hexaaqua cations: single-crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
ISOTROPIC
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes [$Ln(S_2PMe_2)_4$]$^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
JAHN
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
KETONATO
Chemistry of ruthenium. Part 6. Bis(2,2'-bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate mononydrate. Synthesis, spectra, and electrochemistry, 1765–71
KETONE
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical

KETONE(contd)
coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Chemistry of ruthenium. Part 6. Bis(2,2'–bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
KINETICS
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
Kinetic studies of the reactions of hexachlorocyclotriphosphazene and octachlorocyclotetraphosphazene with tert–butylamine, 67–71
Kinetics of axial ligand exchange in ruthenium(II) tetraphenylporphyrin complexes, 95–101
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
A kinetic study of the reactions of methyl– and acetylpentacarbonylmanganese with acetylenes, 417–21
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Kinetics and mechanism of the oxidation of hydroxylamine by iodine, 573–6
Kinetics of ligand substitution in bis(N–tert–butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)– and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Influence of coordination number on copper(I)–copper(II) redox interconversions. Part 3. Reduction of a sterically constrained bis(substituted phenanthroline) complex of copper(II) by iron(II) and ruthenium(II) complexes, 927–30
Photochemistry of manganese porphyrins. Part 6. Oxidation–reduction equilibriums of manganese(III) porphyrins in aqueous solution, 931–8
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Crystallization of amorphous silica into quartz, 1005–7
On the nature and mechanism of decomposition of monovalent copper complexes with tetraaza macrocyclic ligands in aqueous solutions. A pulse radiolytic study, 1137–41
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N–dimethylethylenediamine)ferrate(II), 1555–8
Nitrogen–tracer experiments on the reaction of hydrazine with an excess of nitrous acid, 1603–9
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
Hydrolysis of α–amino acid esters in mixed–ligand complexes with 2,2'–bipyridylpalladium(II), 1819–23
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10–phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
Equilibriums and mechanism of the interaction of indium(III) with the indicator ferron, 1945–8
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacyclopentadecane, 2131–6
Solvent effects on rates and equilibriums of chelate ring–closure = ring–opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2–) ions: electronic and medium effects, 2147–50
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
Mechanism of migration of ancillary ligands in binuclear palladium(II) allyl complexes, 2303–8
Fast reactions at planar four–coordinate complexes. Part 5. The solvent effect on the leaving group in the reactions of neutral and cationic palladium(II) complexes, 2445–8
LABELING
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
LANTHANIDE
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
LANTHANUM
Lanthanum–139 nuclear magnetic resonance spectra of lanthanum complexes, 1929–32
LATTICE
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
LEAD
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
LEUCINATOTIN
Synthesis and spectroscopic studies of inorganic tin derivatives of

LEUCINATOTIN(contd)
amino acids and their esters, 439–44
LFER
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
LIGAND
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Mechanism of migration of ancillary ligands in binuclear palladium(II) allyl complexes, 2303–8
LIGATION
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
LITHIATION
Lithiation and intermolecular exchange of tertiary methylphosphines in trans-[NiR_2L_2], where R = 2,6–dimethoxyphenyl, 1443–9
LITHIUM
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
A study of the one–dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8
Solutions of lithium salts in liquid lithium: interaction between silicon and nitrogen to form the ternary compound, Li_5SiN_3, 2175–9
LUMINESCENCE
Steroselectivity observed upon adduct formation of tris(3–trifluoroacetyl–D–camphorato)– and tris(3–heptafluorobutyryl–D–camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
LYSINE
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
MACROCYCLE
Coordinating tendencies of a 14–membered tetraaza macrocycle which forms a seven–membered chelate ring, 61–5
Reduction of Schiff–base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand–to–metal electron–transfer process, 1085–9
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9
Synthesis and x–ray structure of a cobalt(II) complex of a negatively charged quinquedentate macrocyclic ligand, 2557–9
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2–donor macrocyclic ligands, 2565–6
MAGNESIUM
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
MAGNETIC
Synthesis and magnetic properties of binuclear complexes with unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
Dimeric copper(II) compounds with a tripodal imidazole–containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ–(benzotriazolato–N^1,N^3)bis[tris(N–methylbenzimidazol–2–ylmethyl)amine–N,N^3,$N^{3'}$,$N^{3''}$]copper(II)) trinitrate, 623–31
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
Preparation, characterization, and magnetic properties of organic–intercalated two–dimensional ionic ferromagnets ($C_nH_{2n+1}NH_3)_2CrCl_4$(n = 3, 5, or 12), 1081–4
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and –tungsten cubane–like cluster dimers, 1575–85
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
MAGNETISM
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
Magnetic and spectroscopic properties of dimeric copper(II) N–benzoylvalinates, 2109–12
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H_2L): [Cu_4L_4].8MeOH, a complex with a ferromagnetic ground state, 2433–8
Structural, spectroscopic, and magnetic properties of diaqua(L–aspartato)nickel(II) hydrate, 2541–3
MAGNETITE
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
MAGNUS
On the nature of partially oxidized Magnus green, 2515–18
MALONATE
Potassium fluoride–malonic acid, $KF.CH_2(CO_2H)_2$: x–ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84
MANGANESE
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
A kinetic study of the reactions of methyl– and acetylpentacarbonylmanganese with acetylenes, 417–21
Direct synthesis of tris(acetylacetonato)manganese(III), 669–70
Photochemistry of manganese porphyrins. Part 6. Oxidation–reduction equilibriums of manganese(III) porphyrins in aqueous solution, 931–8
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, [$M(\eta^5-C_5H_5)(CO)_{3-n}(NO)_n$] (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di– and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x–ray crystal structure of di–μ–carbonyl–1,2–dicarbonyl–2–η^5–cyclopentadienyl–1–η^5–pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
Zero–field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
Preparation of some metallodithiocarboxylato– and metallodithiocarbene–metal complexes, 1631–4
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–

MANGANESE(contd)
e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
MECHANISM
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
Kinetics and mechanism of the oxidation of hydroxylamine by iodine, 573–6
Kinetics of ligand substitution in bis(N–tert–butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(o–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
On the nature and mechanism of decomposition of monovalent copper complexes with tetraaza macrocyclic ligands in aqueous solutions. A pulse radiolytic study, 1137–41
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η5–pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Nitrogen–tracer experiments on the reaction of hydrazine with an excess of nitrous acid, 1603–9
Substitution and isomerization reactions at platinum(II) involving halide, tertiary phosphine, carbonyl, and isonitrile ligands, 2261–4
MERCAPTO
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92
MERCAPTOPYRIDINOL
Model compounds for microbial iron–transport compounds. Part 3. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from 2,3–dihydroxypyridine and 2–mercapto–3–pyridinol, 1433–8
MERCURATE
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
MERCURY
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x–ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
MERCURYPHOSPHIDO
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
MESITYL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
MESITYLCYCLOALKOXYVINYLNICKEL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
METAL
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_2L]$ complexes (M = Mo or W; L = diimine), 275–82
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,-11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Formation constants of complexes of tyrosine, 485–6
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphospinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
Sulfur–ligand–metal complexes. Part 14. Bis[2–(3,3–dimethyl–2–thiabutyl)pyridine] complexes of copper(II) and related metal ions, 815–19
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular

METAL(contd)
structure of protonated trichloro[10–(2'–dimethylaminopropyl)phenothiazine–S]palladium(II), 1103–7
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
The transformations of parallel and perpendicular $L_2M(\mu$–acetylene)ML_2 complexes, 1471–82
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Preparation of some metallodithiocarboxylato– and metallodithiocarbene–metal complexes, 1631–4
Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of $[CoFe(Me_4C_4B_8H_8)(PEt_3)_2]$, 1679–86
Metal complexes of N–2–thenylsalicylaldimine, 1899–902
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacyclopentadecane, 2131–6
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x–ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Ligands for the alkali metals. Part 6. Some bis(crown) Schiff bases which form pocket complexes with alkali metal cations of appropriate size, 2331–6
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3$–CC_6H_4Me–$4)(\mu$–$CO)(CO)_5(\eta$–$C_5H_5)(\eta$–$C_9H_7)]$, 2475–83
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2–donor macrocyclic ligands, 2565–6
METALATION
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
METALLOAMMINE
Deviations from ideal trigonal–bipyramidal geometry in the pentachloromercurate(3–) anion: crystal structures of two complex salts, 593–5
METALLOCYCLE
Some oxidative–addition reactions of the diradical, perfluoro–N,N'–dimethylethane–1,2–bis(aminooxyl), $CF_3N(O)CF_2CF_2N(O)CF_3$, with iridium(I) and platinum(0) complexes, 671–2
METATHESIS
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
METHANE
Gas–phase molecular structures of bis(difluorothiophosphoryl)methane, $CH_2(PF_2S)_2$, and bis(difluorothiophosphoryl) ether, $O(PF_2S)_2$, determined by electron diffraction, 2079–83
METHOXYCARBONYLBISTRIMETHYLSILYLHEXADIENEDIMOLYBDENUM
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
METHOXYCARBONYLCYCLOPENTADIENYL
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6
METHOXYCARBONYLCYCLOPENTADIENYLMETAL
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
METHOXYPHENYL
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
METHOXYPHENYLPHOSPHINE
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
METHOXYPHENYLPHOSPHINEMETHYLGLYOXIMATOCOBALT
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
METHOXYPHENYLPHOSPHINENICKEL
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
METHOXYSALICYLALDAZINE
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
METHYL
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92
Preparation of methyl and acetyl complexes of iron(II), 847–50
Electrochemical behavior of complexes of copper(II) with 14–membered saturated tetraaza macrocycles, 893–7
Further evidence for 1,2–hydrogen shift equilibriums in the bis(η–cyclopentadienyl)methyltungsten system, 1789–93
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
METHYLALLYL
Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ–bonded 1,2–bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ–[1',2'–bis(p–methoxyphenylimino)propyl–$C^1'(Pd^1)$:N,N'–(Pd^2)]–1,1–dichloro–2–(1''–3''–η–2''–methylallyl)–1–triphenylphosphinedipalladium, 1715–28
METHYLAMIDE
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4

METHYLAMINE
Transition metal–carbon bonds. Part 51. Action of amines on buta-1,3-diene complexes of type cis,cis-[$Pt_2Cl_4(PR_3)_2(\mu$-$C_4H_6)$]. Crystal structures of [$Pt_2Cl_4(PMe_2Ph)_2(\mu$-$C_4H_6)$] (meso isomer) and [$(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)$] which contains two trans-fused five-membered rings, 457–63
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis-$NPCl_2(NSOCl)_2$, 1773–6
METHYLAMINOALKYLDIMETHYLAMMONIUMTRICHLOROPLATINUM
Kinetic studies on the closure of a chelate ring in [(2-dimethylaminoethyl)dimethylammonium]- and [(3-dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7
METHYLARSINOPROPYLPHENYLARSINENICKEL
Reactions of nickel(II) complexes containing arsine ligands with electron-deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
METHYLBENZENE
The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5-tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1-), 1993–7
METHYLBENZIMIDAZOLYLMETHYLAMINE
Dimeric copper(II) compounds with a tripodal imidazole-containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ-(benzotriazolato-N^1,N^3)bis([tris(N-methylbenzimidazol-2-ylmethyl)amine-$N,N^3,N^{3'},N^{3''}$]copper(II)) trinitrate, 623–31
METHYLBENZIMIDAZOLYLMETHYLAMINECOPPER
Dimeric copper(II) compounds with a tripodal imidazole-containing ligand and bridged by imidazolate, benzimidazolate, and benzotriazolate ions. Crystal and molecular structure of μ-(benzotriazolato-N^1,N^3)bis([tris(N-methylbenzimidazol-2-ylmethyl)amine-$N,N^3,N^{3'},N^{3''}$]copper(II)) trinitrate, 623–31
METHYLCYCLOPENTADIENYL
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low-valent platinum compounds: x-ray crystal structure of di-μ_3-carbonyl-1-carbonyl-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Protonation of cyclo-platinumdirhodium complexes. X-ray crystal structure of 2,3;2,3-di-μ-carbonyl-1-carbonyl-1,2-μ-hydrido-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra-μ_3-carbonylbis[bis(η-pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di- and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x-ray crystal structure of di-μ-carbonyl-1,2-dicarbonyl-2-η^5-cyclopentadienyl-1-η^5-pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 36. Reaction of tetrachlorobis(η^5-pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η^4-cyclobutadiene complex [$Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)$] and the η^4-benzocyclobutadiene complex [$Rh(C_5Me_5)(C_8Ph_4H_2)$], identified by x-ray structure determinations, 1341–7
METHYLCYCLOPENTADIENYLCYCLOBUTABENZENERHODIUM
Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 36. Reaction of tetrachlorobis(η^5-pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η^4-cyclobutadiene complex [$Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)$] and the η^4-benzocyclobutadiene complex [$Rh(C_5Me_5)(C_8Ph_4H_2)$], identified by x-ray structure determinations, 1341–7
METHYLDITHIOPHOSPHINATE
Crystal and molecular structures of tetraphenylars tetrakis(dimethyldithiophosphinato)cerium and -thulium and their comparison with results obtained from paramagnetic nuclear magnetic resonance data in solution, 1809–13
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
METHYLENECYCLOOCTATETRAENYL
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
METHYLETHYLENEDIAMINE
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N-dimethylethylenediamine)ferrate(II), 1555–8
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X-ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
Coordination compounds of indium. Part 40. Reactions of nonaqueous solutions of indium(I) halides, 2165–8
Isomeric hypho-boranes. Properties and molecular structures of the adducts B_5H_9L (L = $Ph_2PCH_2PPh_2$, $Ph_2PCH_2CH_2PPh_2$, or $Me_2NCH_2CH_2NMe_2$) and B_4H_8L (L = $Me_2NCH_2CH_2NMe_2$), 2243–55
METHYLETHYLENEDIAMINEFERRATE
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N-dimethylethylenediamine)ferrate(II), 1555–8
METHYLGLYOXIMATO
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus-donor ligands. Crystal structure of trans-chlorobis(dimethylglyoximato-)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
METHYLGLYOXIMATOPENTYLTRIPHENYLPHOSPHINECOBALT
Distortions induced by electronic and steric properties of axial ligands in pseudo-octahedral cobaloximes. Crystal and molecular structures of trans-bis(dimethylglyoximato)n-pentyl(triphenylphosphine)cobalt(III) and trans-aquabis(dimethylglyoximato)n-pentylcobalt(III), 567–72
METHYLGLYOXIME
The cis- and trans-effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
METHYLIDYNE
The photoelectron spectra of enneacarbonyl-μ_3-methylidynetricobalt and some derivatives, 201–6
METHYLIDYNETRICOBALT
The photoelectron spectra of enneacarbonyl-μ_3-methylidynetricobalt and some derivatives, 201–6
METHYLIMIDAZOLE
Ternary complexes of copper(II) with N-protected amino acids and N-methylimidazole. Crystal and molecular structures of bis(N-acetyl-α-alaninato)bis(N-methylimidazole)copper(II) dihydrate, 781–5
METHYLMANGANESEPENTACARBONYL
A kinetic study of the reactions of methyl- and acetylpentacarbonylmanganese with acetylenes, 417–21
METHYLMERCAPTOPIPERIDINE
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1-methyl-4-mercaptopiperidine, 487–92
METHYLMERCURY
Photochromism in organomercury(II) dithizonates, 2299–301
METHYLOXOBUTYLPHENYLPHOSPHONIUM
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at −100°C) of (1,1-dimethyl-3-oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
METHYLPENTANE
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2-methyl-1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3 PP']-chloropalladium(II) and -chlorohydridoiridium(III), 1829–35
METHYLPENTYNYLOL
New platinum hydrido acetylides. Crystal and molecular structure of hydrido(3-hydroxy-3-methylpent-1-ynyl)bis(triphenylphosphine)platinum(II), 2449–53
METHYLPHENYLARSINOETHANENICKEL
Reactions of nickel(II) complexes containing arsine ligands with electron-deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
METHYLPHENYLMERCURY
Photochromism in organomercury(II) dithizonates, 2299–301
METHYLPHENYLPHOSPHINE
Addition of dimethylphenylphosphine to μ- and μ_3-alkynyl and μ_3-allenyl ligands in triosmium clusters: x-ray crystal structures of three zwitterionic adducts, 899–906

METHYLPHOSPHINE
Preparation of methyl and acetyl complexes of iron(II), 847–50
METHYLPHOSPHINEDIAZADIPLATINABICYCLOOCTANE
Transition metal–carbon bonds. Part 51. Action of amines on buta-1,3-diene complexes of type cis,cis-$[Pt_2Cl_4(PR_3)_2(\mu\text{-}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{-}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans-fused five-membered rings, 457–63
METHYLPHOSPHINEMETHYLIRON
Preparation of methyl and acetyl complexes of iron(II), 847–50
METHYLPLATINUM
The di-μ-bis((diphenylphosphino)methane-μ-hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
METHYLPROPIONAMIDEURANIUM
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2-trimethylpropionamide-O)uranium(IV), 19–23
METHYLPYRAZOLYLBORATO
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, 429–38
METHYLSELENOATE
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
METHYLSELENOETHANE
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x-ray crystal structure of fac-[1,2-bis(methylseleno)ethane-Se,Se']tricarbonyliodorhenium(I), 2065–72
METHYLSELENOMETHYLTHIOBENZENE
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
METHYLSELENOMETHYLTHIOBENZENEPLATINUM
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
METHYLSELENOMETHYLTHIOETHANEPLATINUM
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
METHYLSILYLACETYLENETETRACARBONYLBISCYCLOPENTADIENYLDIMOLYBD
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ-bis(trimethylsilyl)acetylenetetracarbonylbis(η-cyclopentadienyl)dimolybdenum(-Mo–Mo), 195–200
METHYLSILYLAMIDO
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
METHYLSILYLAMINO
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
METHYLSULFONYLOXYPHENYLPHENANTHROLINECOPPER
Influence of coordination number on copper(I)–copper(II) redox interconversions. Part 3. Reduction of a sterically constrained bis(substituted phenanthroline) complex of copper(II) by iron(II) and ruthenium(II) complexes, 927–30
METHYLTETRAAZACYCLOTETRADECANENICKEL
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)-tetramethyl-1,4,8,11-tetraazacyclotetradecane (L_m) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_n(ClO_4)_2$, 1531–9
METHYLTETRAAZACYCLOTETRADECANERUTHENIUM
Structural and mechanistic studies of coordination compounds. Part 33. Inner-sphere vs. outer-sphere mechanisms in the reductions of some trans-dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
METHYLTHIABUTYLPYRIDINE
Sulfur–ligand–metal complexes. Part 14. Bis[2-(3,3-dimethyl-2-thiabutyl)pyridine] complexes of copper(II) and related metal ions, 815–19
METHYLTHIAZACYCLOHEXADECANEPALLADIUM
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
METHYLTRITHIOCARBONATO
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x-ray structure of the trithiocarbonate complex S,S-(methyl trithiocarbonato)[1,1,1,-tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
MICELLE
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
MIXED
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x-ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Mixed-valence fluoropolytungstates, 2439–43
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo-metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}CO)(CO)_5(\eta\text{-}C_5H_5)(\eta\text{-}C_9H_7)]$, 2475–83
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear-chain, halogen-bridged, mixed-valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x-ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_2[OH].H_2O$, 2505–13
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2-donor macrocyclic ligands, 2565–6
MO
The photoelectron spectra of enneacarbonyl-μ_3-methylidynetricobalt and some derivatives, 201–6
Kinetics and mechanism of the oxidation of L-ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10-phenanthroline)iron(III) complexes in aqueous solution, 423–7
Paramagnetic dioxygen complexes of rhodium, 1165–6
The transformations of parallel and perpendicular $L_2M(\mu$-acetylene$)ML_2$ complexes, 1471–82
Bonding in clusters. Part 5. The electronic, molecular, and crystal structure of 1,10-bis(diazo)-closo-decarborane(10). A combined theoretical, photoelectron, and x-ray crystallographic study, 2469–73
Ab initio calculations on the bonding properties of isonitrile and nitrile ligands, 2533–7
MOESSBAUER
Moessbauer spectroscopic study of the β-carotene–iodine system, 229–31
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
Model compounds for microbial iron–transport compounds. Part 3. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from 2,3-dihydroxypyridine and 2-mercapto-3-pyridinol, 1433–8
The cis- and trans-effects in carbonyl complexes of bis(dimethylglyoximato)iron(II), 1709–13
Electron spin resonance and Moessbauer evidence for the trianion di-μ-sulfidobis[o-xylene-α,α'-dithiolatoferrate](3-), 2015–20
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x-ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Complex formation between antimony trifluoride and alkali metal sulfates. The x-ray crystal structure of $K_2SO_4.SbF_3$ and antimony-121 Moessbauer studies of some related compounds, 2313–16
A Moessbauer spectroscopic study of the iodides of europium, 2409–14

MOL
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2–trimethylpropionamide–O)uranium(IV), 19–23
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and [$Ag_2Cl_2L_3$], 207–10
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
Crystal structure of bis(diphenylmethyleneamino) monosulfide,S(N:$CPh_2)_2$, 221–3
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7
Crystal and molecular structures of undecacarbonyl(cyanomethane–)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Reactions of [$Os_3(\mu$–H$)_2$(CO$)_{10}$] with diazo compounds: structural characterization of [$Os_3(\mu$–H)(CO$)_{10}(\mu$–NHNCPh_2)] and [$Os_3(\mu$–H)(CO$)_{10}(\mu$–NHNCPhMe)], 263–9
The formation, structure, and reversible carbonylation of [(η^5–C_5H_5)M,M'(CO$)_7$(SR)] complexes: reactions of [(η^5–C_5H_5)M,M'–(CO$)_8$(SR)] with hexafluorobut–2–yne, 283–9
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
Properties and x–ray crystal structures of copper(II) mixed complexes with thiocyanate and 2,2'–bipyridyl or 2,2':6',2"–terpyridyl, 681–5
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Secondary bonding. Part 8. The crystal and molecular structure of diphenyl telluroxide, 709–12
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, [B_9H_{14}]$^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, [(HIrB_9H_{13})(PPh_3)$_2$], 713–19
Crystal structure of dichlorobis(3,5–dimethylpyrazole–N^2)dimethyltin(IV), 805–8
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
The molecular structure of silyl monothioacetate in the crystal at 130 K and in the gas phase, 1131–6
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9
Gas–phase molecular structures of bis(difluorothiophosphoryl)methane, $CH_2(PF_2S)_2$, and bis(difluorothiophosphoryl) ether, $O(PF_2S)_2$, determined by electron diffraction, 2079–83
MOLYBDATE
Matrix–isolation studies on molecular potassium chromate(VI), molybdate(VI), and tungstate(VI), 505–10
MOLYBDENOCENE
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi– and trinuclear compounds. Molecular structures of [H(η^5–C_5H_5)$_2$Mo(μ–σ:η^5–C_5H_4)Mo(η^5–C_5H_5)], [(η^5–C_5H_5)(OC)Mo(μ–η^5:σ–C_5H_4)Mo(CO$)_2$(η^5–C_5H_5)], and [(Mo(η^5–C_5H_5))$_2$(μ–η^5–C_5H_4–η^5–C_5H_4)H$_3$]PF$_6$, 2485–94
MOLYBDENUM
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x–ray structure of trans–bis[1,2–bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum–tetrahydrofuran (1:2), 79–87
Synthesis, spectroscopy, and x–ray crystallographic analysis of (η^3–dithiobenzoato–SCS")oxo(trithioperoxybenzoato–S,S',S")molybdenum(IV) and μ–oxobis[bis(dithiobenzoato–S,S')oxomolybdenum(V)], 121–7
Dimolybdenum complexes derived from cyclooctatetraene. Crystal and molecular structures of [Mo_2(CO$)_2$(η–C_5H_5)$_2$(C_8H_8)] (two isomers) and of [Mo_2(CO$)_4$(η–C_5H_5)$_2$(η^3,η'^3–$C_{16}H_{16}$)], 147–58
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cyclooct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 159–65
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](–3Mo–Mo), 167–72
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85
The sequential linking of alkynes at a dimolybdenum center. Crystal structures of [$Mo_2(\mu$–(MeO$_2$CC$_2$CO$_2$Me)(HC$_2$H)(MeO$_2$CC$_2$CO$_2$–Me)$_2$)(η–C_5H_5)$_2$].2CH_2Cl_2 and [$Mo_2(\mu$–(MeO$_2$CC$_2$CO$_2$Me)$_4$)(η–C_5H_5)$_2$], 187–93
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of [M(CO$)_4$L], fac–[Re(CO$)_3$LCl], and [Ru(CO$)_3$L] complexes (M = Mo or W; L = diimine), 275–82
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 429–38
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
Synthesis of the compounds [Hg(PPh_2[M(CO$)_5$])$_2$] (M = chromium, molybdenum, or tungsten), 667–8
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Syntheses of diethyldithiocarbamate chelates of chromium(III) and molybdenum(V) by oxidative decarbonylation, 845–6
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65

MOLYBDENUM(contd)
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
The chemistry of molybdenum oxohydrazido(2–) complexes; the x-ray crystal structure of [N,N–dimethylhydrazido(2–)-N']oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
A method for the simulation of powder electron spin resonance spectra when S > 1Ψ2. Application to the
iron–molybdenum–sulfur
protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and –tungsten cubane–like cluster dimers, 1575–85
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
Photochemistry of tricarbonyl(1–6–η–cycloheptatriene)molybdenum in frozen gas matrixes at 12 K. Photodissociation of cycloheptatriene and carbon monoxide ligands, 2029–36
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
A convenient route to complexes of the type $[MoO(SR)_4]^-$ (R = aryl) and $[MoO(S(CH_2)_nS)_2]^-$ (n = 2 or 3): preparation and crystal structure of tetraphenylphosphonium N,N–dimethylhydrazido(2–)oxotris(thiophenolato)molybdate(VI) diethyl ether solvate, 2295–8
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
Synthesis, structure, and reactions of a new dimer of molybdenocene, and related bi– and trinuclear compounds. Molecular structures of $[H(\eta^5\text{–}C_5H_5)_2Mo(\mu\text{–}\sigma{:}\eta^5\text{–}C_5H_4)Mo(\eta^5\text{–}C_5H_5)]$, $[(\eta^5\text{–}C_5H_5)(OC)Mo(\mu\text{–}\eta^5{:}\sigma\text{–}C_5H_4)Mo(CO)_2(\eta^5\text{–}C_5H_5)]$, and $[(Mo(\eta^5\text{–}C_5H_5))_2(\mu\text{–}\eta^5\text{–}C_5H_4\text{–}\eta^5\text{–}C_5H_4)H_3]PF_6$, 2485–94
Photochemical studies on binuclear hydridomolybdenocene compounds, 2495–8
Synthetic pathways in binuclear molybdenum chemistry: μ–acetato–chloro–, and tertiary phosphine derivatives: x–ray structure determination of trans–$[(MoCl(PBu_3)(\mu\text{–}O_2CMe))_2]$, 2519–25
MOLYBDENUMTUNGSTEN
The formation, structure, and reversible carbonylation of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut–2–yne, 283–9
MONOSULFIDE
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
MONOTHIOACETATE
The molecular structure of silyl monothioacetate in the crystal at 130 K and in the gas phase, 1131–6
MONOXIDE
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
NEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
NEPTUNIUM
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
NEUTRON
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 2. Complexes bis(η^6–benzene)chromium and bis(η^6–benzene)chromium iodide, 977–84
NICKEL
Coordinating tendencies of a 14–membered tetraaza macrocycle which forms a seven–membered chelate ring, 61–5
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Formation constants of complexes of tyrosine, 485–6
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8–bis(diphenylphosphino)–3,6–dioxaoctane: six– and four–coordinate complexes and trans bidentate behavior, 833–9
Preparation and spectroscopic characterization of pseudotetrahedral $[NiX_2(Ph_2P(CH_2)_8PPh_2)]$ (X = Cl, Br, or I) and planar $[Ni(NCS)_2(Ph_2P(CH_2)_8PPh_2)]$, 841–3
Reduction of Schiff–base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand–to–metal electron–transfer process, 1085–9
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
The transformations of parallel and perpendicular $L_2M(\mu$–acetylene)ML_2 complexes, 1471–82
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_2) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_2(ClO_4)_2$, 1531–9
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10–phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
Coordination chemistry of arenediazoate anions: synthesis and x–ray crystallographic characterization of η–cyclopentadienyl(anti–p–nitrobenzenediazoato–N^1)(triphenylphosphine)nickel(II), $[Ni(\eta\text{–}C_5H_5)(PPh_3)(ON_2C_6H_4NO_2\text{–}p)]$, 1981–5
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
Nontemplate synthesis of new tetraaza macrocyclic ligands and

NICKEL(contd)
their cobalt, nickel, and copper complexes: x-ray structure of (5,14,15,16,17,18-hexahydro-7-methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13-pentaazacyclopentadecane, 2131–6
Glyoxalbis[(2S)-pyrrolidin-2-ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo-metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex [RhFeW(μ_3-CC_6H_4Me-4)(μ-CO)(CO)$_5$(η-C_5H_5)(η-C_9H_7)], 2475–83
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
Structural, spectroscopic, and magnetic properties of diaqua(L-aspartato)nickel(II) hydrate, 2541–3
Structure of bis(5,6,11,12-tetrahydro-2,8-dimethylphenhomazine)-nickel(II) perchlorate, 2545–7
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2-donor macrocyclic ligands, 2565–6
NIOBIUM
Crystal structure of fluoro(2,3,7,8,12,13,17,18-octaethylporphyrinato)oxoniobium; demonstration of the presence of six-coordinated niobium, 247–50
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x-ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
NITRATE
Secondary bonding. Part 9. Crystal and molecular structures of μ-oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8
NITRATO
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
NITRATODIOXONEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
NITRIC
Dissociation of strong acids in aqueous solutions, 2425–7
NITRIDE
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Solutions of lithium salts in liquid lithium: interaction between silicon and nitrogen to form the ternary compound, Li_5SiN_3, 2175–9
NITRIDO
The preparation and reactions of azidobis[1,2-bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
NITRILE
Ab initio calculations on the bonding properties of isonitrile and nitrile ligands, 2533–7
NITRILOTRIACETATO
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
NITRILOTRIACETATOCOBALT
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
NITRILOTRIACETATOLEAD
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
NITRITE
Electrophilic behavior of nitrosyls: preparation and reactions of six-coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito-, chloro-, and bromoplatinum(II) and (IV) complexes, 2363–9
NITRITO
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito-, chloro-, and bromoplatinum(II) and (IV) complexes, 2363–9
NITROAMINE
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
NITROBENZENEDIAZOATO
Coordination chemistry of arenediazoate anions: synthesis and x-ray crystallographic characterization of η-cyclopentadienyl(anti-p-nitrobenzenediazoato-N^1)(triphenylphosphine)nickel(II), [Ni(η-C_5H_5)(PPh_3)($ON_2C_6H_4NO_2$-p)], 1981–5
NITROCUPRATE
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
NITROGEN
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Ortho-metalation reactions of 2-substituted pyridines, 1,2-, 1,3-, and 1,4-diazines, and 2,2'-bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl-μ-(2,2'-bipyridyl-6-yl)-μ-hydrido-triangulo-triosmium(3Os-Os), 787–91
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Electrophilic behavior of nitrosyls: preparation and reactions of six-coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x-ray structure of (5,14,15,16,17,18-hexahydro-7-methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Synthesis and x-ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9
NITROGENMOLYBDENUM
The mechanism of formation of hydrazido(2-) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
NITROGENTUNGSTEN
The mechanism of formation of hydrazido(2-) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
NITROSATION
Nitrogen-tracer experiments on the reaction of hydrazine with an excess of nitrous acid, 1603–9
NITROSO
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy- and mixed alkoxy-amido complexes of tris(3,5-dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)-, bis(isopropoxy)-, and ethoxy(isopropoxy)-nitrosyl[tris(3,5-dimethylpyrazolyl)borato]molybdenum, 951–65
NITROSYL
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x-ray structure of trans-bis[1,2-bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum-tetrahydrofuran (1:2), 79–87
Further comments on one-electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Solution and matrix photochemistry of the isoelectronic series of half-sandwich carbonyl(η^5-cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, [M(η^5-C_5H_5)$(CO)_{3-n}(NO)_n$] (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Electrophilic behavior of nitrosyls: preparation and reactions of six-coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5
Photochemistry of cis-bis(ethylenediamine)dinitrocobalt(III) in acetonitrile, 2403–7
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(-

NITROSYL(contd)
I) tetraphenylborate in acetonitrile, 2561–2
NITROSYLATION
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
NITROSYLCOBALT
Photochemistry of cis–bis(ethylenediamine)dinitrocobalt(III) in acetonitrile, 2403–7
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(-I) tetraphenylborate in acetonitrile, 2561–2
NITROUS
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
NITROXIDE
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
NMR
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
Carbon–13 nuclear magnetic resonance studies of organotellurium compounds, 117–20
Reactions of cyclic 1,3–dienes with ethyne coordinated at a dimetal center. Crystal structure of μ–(7–8–η:9–10–η–bicyclo[4.2.2]deca–2,4,7,9–tetraene)bis[carbonyl(η–cyclopentadienyl)molybdenum](-3Mo–Mo), 167–72
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioximeo)bis(trifluoroacetoxy)cobalt(II), 337–43
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu–C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu–C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
A fluxional arachno–1–metallapentaborane, [1,1,1,–(CO)$(PMe_3)_2$(1–IrB_4H_9)], 481–3
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
Bis(cyclopentadienyls) with transition metal–mercury bonds. Part 4. Formation of niobium–mercury bonds and x–ray crystal structure of bis(cyclopentadienyl)tris[(diethyldithiocarbamato)mercurio]niobium, 633–8
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of $[Re_2H_7(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Preparation of methyl and acetyl complexes of iron(II), 847–50
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
Synthesis and characterization by spectroscopy and x–ray structure determination of palladium complexes containing the 1–3–η–1,2–di–tert–butyl–3–methyl–4–methylenecyclobutenyl ligand, 999–1004
Carbon–13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
Hexanuclear rhodium hydrido carbonyl clusters, 1499–502
Synthesis and conformational studies of (diphenylphosphinoamino-)cyclodiphosph(III)azanes, 1503–8
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
On the correlation between bond lengths, chemical shifts, and cone angles in octahedral cobaloximes containing phosphorus–donor ligands. Crystal structure of trans–chlorobis(dimethylglyoximato-)(phosphite)cobalt(III) complexes with phosphite = dimethoxyphenylphosphine and methoxydiphenylphosphine, 1559–63
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound $[PtW(\mu–C(OMe)C_6H_4Me–4)(CO)_5(\eta–C_8H_{12})]$ and the crystal structure of one isomer of $[Pt_2(\mu–C(OMe)C_6H_4Me–4)_2(CO)_2]$, 1741–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes $[PtW(\mu–CC_6H_4Me–4)(CO)_2(PR_3)_2(\eta–C_5H_5)]$ with carbon monoxide. Crystal structure of $[Pt_2W(\mu_3–CC_6H_4Me–4)(CO)_4(PMePh_2)_2(\eta–C_5H_5)]$, 1749–55
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
Lanthanum–139 nuclear magnetic resonance spectra of lanthanum complexes, 1929–32
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8–n}(OPh)_n$, 2151–7
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca–μ–carbonyldecacarbonyl–μ_{10}–thiodecarhodate(2–), 2265–7
Stereochemically nonrigid silanes, germanes, and stannanes. Part 11. Mechanistic implications of diastereotopic effects induced in methylcyclopentadienyl, indenyl, and pentamethylcyclopentadienyl ring systems by chiral tin substituents, 2275–9
Interaction of vanadyl acetylacetonate with solvents. The vanadium–51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito–, chloro–, and bromoplatinum(II) and (IV) complexes, 2363–9
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
NONABORATE
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–

NONABORATE(contd)
6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
NONACARBONYL
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
NONACARBONYLMETHYLIDYNETRICOBALT
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
NONACARBONYLPHENYLALLENEDIYLHYDROXO-HYDRIDOTRIOSMIUM
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
NONSTOICHIOMETRIC
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
NQR
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
NUCLEAR
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
Rhodium–103 decoupled carbon–13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
NUCLEOPHILE
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[2–(*o*–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
NUCLEOPHILIC
Solvent effects on rates and equilibriums of chelate ring–closure = ring–opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
OCTACARBONYL
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
OCTACHLORIDE
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
OCTAETHYL
Syntheses of tervalent iridium complexes of octaethylporphyrin. Infuence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
OCTAETHYLPORPHYRIN
Syntheses of tervalent iridium complexes of octaethylporphyrin. Infuence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
OCTAETHYLPORPHYRINATOIRIDIUM
Syntheses of tervalent iridium complexes of octaethylporphyrin. Infuence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
OCTAHYDRATE
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
OCTAMETHYL
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
OCTAMETHYLDIAZACYCLOHEXADECANE
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
OCTAMETHYLDIAZACYCLOHEXADECANEPALLADIUM
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
OCTENE
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
OLEFIN
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
ORDERING
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
ORGANOIRIDIUM
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR-CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5–bis(di–tert–butylphosphino)pent–3–ylidene–$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
ORGANOMERCURY
Photochromism in organomercury(II) dithizonates, 2299–301
ORGANOMETALLIC
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
ORGANOTELLURIUM
Carbon–13 nuclear magnetic resonance studies of organotellurium compounds, 117–20
OSCILLATING
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
OSCILLATORY
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
OSMIUM
Crystal and molecular structures of undecacarbonyl(cyanomethane-)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
Reactions of $[Os_3(\mu–H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPh_2)]$ and $[Os_3(\mu–H)(CO)_{10}(\mu–NHNCPhMe)]$, 263–9
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9

OSMIUM(contd)
Selective formation of positional isomers of substituted μ_3–benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
The deformation vibrations of $[Os_{3-n}Ru_n(CO)_{12}]$ (n = 0–3) in the 150–30 cm^{-1} region, 1175–8
Doubly– and triply–bridging ligands derived from 2–pyridone and 2–aminopyridine. Crystal and molecular structure of the 2–pyridylamido complex nonacarbonyl–μ–hydrido–(μ_3–2–pyridylamido)–triangulo–triosmium formed from 2–aminopyridine and dodecacarbonyltriosmium, 1205–11
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x–ray crystal structure of dodecacarbonyl–μ_3–sulfido–(μ_4–thiocarbonyl–C,σ–S)tetraosmium(4 Os–Os), 1641–4
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
The preparation, variable–temperature nuclear magnetic resonance spectra, and behavior under reflux conditions of $[Os_3(CO)_{10}(\mu$–$ER)_2]$ (E = S, R = Me, Ph, or CH_2Ph; E = Se, R = Ph), 1881–4
Preparation and some reactions of $[Os_5(CO)_{19}]$: the molecular structures of $[Os_5(CO)_{19}]$ and $[Os_5(CO)_{16}(P(OMe)_3)_3]$, 2051–8
Reactions of $[Os_3(\mu$–$H)_2(CO)_{10}]$ with organic azides: structural characterization of $[Os_3(\mu$–$H)(CO)_{10}(\mu$–$HN_3Ph)]$ and $[Os_3(\mu$–$H)_2(CO)_9(\mu_3$–$NPh)]$, 2085–92
The synthesis of the cluster dianion $[Os_{10}C(CO)_{24}]^{2-}$ by pyrolysis. X–ray structure analysis of $[N(PPh_3)_2]_2[Os_{10}C(CO)_{24}]$ and $[Os_5C(CO)_{14}H(NC_5H_4)]$, 2099–107
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5$–$H_5)]$, 2119–22
A new type of pyrrole coordination: μ_3–pyrrole–2,3–diyl triosmium complexes, 2563–4
OXADIAZABOROLE
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
OXALATO
Electronic properties and crystal structure of (2,2'–bipyridyl)–catena–μ–(oxalato–O^1,O^2:$O^{1'}$,$O^{2'}$)copper(II) dihydrate and aqua(2,2'–bipyridyl)(oxalato–O^1,O^2)copper(II) dihydrate, 1117–21
OXALATOCOBALT
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)– and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
OXALATOCOBALTATE
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
OXALATOCOPPER
Electronic properties and crystal structure of (2,2'–bipyridyl)–catena–μ–(oxalato–O^1,O^2:$O^{1'}$,$O^{2'}$)copper(II) dihydrate and aqua(2,2'–bipyridyl)(oxalato–O^1,O^2)copper(II) dihydrate, 1117–21
OXIDASE
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
OXIDATIVE
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl)aminooxy ligand, 523–9
Cyclopentadienylruthenium and –osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η–cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Some ten–vertex nido–metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno–nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6–hydrido–6,6–bis(triphenylphosphine)–nido–6–iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
OXIDE
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Preparation and characterization of mixed oxides of selenium and tellurium, 733–6
Crystal structure of hydrogenbis(pyridine N–oxide) tetrachloroaurate(III), revealing a short hydrogen bond, 751–5
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis–$NPCl_2(NSOCl)_2$, 1773–6
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
Crystallization and transformation of amorphous germanium dioxide derived from hydrolysis of germanium isopropoxide, 1907–10
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
OXIDENEPTUNIUM
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
OXIDEURANIUM
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
OXIDIZED
A new contribution to the determination of the complex equilibriums of oxidized glutathione with proton and copper(II) in aqueous solution, 1803–8
OXIDN
The copper–catalyzed oxidation of ascorbic acid by dioxygen. Part 4. The effect of chloride ions on the kinetics and mechanism, 9–13
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x–ray structure of trans–bis[1,2–bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum–tetrahydrofuran (1:2), 79–87
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Kinetics and mechanism of the oxidation of hydroxylamine by iodine, 573–6

OXIDN(contd)
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)- and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
Electrochemical behavior of complexes of copper(II) with 14-membered saturated tetraaza macrocycles, 893–7
Photochemistry of manganese porphyrins. Part 6. Oxidation–reduction equilibriums of manganese(III) porphyrins in aqueous solution, 931–8
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Synthesis and crystal and molecular structures of mixed-valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_6(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
Coordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands, 1895–8
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
Photoelectrochemical behavior of ruthenium(II) complex layers at a platinum electrode immobilized by the common–ion effect in aqueous electrolyte solution, 1977–80
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
On the nature of partially oxidized Magnus green, 2515–18

OXIME
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10–phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5

OXIMEBISTRIFLUOROACETOXYCOBALT
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43

OXINATE
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5

OXO
Crystal structure of fluoro(2,3,7,8,12,13,17,18–octaethylporphyrinato)oxoniobium; demonstration of the presence of six–coordinated niobium, 247–50
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N']oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
A convenient route to complexes of the type $[MoO(SR)_4]^-$ (R = aryl) and $[MoO(S(CH_2)_nS)_2]^-$ (n = 2 or 3): preparation and crystal structure of tetraphenylphosphonium N,N–dimethylhydrazido(2–)oxotris(thiophenolato)molybdate(VI) diethyl ether solvate, 2295–8

OXOCYCLOTRIPHOSPHAZADIENE
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54

OXODIPHENYLPROPENEDIYLDIRUTHENIUM
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ–carbonyl–1–carbonyl–1,2–bis(η–cyclopentadienyl)–μ–[σ:1'–3'–η–3'–oxo–1',2'–diphenylpropen–1',3'–diyl]diruthenium(Ru–Ru), 1297–307

OXOHYDRAZIDO
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N']oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7

OXOMOLYBDENUM
A convenient route to complexes of the type $[MoO(SR)_4]^-$ (R = aryl) and $[MoO(S(CH_2)_nS)_2]^-$ (n = 2 or 3): preparation and crystal structure of tetraphenylphosphonium N,N–dimethylhydrazido(2–)oxotris(thiophenolato)molybdate(VI) diethyl ether solvate, 2295–8

OXONEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6

OXOPHENYLTELLURIUM
Secondary bonding. Part 9. Crystal and molecular structures of μ–oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8

OXOPROPENEDIYL
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8

OXYGEN
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
Crystal and molecular structure and magnetic properties of a tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H_2L): $[Cu_4L_4].8MeOH$, a complex with a ferromagnetic ground state, 2433–8

OXYGENATION
Water–soluble cobalt(II) complexes of N,N'–substituted bis(salicylaldimine–5–sulfonic acids). Oxygen–carrying properties and conversion into cobalt(III) organometallic compounds, 109–16

OXYIODIDE
A Moessbauer spectroscopic study of the iodides of europium, 2409–14

PALLADATE
Coordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands, 1895–8

PALLADIUM
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
Synthesis and characterization by spectroscopy and x–ray structure determination of palladium complexes containing the 1–3–η–1,2–di–tert–butyl–3–methyl–4–methylenecyclobutenyl ligand, 999–1004
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10–(2'–dimethylaminopropyl)phenothiazine–S]palladium(II), 1103–7
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
Palladium(II) complexes of the macrocycle 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecane. Crystal structure analysis of 3,3,7,7,11,11,15,15–octamethyl–1,9–dithia–5,13–diazacyclohexadecanepalladium(II) bis(hexafluorophosphate), 1291–6
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2–(4–amino–2–azabut–1–enyl)phenyl–C^1,N^2](1,2–diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
Light–induced reactions of trans–chloro(cyanomethyl)bis(triphenylphosphine)palladium(II) and the crystal and molecular structures of its acetone, acetonitrile, and benzene solvates, 1699–708

PALLADIUM(contd)
Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ–bonded 1,2–bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ–[1',2'–bis(p–methoxyphenylimino)propyl–C1',(Pd1):N,N'–(Pd2)]–1,1–dichloro–2–(1''–3''–η–2''–methylallyl)–1–triphenylphosphinedipalladium, 1715–28
Hydrolysis of α–amino acid esters in mixed–ligand complexes with 2,2'–bipyridylpalladium(II), 1819–23
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)$-$_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N–N)_2][M(IV)(N–N)_2X_2]X_4$ (X = halogen), 1851–60
Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type $[Pd(\eta^5–C_5H_5)L_2]PF_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7
Mechanism of migration of ancillary ligands in binuclear palladium(II) allyl complexes, 2303–8
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
Fast reactions at planar four–coordinate complexes. Part 5. The solvent effect on the leaving group in the reactions of neutral and cationic palladium(II) complexes, 2445–8
PARAMAGNETIC
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
PARAMAGNETISM
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
PENTAAZACYCLOPENTADECANE
Synthetic, kinetic, and stereochemical studies on the copper(II), nickel(II), and cobalt(III) complexes of 1,4,7,10,13–pentaazacyclopentadecane, 2131–6
PENTABORANE
Isomeric hypho–boranes. Properties and molecular structures of the adducts B_5H_9L (L = $Ph_2PCH_2PPh_2$, $Ph_2PCH_2CH_2PPh_2$, or $Me_2NCH_2CH_2NMe_2$) and B_4H_8L (L = $Me_2NCH_2CH_2NMe_2$), 2243–55
PENTACARBONYL
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
PENTACHLORIDE
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
PENTACHLOROPHENYL
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
PENTACHLOROTHIATRIAZAPHOSPHORINE
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
PENTACOSACARBONYLTETRADECARHODATE
High nuclearity carbonyl clusters of rhodium. Part 3. Crystal and molecular structure of hexadeca–μ–carbonylenneacarbonyl–polyhedro–tetradecarhodate(4–) in its tetraethylammonium salt, 1099–102
PENTACYANO
Aquation of iron–nitrogen bonds in pentacyano(ligand)ferrate(2–) ions: electronic and medium effects, 2147–50
PENTADIENE
Dimolybdenum complexes derived from cycloocta–1,5–diene and penta–1,3–diene. Crystal and molecular structure of tricarbonyl–μ–(cycloct–1–en–5–yne)bis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 159–65
PENTADIENONEDIRHODIUM
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
PENTAFLUORIDE
Preparation and characterization of the uranyl fluoride–antimony pentafluoride adduct, $UF_2O_2.4SbF_5$, 1635–6
PENTAFLUORO
Crystal structure of 2,2,4,4,6–pentafluoro–6–[N–(1,2,4,3,5–trithiadiazol–1–ylidene)amino]cyclotriphosphazene, 883–5
PENTAGONAL
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
PENTAKISMETHOXYCARBONYLCYCLOPENTADIENE
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
PENTAKISMETHOXYCARBONYLCYCLOPENTADIENYL
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 2. Some derivatives containing the alkaline earth metals (magnesium, calcium, strontium, or barium) or Group 2 metals (zinc or cadmium). Crystal and molecular structure of $Ba[C_5(CO_2Me)_5]_2$, 2221–6
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 3. Synthesis and crystal structure of the trivalent metal complex $[Cr(C_5(CO_2Me)_5)_3].ca.3.75H_2O$,'2227–9
PENTAMETHYLCYCLOPENTADIENYL
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
PENTANEDIONATE
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
PENTANEDIONATO
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
PENTANITROCUPRATE
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
PEPTIDE
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
PERCHLORIC
Dissociation of strong acids in aqueous solutions, 2425–7
PERCHLOROMETHANE
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
PERFLUOROPHENYL
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95

PERIODATE
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
PEROXIDE
The osmium tetraoxide–catalyzed decomposition of hydrogen peroxide, 237–45
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
PEROXO
Reduction potentials for μ–superoxo/μ–peroxodicobalt(III) couples 1621–4
PEROXODICOBALT
Reduction potentials for μ–superoxo/μ–peroxodicobalt(III) couples 1621–4
PEROXODIPHOSPHATE
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
PEROXODISULFATE
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
PEROXY
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
PEROXYCARBOXYLATE
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
PEROXYCARBOXYLATOIRIDIUM
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
PEROXYIRIDIUM
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
PEROXYRHODIUM
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
PEROXYTRITHIOBENZOATE
Synthesis, spectroscopy, and x–ray crystallographic analysis of (η^3–dithiobenzoato–SCS')oxo(trithioperoxybenzoato–S,S',S'')molybdenum(IV) and μ–oxobis[bis(dithiobenzoato–S,S')oxomolybdenum(V)], 121–7
PERRUTHENATE
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
PERTECHNETATE
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at –100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
PH
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)–aspartic acid, L(+)–glutamic acid, or L(+)–cysteine as ligands, 291–7
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
PHENANTHROLINE
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
PHENANTHROLINEHYDRAZONE
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6–diacetylpyridine N,N'–dimethyl–N,N'–1,10–phenanthroline–2,9–diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and –trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
PHENANTHROLINEHYDRAZONECOBALT
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6–diacetylpyridine N,N'–dimethyl–N,N'–1,10–phenanthroline–2,9–diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and –trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
PHENANTHROLINEIRON
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
PHENHOMAZINENICKEL
Structure of bis(5,6,11,12–tetrahydro–2,8–dimethylphenhomazine)nickel(II) perchlorate, 2545–7
PHENOTHIAZINE
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10–(2'–dimethylaminopropyl)phenothiazine–S]palladium(II), 1103–7
PHENOXIDE
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
PHENOXY
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
PHENOXYCHLOROCYCLOPHOSPHAZENE
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
PHENYL
Carbon–13 nuclear magnetic resonance studies of organotellurium compounds, 117–20
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Secondary bonding. Part 8. The crystal and molecular structure of diphenyl telluroxide, 709–12
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
Secondary bonding. Part 9. Crystal and molecular structures of μ–oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8
PHENYLACETYLENE
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{:}C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7
PHENYLALANINATOTIN
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
PHENYLARSINO
Stabilization of copper(II) tertiary–phosphine or –arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen–arsenic ligands from o– and p–(diphenylarsino)benzoic acids, 1939–43
PHENYLARSINOBENZOATE
Stabilization of copper(II) tertiary–phosphine or –arsine complexes. Part 1. Complexes of copper(II) with hybrid oxygen–arsenic ligands from o– and p–(diphenylarsino)benzoic acids, 1939–43
PHENYLARSONIUM
Reactions of pertechnetate anion with triphenylphosphine.

PHENYLARSONIUM(contd)
Molecular structure (at −100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
PHENYLAZOPHENYL
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
PHENYLAZOPHENYLPALLADIUM
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
PHENYLDIAZENIDOBISPYRIDINETUNGSTEN
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(V), 345–52
PHENYLENEBISMETHYLENE
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
PHENYLENEDIAMINE
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
PHENYLENEDIMETHYLENE
Preparation of η^2:η^2–o–xylylene complexes of ruthenium(0) via facile δ–hydrogen abstraction reactions. The crystal and molecular structure of tris(dimethylphenylphosphine)(1–α–η:2–α'–η–o–phenylenedimethylene)ruthenium, 1867–71
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
PHENYLLEAD
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
PHENYLMETHYLENE
Reactions of $[Os_3(\mu\text{–}H)_2(CO)_{10}]$ with diazo compounds: structural characterization of $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}NHNCPh_2)]$ and $[Os_3(\mu\text{–}H)(CO)_{10}(\mu\text{–}NHNCPhMe)]$, 263–9
PHENYLMETHYLENEAMINO
Crystal structure of bis(diphenylmethyleneamino) monosulfide,S(N:CPh_2)$_2$, 221–3
PHENYLOXADIAZABOROLE
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
PHENYLPHLORINATOGOLD
Phlorin complex of gold(III), 1169–71
PHENYLPHOSPHINATE
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
PHENYLPHOSPHINE
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at −100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
PHENYLPHOSPHINIC
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
PHENYLPHOSPHINIMINIUM
Synthesis and fluxional character of complexes of the type $[Fe_3H(CO)_{10}(\mu\text{–}CNR_2)]$ and $[Fe_3H(CO)_9(\mu_3\text{–}CH{:}NR)]$, 43–50
PHENYLPHOSPHINOAMINOCYCLODIPHOSPHAZANE
Synthesis and conformational studies of (diphenylphosphinoamino–)cyclodiphosph(III)azanes, 1503–8
PHENYLPHOSPHINODIOXAOCTANE
Diverse donor properties exhibited by the facultative diphosphine diether ligand, 1,8–bis(diphenylphosphino)–3,6–dioxaoctane: six– and four–coordinate complexes and trans bidentate behavior, 833–9
PHENYLPHOSPHINOETHYLAMIDORHODIUM
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
PHENYLPHOSPHINOETHYLPHOSPHINORHODIUM
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
PHENYLPHOSPHINOMETHANEHYDRIDOBISMETHYLPLATINUM
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
PHENYLPHOSPHINOMETHANEHYDRIDOCARBONYLRHENIUM
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of $[Re_2H_2(CO)_8(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
PHENYLPHOSPHINOOCTANE
Preparation and spectroscopic characterization of pseudotetrahedral $[NiX_2(Ph_2P(CH_2)_8PPh_2)]$ (X = Cl, Br, or I) and planar $[Ni(NCS)_2(Ph_2P(CH_2)_8PPh_2)]$, 841–3
PHENYLPHOSPHONIUM
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at −100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
PHENYLPYRIDYLPHOSPHINEDISILVER
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
PHENYLPYRIDYLPHOSPHINEGOLD
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
PHENYLSALICYLALDIMINATOIRON
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds. 2385–8
PHENYLSALICYLIDENEIMINE
Synthesis of six–coordinate technetium(V) complexes with N–phenylsalicylideneimine. X–ray crystal structure of chlorooxobis(N–phenylsalicylideneiminato)technetium(V), 2455–9
PHENYLSILACYCLOHEXYLIRON
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
PHENYLTELLURIUM
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Secondary bonding. Part 9. Crystal and molecular structures of μ–oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8
PHENYLTHIOCARBAMATOCOBALT
Reactions of coordinated nucleophiles. Preparation, characterization, and crystal structure of pentaammine(phenylthiocarbamato–S)cobalt(III) perchlorate monohydrate, 747–50
PHLORINATOGOLD
Phlorin complex of gold(III), 1169–71
PHOSPHATE
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503
Condensation of ammonium phosphates with urea at 120°C,

PHOSPHATE(contd)
2527–31
PHOSPHIDO
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
PHOSPHINE
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
Coordination chemistry of sulfines. Part 5. σ–S and η^3–SCS coordination of sulfines to rhodium(I). Fluxional behavior of [RhCl(PR$_3$)(XYCSO)] (R = alkyl; X, Y = aryl, S–aryl, S–alkyl, or Cl) complexes and influence of sulfine geometry on the formation of $[RhCl(PR_3)_2(XYCSO)]$, 397–406
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu\text{–}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{–}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl-)aminooxy ligand, 523–9
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x–ray crystal structures of $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, $[M(\eta^5\text{–}C_5H_5)(CO)_{3-n}(NO)_n]$ (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
Lithiation and intermolecular exchange of tertiary methylphosphines in trans–$[NiR_2L_2]$, where R = 2,6–dimethoxyphenyl, 1443–9
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Synthesis and reactivity of platinum–formaldehyde complexes $[Pt(PR_3)_2(CH_2O)]$, 1637–9
A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x–ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{–}NC(H)Me)]$, 2021–8
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
Preparation and some reactions of $[Os_5(CO)_{19}]$: the molecular structures of $[Os_5(CO)_{19}]$ and $[Os_5(CO)_{16}(P(OMe)_3)_3]$, 2051–8
Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type $[Pd(\eta^5\text{–}C_5H_5)L_2]PF_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7
Preparation and crystal structure of the four–coordinate gold(I) complex chlorotris(triphenylphosphine)gold(I), 2123–5
Coordination compounds of indium. Part 40. Reactions of nonaqueous solutions of indium(I) halides, 2165–8
Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
Reactions of π–allyltricarbonylhaloiron complexes and synthesis of new organoiron compounds, 2385–8
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
PHOSPHINEIRIDIUM
Reactions involving transition metals. Part 13. Reaction of hydroperoxides with complexes of the type trans–$[IrX(CO)L_2]$ (X = halogen, L = phosphine or arsine), 37–41
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
PHOSPHINEIRON
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
PHOSPHINEPLATINUM
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu\text{–}C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu\text{–}C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
PHOSPHINERHODIUM
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
PHOSPHINETRIOSMIUM
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
PHOSPHINO
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
PHOSPHINOETHANE
Isomeric hypho–boranes. Properties and molecular structures of the adducts B_5H_9L (L = $Ph_2PCH_2PPh_2$, $Ph_2PCH_2CH_2PPh_2$, or $Me_2NCH_2CH_2NMe_2$) and B_4H_8L (L = $Me_2NCH_2CH_2NMe_2$), 2243–55
PHOSPHINOMETHANE
Isomeric hypho–boranes. Properties and molecular structures of the adducts B_5H_9L (L = $Ph_2PCH_2PPh_2$, $Ph_2PCH_2CH_2PPh_2$, or $Me_2NCH_2CH_2NMe_2$) and B_4H_8L (L = $Me_2NCH_2CH_2NMe_2$), 2243–55
PHOSPHINOPENTYL
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
PHOSPHINYL
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
PHOSPHINYLCOBALOXIME
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
PHOSPHINYLPENTANE
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5–bis(di–tert–butylphosphino)pentane and 1,4–bis(di–tert–butylphosphin-

PHOSPHINYLPENTANE(contd)
o)but–2–ene, 387–95
PHOSPHITE
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6–diacetylpyridine N,N'–dimethyl–N,N'–1,10–phenanthroline–2,9–diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and –trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
Preparation and some reactions of $[Os_5(CO)_{19}]$: the molecular structures of $[Os_5(CO)_{19}]$ and $[Os_5(CO)_{16}(P(OMe)_3)_3]$, 2051–8
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(–I) tetraphenylborate in acetonitrile, 2561–2
PHOSPHITECOBALT
Structural aspects of a vitamin B_{12} model. Crystal and molecular structure of trans–cyanobis(dimethylglyoximato)(trimethyl phosphite)cobalt(III), 1009–11
PHOSPHONIC
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
PHOSPHONIOETHENYLIDENETRIOSMIUM
Addition of dimethylphenylphosphine to μ– and μ_3–alkynyl and μ_3–allenyl ligands in triosmium clusters: x–ray crystal structures of three zwitterionic adducts, 899–906
PHOSPHONIOETHYLIDE
Further evidence for 1,2–hydrogen shift equilibriums in the bis(η–cyclopentadienyl)methyltungsten system, 1789–93
PHOSPHONIOMETHYLIDE
Further evidence for 1,2–hydrogen shift equilibriums in the bis(η–cyclopentadienyl)methyltungsten system, 1789–93
PHOSPHORUS
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
Transition metal–carbon bonds. Part 52. Large ring and cyclometalated complexes formed from $(Me_3C)_2PCH_2CH_2CHR$-$CH_2CH_2P(CMe_3)_2$ (R = H or Me) and trichloroiridium, or tetrachlorotetrakis(cyclooctene)diiridium: crystal structures of the cyclometalated hydride [1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3,P,P']chlorohydridoiridium(III), and the carbene complex [1,5–bis(di–tert–butylphosphino)pent–3–ylidene–$C^{3,3}$,P,P'] chloroiridium(III), 1217–24
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
Studies of phosphazenes. Part 15. Chloro(phenoxy)cyclotetraphosphazenes, $N_4P_4Cl_{8-n}(OPh)_n$, 2151–7
PHOSPHORYL
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
PHOTOCHEM
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
Photochemical studies of the alkylammonium molybdates. Part 6. Photoreducible octahedron site of $[Mo_7O_{24}]^{6-}$ as determined by electron spin resonance, 1987–91
Photochemistry of cis–bis(ethylenediamine)dinitrocobalt(III) in acetonitrile, 2403–7
PHOTOCHROMISM
Photochromism in organomercury(II) dithizonates, 2299–301
PHOTOELECTROCHEM
Photoelectrochemical behavior of ruthenium(II) complex layers at a platinum electrode immobilized by the common–ion effect in aqueous electrolyte solution, 1977–80
PHOTOELECTRON
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
PHOTOLYSIS
Chromyl carbonyl. Synthesis of dicarbonyldioxochromium in low–temperature matrixes, 651–7
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, $[M(\eta^5–C_5H_5)(CO)_{3-n}(NO)_n]$ (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Light–induced reactions of trans–chloro(cyanomethyl)bis(triphenylphosphine)palladium(II) and the crystal and molecular structures of its acetone, acetonitrile, and benzene solvates, 1699–708
Photochemistry of acetylacetonato–, trifluoroacetylacetonato–, and hexafluoroacetylacetonatodicarbonylrhodium and –iridium complexes in frozen gas matrixes at 12 K. Infrared spectroscopic evidence for carbon monoxide dissociation and chelate ring–opening processes, 1777–82
Photochemistry of tricarbonyl(1–6–η–cycloheptatriene)molybdenum in frozen gas matrixes at 12 K. Photodissociation of cycloheptatriene and carbon monoxide ligands, 2029–36
Low temperature ultraviolet photolysis of various glasses of the pentacyanonitrosylferrate(II) ion, $[Fe(CN)_5(NO)]^{2-}$, 2041–5
Photochemical studies on binuclear hydridomolybdenocene compounds, 2495–8
PHTHALOCYANINATONICKEL
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
PHTHALONITRILE
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
PICOLINOYLHYDRAZONATOMANGANESE
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
PIPERIDINE
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92
PLATINATE
The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18
PLATINUM
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7

PLATINUM(contd)
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
The di–μ–bis((diphenylphosphino)methane–μ–hydridobis[methylplatinum(II)] cation: synthesis, molecular structure, and chemical properties, 299–305
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–[$Pt_2Cl_4(PR_3)_2(\mu-C_4H_6)$]. Crystal structures of [$Pt_2Cl_4(PMe_2Ph)_2(\mu-C_4H_6)$] (meso isomer) and [$(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)$] which contains two trans–fused five–membered rings, 457–63
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl-)aminooxy ligand, 523–9
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
Synthesis and x–ray crystal structure of ab–dimethyl–df–dinitro–ce–bis(triethylphosphine)platinum(IV), 663–5
Some oxidative–addition reactions of the diradical, perfluoro–N,N'–dimethylethane–1,2–bis(aminooxyl), $CF_3N(O)CF_2CF_2N(-O)CF_3$, with iridium(I) and platinum(0) complexes, 671–2
Catalytic activity of polynuclear platinum carbonyl anions in homogeneous hydrogenation reactions, 727–32
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ–allylic and σ–vinylic six–membered chelate rings. X–ray structure of the σ–vinylic complex di–μ–acetatobis[(2–(*o*–diphenylarsinophenyl)propenyl)platinum(II)], 757–64
A study of the one–dimensional conductor $Li_{0.75}[Pt(S_2C_2(CN)_2)_2].2H_2O$, 1065–8
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10–(2'–dimethylaminopropyl)phenothiazine–S]palladium(II), 1103–7
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert–butyl peroxybenzoate, 1109–15
Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5–bis(di–tert–butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5–bis(di–tert–butylphosphino)pent–2–en–3–yl–C^3,P,P']chloroplatinum(II), 1225–30
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low–valent platinum compounds: x–ray crystal structure of di–μ_3–carbonyl–1–carbonyl–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
The transformations of parallel and perpendicular $L_2M(\mu$–acetylene)ML_2 complexes, 1471–82
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Isolation of polynuclear platinum complexes in the ammination reaction of activated olefins. X–ray crystal structure of a diplatinum(II) perchlorate salt bridged by an ammoniodiethylide group, 1587–91
Synthesis and reactivity of platinum–formaldehyde complexes [$Pt(PR_3)_2(CH_2O)$], 1637–9
A structural and spectroscopic characterization of 1,2;1,3–bis(μ–diphenylphosphido)–2,3–μ–hydrido–cyclo–tris[(triphenylphosphine)platinum] tetrafluoroborate dichloromethane (1/2), 1671–7
Metallaborane chemistry. Part 12. Electron hyper–deficient carbametallaboranes containing iron–iron, iron–cobalt, and iron–platinum connectivities: molecular and crystal structure of [$CoFe(Me_4C_4B_8H_8)(PEt_3)_2$], 1679–86
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound [PtW–(μ–C(OMe)C_6H_4Me–4)$(CO)_5(\eta-C_8H_{12})$] and the crystal structure of one isomer of [$Pt_3(\mu$–C(OMe)C_6H_4Me–4$)_3(CO)_3$], 1741–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC_6H_4Me–4)$(CO)_2(PR_3)_2(\eta-C_5H_5)$] with carbon monoxide. Crystal structure of [$Pt_2W(\mu_3$–CC_6H_4Me–4$)(CO)_4(PMePh_2)_2(\eta-C_5H_5)$], 1749–55
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of [$FePtW(\mu_3$–CR$)(CO)_5(PMePh_2)_2(\eta-C_5H_5)$] and [$FePtW(\mu_3$–CR$)(CO)_6(PEt_3)(\eta-C_5H_5)$] (R = C_6H_4Me–4), 1757–64
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N-N)_2][M(IV)(N-N)_2X_2]X_4$ (X = halogen), 1851–60
Acid–induced reversal of amine attack at platinum–coordinated ethene versus acidolysis of platinum–carbon σ bonds, 1903–6
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
Synthesis and molecular structure of [Au_4Cl_8], and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
Substitution and isomerization reactions at platinum(II) involving halide, tertiary phosphine, carbonyl, and isonitrile ligands, 2261–4
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of [^{15}N]nitrito–, chloro–, and bromoplatinum(II) and (IV) complexes, 2363–9
New platinum hydrido acetylides. Crystal and molecular structure of hydrido(3–hydroxy–3–methylpent–1–ynyl)bis(triphenylphosphine)platinum(II), 2449–53
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
On the nature of partially oxidized Magnus green, 2515–18
PLATINUMDIRHODIUM
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
PLUTONIUM
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
POLEMIC
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
POLY
Mixed–valence fluoropolytungstates, 2439–43
POLYATOMIC
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
POLYCOBALT
Anionic germanium polycobalt carbonyl clusters. Part 2. Preparation and structure of [NEt_4][$Ge(Co_5(CO)_{16})$], a cluster which contains five–coordinate germanium, 1023–7
Anionic germanium polycobalt carbonyl clusters. Part 3. Preparation and structures of [NEt_4][$Ge_2Co_7(CO)_{21}$] and [NEt_4][$Ge(Co_7(CO)_{20})$]; two large clusters incorporating tetrahedral $GeCo_3$ units, 1029–34
POLYIODO
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part

POLYIODO(contd)
34. Preparation and x-ray structure of the polyiodo compound hexaiodobis[(pentamethylcyclopentadienyl)iridium] and related species, 73–7
POLYMER
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Zero-field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
POLYSTYRENE
Polymer-supported complexes. Part 2. Polystyrene-anchored pentane-2,4-dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
POLYTUNGSTATE
Mixed-valence fluoropolytungstates, 2439–43
PORPHYRIN
Kinetics of axial ligand exchange in ruthenium(II) tetraphenylporphyrin complexes, 95–101
An electron spin resonance study of the molecular oxygen adducts of the apomyoglobin complexes of cobalt(II) protoporphyrin IX and cobalt(II) 3,10,17,24-tetrasulfonated phthalocyanine, 373–80
Photochemistry of manganese porphyrins. Part 6. Oxidation–reduction equilibriums of manganese(III) porphyrins in aqueous solution, 931–8
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
PORPHYRINATE
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x-ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18-octaethylporphyrinato)vanadium(IV), 1451–6
PORPHYRINATO
Crystal structure of fluoro(2,3,7,8,12,13,17,18-octaethylporphyrinato)oxoniobium; demonstration of the presence of six-coordinated niobium, 247–50
POTASSIUM
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
Potassium fluoride–succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Unstable intermediates. Part 199. Electron-gain and -loss centers in irradiated potassium tetracyanocuprate(I), 985–90
Potassium fluoride–malonic acid, $KF.CH_2(CO_2H)_2$: x-ray crystal structure determination and infrared spectrum reveals very short hydrogen bonds, 1179–84
Coordination of alkali metals by open-chain polyethers in transition metal complexes. Part 1. X-ray crystal and molecular structure of tetrakis[1-(o-carboxymethoxyphenoxy)2-(o-hydroxyphenoxy)ethanato(1-)]dipotassiumcobalt(II), a trinuclear potassium–cobalt–potassium complex, 1239–45
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
Complex formation between antimony trifluoride and alkali metal sulfates. The x-ray crystal structure of $K_2SO_4.SbF_3$ and antimony-121 Moessbauer studies of some related compounds, 2313–16
POTENTIAL
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x-ray structure of trans-bis[1,2-bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum–tetrahydrofuran (1:2), 79–87
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
Inelastic neutron scattering studies of benzene-containing organometallic complexes. Part 2. Complexes bis(η^6-benzene)chromium and bis(η^6-benzene)chromium iodide, 977–84
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or -thioether ligands, 1457–63
Reduction potentials for μ-superoxo/μ-peroxodicobalt(III) couples 1621–4
Chemistry of ruthenium. Part 6. Bis(2,2'-bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10-phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x-ray crystal structure of fac-[1,2-bis(methylseleno)ethane-Se,Se']tricarbonyliodorhenium(I), 2065–72
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
POWDER
A method for the simulation of powder electron spin resonance spectra when $S > 1\Psi 2$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
PRESSURE
Carbon-13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
PROMETHAZINE
Interactions between phenothiazine drugs and metal ions. Part 1. Palladium(II) and platinum(II) complexes. Crystal and molecular structure of protonated trichloro[10-(2'-dimethylaminopropyl)phenothiazine-S]palladium(II), 1103–7
PROPANE
An improved synthesis of 1,2,3-triaminopropane: x-ray structure of s-fac-bis(1,2,3-triaminopropane)cobalt(III) chloride, 225–7
PROPIONAMIDE
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2-trimethylpropionamide-O)uranium(IV), 19–23
PROPYLAMINE
Standard enthalpies of formation and lattice energies of alkylammonium halides. Part 1. Propylamine hydrochlorides, 915–16
PROTEIN
A method for the simulation of powder electron spin resonance spectra when $S > 1\Psi 2$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
PROTOLYSIS
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri-μ-carbonyltris(η^5-indenyl)-triangulo-trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ-vinylidenebis[carbonyl(1-5-η-indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
PROTONATION
Ternary coordination complexes of copper(II) with L-histidine and some selected amino acids, 55–60
Coordinating tendencies of a 14-membered tetraaza macrocycle which forms a seven-membered chelate ring, 61–5
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Equilibrium studies of binary and mixed-ligand complexes of zinc(II) involving imidazole, histamine, and L-histidine as ligands 555–9
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x-ray crystal structures of $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Metalation of the isopropenyl group by platinum(II): mechanism of formation of isomeric σ-allylic and σ-vinylic six-membered chelate rings. X-ray structure of the σ-vinylic complex di-μ-acetatobis[(2-(o-diphenylarsinophenyl)propenyl)platinum(II)],

PROTONATION(contd)
757–64
Mesityl– and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3:2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
A spectrophotometric study on equilibriums of p–(4–hydroxy–1–naphthylazo)nitrobenzene with proton and of p–(2,4–dihydroxyphenylazo)nitrobenzene with proton and copper(II) in aqueous solution, 1411–16
Chemistry of ruthenium. Part 6. Bis(2,2'–bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8
PROTOPORPHYRIN
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
PROTOPORPHYRINIRON
Studies on copper–protoporphyrin–iron(III) complexes. A possible model for cytochrome c oxidase, 1035–40
PSEUDOROTATION
A fluxional arachno–1–metallapentaborane, [1,1,1,–(CO)$(PMe_3)_2$(1–IrB_4H_9)], 481–3
PURPURATO
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
PURPURATOCOPPER
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
PYRAMIDAL
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
PYRAZINECARBOXYLATE
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
PYRAZINECARBOXYLIC
Magnetic properties and molecular structure of complexes of substituted pyrazine ligands coordinated to iron(II) and copper(II). Low dimensional antiferromagnetic interactions in diaquabis(pyrazinecarboxylato)iron(II), 2419–23
PYRAZOLYL
Nitrosyl complexes of molybdenum and tungsten. Part 16. Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
PYRAZOLYLMETHANE
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
PYRIDINATE
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
PYRIDINE
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
Crystal and molecular structures of some binuclear complexes of cobalt(II) and nickel(II) acetylacetonates with pyridines and piperidine and a refinement of the crystal and molecular structure of hexakis(acetylacetonato)trinickel(II), 307–12
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
Ortho–metalation reactions of 2–substituted pyridines, 1,2–, 1,3–, and 1,4–diazines, and 2,2'–bipyridyl with triosmium clusters. Crystal and molecular structure of nonacarbonyl–μ–(2,2'–bipyridyl–6–yl)–μ–hydrido–triangulo–triosmium(3Os–Os), 787–91
Electrophilic behavior of nitrosyls: preparation and reactions of six–coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22
PYRIDINECOBALOXIME
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
PYRIDINEDICARBOXALDEHYDE
Synthesis and x–ray structure of a macrocyclic pentagonal bipyramidal complex of cobalt(II), 2127–9
PYRIDINEDIOL
Model compounds for microbial iron–transport compounds. Part 3. Solution chemistry and Moessbauer study of iron(II) and iron(III) complexes from 2,3–dihydroxypyridine and 2–mercapto–3–pyridinol, 1433–8
PYRIDINEMERCURY
Structural studies of mercury(II) halide pyridine complexes $[HgX_2(py)_2]$, X = chloride, bromide, or iodide, 15–18
PYRIDYL
The synthesis of the cluster dianion $[Os_{10}C(CO)_{24}]^{2-}$ by pyrolysis. X–ray structure analysis of $[N(PPh_3)_2]_2[Os_{10}C(CO)_{24}]$ and $[Os_5C(CO)_{14}H(NC_5H_4)]$, 2099–107
PYRIDYLAMIDO
Doubly– and triply–bridging ligands derived from 2–pyridone and 2–aminopyridine. Crystal and molecular structure of the 2–pyridylamido complex nonacarbonyl–μ–hydrido–(μ_3–2–pyridylamido)–triangulo–triosmium formed from 2–aminopyridine and dodecacarbonyltriosmium, 1205–11
PYRIDYLAMINOCOPPER
The preparation and properties of $[Cu(chelate)X_2]$ complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6
PYRIDYLMETHANE
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
PYRIDYLMETHANOL
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
PYRIDYLOXO
Doubly– and triply–bridging ligands derived from 2–pyridone and 2–aminopyridine. Crystal and molecular structure of the 2–pyridylamido complex nonacarbonyl–μ–hydrido–(μ_3–2–pyridylamido)–triangulo–triosmium formed from 2–aminopyridine and dodecacarbonyltriosmium, 1205–11
PYRIDYLTOLUENE
Coordination chemistry of dimethylgold(III). Synthesis, spectroscopic, and structural studies of complexes with neutral aromatic nitrogen–donor ligands, 1795–802
PYROLYSIS
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Condensation of ammonium phosphates with urea at 120°C, 2527–31
PYRROLEDIYL
A new type of pyrrole coordination: μ_3–pyrrole–2,3–diyl triosmium complexes, 2563–4
QUARTZ
Crystallization of amorphous silica into quartz, 1005–7
QUINOLINOLATOMOLYBDENUM
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–

QUINOLINOLATOMOLYBDENUM(contd)
N']oxobis(quinolin-8-olato)molybdenum(VI), a complex with a bent hydrazido(2-) ligand, 1041–7
RACEMIZATION
Rate laws for the racemization of coordination compounds in the solid state. Comments, 1173–4
Rate laws for the racemization of coordination compounds in the solid state. Reply to comments, 1174
RADICAL
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
RADIOLYSIS
Unstable intermediates. Part 199. Electron–gain and –loss centers in irradiated potassium tetracyanocuprate(I), 985–90
On the nature and mechanism of decomposition of monovalent copper complexes with tetraaza macrocyclic ligands in aqueous solutions. A pulse radiolytic study, 1137–41
Pulse–radiolytic investigation of the oxidation of iron(II) and iron(III) complexes with 2,2'–bipyridine, 1953–7
Paramagnetic transition metal carbonyls and cyanides. Part 8. Electron addition to $[Mn_2(CO)_{10}]$ and $[Mn_2(CO)_8(PR_3)_2]$ induced by ionizing radiation: an electron spin resonance study, 2037–9
RAMAN
Spectroscopic studies of metal complexes containing π–delocalized sulfur ligands. The resonance–Raman spectra of the antitumor agent [Cu(kts)] and the related cation $[Cu(H_2kts)]^{2+}$, 103–8
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac-$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
Vibrational spectroscopic studies of tetrabutylammonium trihalomercurates; crystal structures of bis(tetrabutylammonium) di–μ–chlorobis(dichloromercurate) and tetrabutylammonium triiodomercurate, 875–82
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
The deformation vibrations of $[Os_{3-n}Ru_n(CO)_{12}]$ (n = 0–3) in the 150–30 cm^{-1} region, 1175–8
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N–N)_2][M(IV)(N–N)_2X_2]X_4$ (X = halogen), 1851–60
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes $[Pt(NH_3)_4][Pt(NH_3)_4X_2]Y_4$ (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of $[Pt(NH_3)_4][Pt(NH_3)_4Br_2][HSO_4]_4$ and $[Pt(NH_3)_4][Pt(NH_3)_4I_2][HSO_4]_3[OH].H_2O$, 2505–13
RAY
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18–octaethylporphyrinato)vanadium(IV), 1451–6
REACTION
Rate of reaction of hydrogen with liquid cesium: recalculated rates for lithium and for potassium, 217–19
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
A kinetic study of the reactions of methyl– and acetylpentacarbonylmanganese with acetylenes, 417–21
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
The preparation and reactions of azidobis[1,2–bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
Pentamethylcyclopentadienylrhodium and –iridium complexes. Part 36. Reaction of tetrachlorobis(η^5–pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η^4–cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh:C_5Ph_2H_2)]$ and the η^4–benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x–ray structure determinations, 1341–7
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
The oxidation of hydroxylamine by iodate or periodate: an oligooscillatory reaction, 1687–9
Reactions of palladium(II) allyl dimers with palladium(II) complexes containing σ–bonded 1,2–bis(imino)alkyl groups. Crystal and molecular structure of the zwitterionic binuclear compound μ–[1',2'–bis(p–methoxyphenylimino)propyl–$C^{1'}(Pd^1)$:N,N'–(Pd^2)]–1,1–dichloro–2–(1''–3''–η–2''–methylallyl)–1–triphenylphosphinedipalladium, 1715–28
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
Reactions of $[Os_3(\mu–H)_2(CO)_{10}]$ with organic azides: structural characterization of $[Os_3(\mu–H)(CO)_{10}(\mu–HN_3Ph)]$ and $[Os_3(\mu–H)_2(CO)_9(\mu_3–NPh)]$, 2085–92
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
The trans influence in platinum chemistry. A platinum–195 nuclear magnetic resonance study of $[^{15}N]$nitrito–, chloro–, and bromoplatinum(II) and (IV) complexes, 2363–9
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
REAGENT
Chemistry of o–xylidene–metal complexes. Part 1. o–Xylidene–magnesium reagents as metallocyclic precursors and synthesis of cyclo–μ–(o–phenylenedimethylene)(1,5–cyclooctadiene)platinum: the x–ray crystal structure of the macrometallocycle cyclo–tris[μ–(o–phenylenedimethylene–C^{α},$C^{\alpha'}$)bis(tetrahydrofuran)magnesium], 1959–64
REARRANGEMENT
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7

REDN
An improved synthesis of 1,2,3-triaminopropane: x-ray structure of s-fac-bis(1,2,3-triaminopropane)cobalt(III) chloride, 225–7
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Structural and mechanistic studies of coordination compounds. Part 33. Inner-sphere vs. outer-sphere mechanisms in the reductions of some trans-dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Electrochemical behavior of complexes of copper(II) with 14-membered saturated tetraaza macrocycles, 893–7
Influence of coordination number on copper(I)–copper(II) redox interconversions. Part 3. Reduction of a sterically constrained bis(substituted phenanthroline) complex of copper(II) by iron(II) and ruthenium(II) complexes, 927–30
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50
Reduction of Schiff-base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand-to-metal electron-transfer process, 1085–9
Phlorin complex of gold(III), 1169–71
The stabilization of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilization of a cobalt(I) derivative. Crystal and molecular structures of (2,6-diacetylpyridine N,N'-dimethyl-N,N'-1,10-phenanthroline-2,9-diyldihydrazone)bis(methanol)cobalt(II) bis(tetrafluoroborate) and -trimethyl phosphite cobalt(I) tetrafluoroborate, 1593–601
Reduction potentials for μ-superoxo/μ-peroxodicobalt(III) couples 1621–4
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
Kinetics and mechanism of reduction of a nickel(IV) complex by tris(1,10-phenanthroline)cobalt(II): spectrophotometric detection of a nickel(III) intermediate, 1861–5
Electrophilic behavior of nitrosyls: preparation and reactions of six-coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Photochemical studies of the alkylammonium molybdates. Part 6. Photoreducible octahedron site of $[Mo_7O_{24}]^{6-}$ as determined by electron spin resonance, 1987–91
Electron spin resonance and Moessbauer evidence for the trianion di-μ-sulfidobis[o-xylene-α,α'-dithiolatoferrate](3–), 2015–20
Kinetics and mechanism of the reduction of pentaamminehalocobalt(III) complexes by ruthenium(II) species in aqueous solution, 2137–40
REDOX
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or -thioether ligands, 1457–63
Chemistry of ruthenium. Part 6. Bis(2,2'-bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
REDUCTIVE
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
REGIOCHEM
Ternary coordination complexes of copper(II) with L-histidine and some selected amino acids, 55–60
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives $[Fe(CO)_3(C_8H_7X)]$ (X = Me, Ph, Br, or CPh_3), 939–42
RESOLN
Stereoselectivity observed upon adduct formation of tris(3-trifluoroacetyl-D-camphorato)- and tris(3-heptafluorobutyryl-D-camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
REVERSIBLE
The formation, structure, and reversible carbonylation of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{-}C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut-2-yne, 283–9
RHENIUM
Influence of metal to diimine π-backbonding on the resonance-Raman spectra of $[M(CO)_4L]$, fac-$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
Reaction between dodecacarbonyltrihydridotrirhenium and the diphosphine ligands $Ph_2PCH_2PPh_2$ and $(EtO)_2POP(OEt)_2$: x-ray crystal structures of $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$ and $[Re_3H_3(CO)_8((EtO)_2POP(OEt)_2)_2]$, 737–45
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Preparation of some metallodithiocarboxylato- and metallodithiocarbene-metal complexes, 1631–4
Synthesis and crystal and molecular structures of mixed-valence tetranuclear, $[Re_4I_8(CO)_6]$, and trinuclear, $[Re_3I_5(CO)_6]$, compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes, 1665–70
Synthesis of platinum-manganese and -rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d-μ-carbonyl-e-carbonyl-f-(η-cyclopentadienyl)-a,b-bis(methyldiphenylphosphine)-c-μ-thiocarbonylplatinummanganese (Pt-Mn), 1733–9
Synthesis and characterization of paramagnetic triazenido complexes of rhenium(III). The crystal structure of [1,3-bis(p-tolyl)triazenido-N^1,N^3]dichlorobis(triphenylphosphine)rhenium(III), 1949–52
The reactivity of the unsaturated dimeric rhenium complexes $[Re_2H_2(CO)_6((EtO)_2POP(OEt)_2)]$ and $[Re_2H_2(CO)_6(Ph_2PCH_2PPh_2)]$: x-ray crystal structure of $[Re_2H(CO)_6(Ph_2PCH_2PPh_2)(\mu\text{-}NC(H)Me)]$, 2021–8
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x-ray crystal structure of fac-[1,2-bis(methylseleno)ethane-Se,Se']tricarbonyliodorhenium(I), 2065–72
RHODADECABORANE
Some ten-vertex nido-metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno-nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6-hydrido-6,6-bis(triphenylphosphine)-nido-6-iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
RHODIUM
Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 34. Preparation and x-ray structure of the polyiodo compound hexaiodobis[(pentamethylcyclopentadienyl)iridium] and related species, 73–7
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri-μ-carbonyltris(η^5-indenyl)-triangulo-trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ-vinylidenebis[carbonyl(1-5-η-indenyl)rhodium](Rh-Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Further studies on the interconversion of large ring and cyclometalated complexes of rhodium, with the diphosphines 1,5-bis(di-tert-butylphosphino)pentane and 1,4-bis(di-tert-butylphosphino)but-2-ene, 387–95
Coordination chemistry of sulfines. Part 5. σ-S and η^3-SCS coordination of sulfines to rhodium(I). Fluxional behavior of [RhCl(PR$_3$)(XYCSO)] (R = alkyl; X, Y = aryl, S-aryl, S-alkyl, or Cl) complexes and influence of sulfine geometry on the formation of $[RhCl(PR_3)_2(XYCSO)]$, 397–406
Polymer-supported complexes. Part 2. Polystyrene-anchored pentane-2,4-dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Reactions involving transition metals. Part 15. Reactions of alkyl- and acylperoxy-anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl-)aminooxy ligand, 523–9
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Some ten-vertex nido-metallaboranes: oxidative insertion of iridium(I) and rhodium(I) into the arachno-nonaborate anion, $[B_9H_{14}]^-$, and the crystal and molecular structure of 6-hydrido-

RHODIUM(contd)
6,6-bis(triphenylphosphine)-nido-6-iridadecaborane, $[(HIrB_9H_{13})(PPh_3)_2]$, 713–19
High nuclearity carbonyl clusters of rhodium. Part 3. Crystal and molecular structure of hexadeca-μ-carbonylenneacarbonyl-polyhedro-tetradecarhodate(4-) in its tetraethylammonium salt, 1099–102
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
Carbon-13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
Paramagnetic dioxygen complexes of rhodium, 1165–6
Electrophilic behavior of dicarbonylbis(pentamethylcyclopentadienyl)dirhodium towards diazoalkanes and low-valent platinum compounds: x-ray crystal structure of di-μ_3-carbonyl-1-carbonyl-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh), 1309–19
Protonation of cyclo-platinumdirhodium complexes. X-ray crystal structure of 2,3;2,3-di-μ-carbonyl-1-carbonyl-1,2-μ-hydrido-2,3-bis(η-pentamethylcyclopentadienyl)-1-triphenylphosphine-triangulo-platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di- and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x-ray crystal structure of di-μ-carbonyl-1,2-dicarbonyl-2-η^5-cyclopentadienyl-1-η^5-pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
Pentamethylcyclopentadienylrhodium and -iridium complexes. Part 36. Reaction of tetrachlorobis(η^5-pentamethylcyclopentadienyl)-dirhodium with phenylacetylene to give the η^4-cyclobutadiene complex $[Rh(C_5Me_5)(C_4Ph_2HCPh{\cdot}C_5Ph_2H_2)]$ and the η^4-benzocyclobutadiene complex $[Rh(C_5Me_5)(C_8Ph_4H_2)]$, identified by x-ray structure determinations, 1341–7
Hexanuclear rhodium hydrido carbonyl clusters, 1499–502
Some silyl and germyl compounds of six-coordinated rhodium(III) carbonyl halides, 1513–19
Photochemistry of acetylacetonato-, trifluoroacetylacetonato-, and hexafluoroacetylacetonatodicarbonylrhodium and -iridium complexes in frozen gas matrixes at 12 K. Infrared spectroscopic evidence for carbon monoxide dissociation and chelate ring-opening processes, 1777–82
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)$-$_3P(CMe_3)_2$. Crystal structures of [2-methyl-1,5-bis(di-tert-butylphosphino)pent-3-yl-C^3 PP']-chloropalladium(II) and -chlorohydridoiridium(III), 1829–35
Solvent effects on rates and equilibriums of chelate ring-closure = ring-opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca-μ-carbonyldecacarbonyl-μ_{10}-thiodecarhodate(2-), 2265–7
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo-metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3$-CC_6H_4Me-$4)(\mu$-$CO)(CO)_5(\eta$-$C_5H_5)(\eta$-$C_9H_7)]$, 2475–83
Rhodium-103 decoupled carbon-13 nuclear magnetic resonance studies and fluxional behavior of the nickel capped rhodium cluster $[NiRh_6(CO)_{16}]^{2-}$, 2553–5
RHODIUMHYDRIDOCYCLOPENTADIENYLTUNGSTEN
Synthesis, reactions, and crystal structures of carbonyl-free hydride-bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or -iridium(III) cations with dihydridobis(η^5-cyclopentadienyl)molybdenum and -tungsten, 541–8
RHODIUMMANGANESE
Chemistry of the metal carbonyls. Part 81. Homonuclear and heteronuclear di- and trimetal carbonyl complexes derived from dicarbonyl(pentamethylcyclopentadienyl)rhodium; x-ray crystal structure of di-μ-carbonyl-1,2-dicarbonyl-2-η^5-cyclopentadienyl-1-η^5-pentamethylcyclopentadienylrhodiummanganese(Rh–Mn), 1333–40
RHODIUMPLATINUM
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra-μ_3-carbonylbis[bis(η-pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
RHODIUMTUNGSTEN
Chemistry of di- and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt- and dirhodium-tungsten complexes with μ_3-tolylidyne groups; crystal structures of $[Co_2W(\mu_3$-CC_6H_4Me-$4)(CO)_8(\eta$-$C_5H_5)]$ and $[Rh_2W(\mu_3$-CC_6H_4Me-$4)(acac)_2(\mu$-$CO)(CO)_2(\eta$-$C_5H_5)]$ (acac = acetylacetonate), 699–708
RING
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis-$NPCl_2(NSOCl)_2$, 1773–6
ROTATION
Mesityl- and pentachlorophenylnickel(II) complexes with the cyclic alkoxyvinyl group or alkyl(alkoxy)carbene ligand: the relative Broensted acidity and the rotational barrier about the nickel–carbon bond, 793–7
Inelastic neutron scattering studies of benzene-containing organometallic complexes. Part 2. Complexes bis(η^6-benzene)chromium and bis(η^6-benzene)chromium iodide, 977–84
RUTHENIUM
Kinetics of axial ligand exchange in ruthenium(II) tetraphenylporphyrin complexes, 95–101
Influence of metal to diimine π-backbonding on the resonance-Raman spectra of $[M(CO)_4L]$, fac-$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans-dihalobis(ethylenediamine)ruthenium(III) cations: ligand-field versus ligand-to-metal charge-transfer excited states, 531–4
Chemistry of ruthenium. Part 4. trans-Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Kinetics and mechanism of the oxidation of ruthenium(II) ammines by tetraammine(oxalato)- and pentaammine(hydrogenoxalato)cobalt(III) complexes, 659–61
Cyclopentadienylruthenium and -osmium chemistry. Part 18. Oxidative addition and nitrosylation reactions: crystal structure of (η-cyclopentadienyl)nitrosylbis(trimethylphosphine)osmium bis(hexafluorophosphate), 687–92
Structural and mechanistic studies of coordination compounds. Part 33. Inner-sphere vs. outer-sphere mechanisms in the reductions of some trans-dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Influence of coordination number on copper(I)-copper(II) redox interconversions. Part 3. Reduction of a sterically constrained bis(substituted phenanthroline) complex of copper(II) by iron(II) and ruthenium(II) complexes, 927–30
Formation of dicarbonyl(η^5-cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec-4-en-8-yl)ruthenium or dicarbonyl(η^5-cyclopentadienyl)(tricyclo[5.2.1.0^{2,6}]dec-4-en-8-ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
A simple preparation for (η^6-arene)(η^4-cycloocta-1,5-diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
The involvement of perruthenate in the trichlororuthenium-catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Cationic carbonyl complexes of ruthenium(II) containing 2,2'-bipyridyl or 1,10-phenanthroline, 1143–6
The deformation vibrations of $[O_{3-n}Ru_n(CO)_{12}]$ (n = 0–3) in the 150–30 cm^{-1} region, 1175–8
Electron spin resonance spectra of some low-spin ruthenium(III) complexes: a probe for solvation effects, 1185–9
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
Organic chemistry of dinuclear metal centers. Part 1. Combination of alkynes with carbon monoxide at diiron and diruthenium centers: crystal structure of μ-carbonyl-1-carbonyl-1,2-bis(η-cyclopentadienyl)-μ-[σ:1'-3'-η-3'-oxo-1',2'-diphenylpropen-1',3'-diyl]diruthenium(Ru–Ru), 1297–307
A high-pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium-

RUTHENIUM(contd)
(III)/ruthenium(II) couples containing tetraamine or –thioether ligands, 1457–63
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
Chemistry of ruthenium. Part 6. Bis(2,2'–bipyridine)(isonitrosoketonato)ruthenium(II) perchlorate monohydrate. Synthesis, spectra, and electrochemistry, 1765–71
Preparation of η^2:η^2–o–xylylene complexes of ruthenium(0) via facile δ–hydrogen abstraction reactions. The crystal and molecular structure of tris(dimethylphenylphosphine)(1–α–η:2–α'–η–o–phenylenedimethylene)ruthenium, 1867–71
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
Electrophilic behavior of nitrosyls: preparation and reactions of six–coordinate ruthenium tetra(pyridine) nitrosyl complexes, 1933–7
Photoelectrochemical behavior of ruthenium(II) complex layers at a platinum electrode immobilized by the common–ion effect in aqueous electrolyte solution, 1977–80
Kinetics and mechanism of the reduction of pentaamminehalocobalt(III) complexes by ruthenium(II) species in aqueous solution, 2137–40
Cyclopentadienylruthenium and –osmium chemistry. Part 29. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
The structural reformulation of def–tri–μ–chloro–a–chloro–bcghi–pentakis(dimethyl sulfoxide)diruthenium(II), 2429–32
RUTHENOCENE
Some new and recent ferrocene– and ruthenocene–centered reagents for n–type silicon surfaces in photoelectrochemical use, 2379–83
SAFETY
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
SALICYLALDAZINE
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
SALICYLALDEHYDATE
Mechanism of formation of Schiff base complexes. Part 3. Kinetic template effect of copper(II) in the condensation reaction of the salicylaldehydato ion with a polyfunctional diprimary amine, 1825–8
SALICYLALDEHYDE
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
SALICYLALDIMINESULFONATE
Water–soluble cobalt(II) complexes of N,N'–substituted bis(salicylaldimine–5–sulfonic acids). Oxygen–carrying properties and conversion into cobalt(III) organometallic compounds, 109–16
SALICYLAMIDE
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
SALICYLAMIDECOPPER
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
SALICYLIDENEIMINE
Synthesis of six–coordinate technetium(V) complexes with N–phenylsalicylideneimine. X–ray crystal structure of chlorooxobis(N–phenylsalicylideneiminato)technetium(V), 2455–9
SCATTERING
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 1. Complexes (η^6–benzene)tricarbonylchromium and (η^6–benzene)tricarbonylmanganese bromide 967–75
Inelastic neutron scattering studies of benzene–containing organometallic complexes. Part 2. Complexes bis(η^6–benzene)chromium and bis(η^6–benzene)chromium iodide, 977–84
SCHIFF
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
Reduction of Schiff–base macrocyclic complexes. Stabilization of nickel(I) conjugated macrocyclic complexes via a reversible ligand–to–metal electron–transfer process, 1085–9
Configurational effects in the reaction of cobalt(I) Schiff base complexes with alkyl bromides, 1285–9
Some dichloro Schiff base complexes of molybdenum(IV), 2309–12
Ligands for the alkali metals. Part 6. Some bis(crown) Schiff bases which form pocket complexes with alkali metal cations of appropriate size, 2331–6
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Comments, 2567–8
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Reply to comments, 2568
SECONDARY
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
SELENATE
Vibrational spectroscopic studies of trivalent hexaaqua cations: single–crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
SELENIC
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
SELENIDE
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
The preparation, variable–temperature nuclear magnetic resonance spectra, and behavior under reflux conditions of $[Os_3(CO)_{10}(\mu–ER)_2]$ (E = S, R = Me, Ph, or CH_2Ph; E = Se, R = Ph), 1881–4
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N–dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
SELENIUM
The chemistry of heteroarylphosphorus compounds. Part 15. Phosphorus–31 nuclear magnetic resonance studies of the donor properties of heteroarylphosphines towards selenium and platinum(II), 51–4
Preparation and characterization of mixed oxides of selenium and tellurium, 733–6
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
SELENOATE
Mercury(II) selenolates. Crystal structures of polymeric $Hg(SeMe)_2$ and the tetrameric pyridinates $[(HgCl(py)(SeEt))_4]$ and $[(HgCl(py)_{0.5}[Se(CMe_3)])_4]$, 607–13
SELENOETHER
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72
SEMICONDUCTOR
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
Some new and recent ferrocene– and ruthenocene–centered reagents for n–type silicon surfaces in photoelectrochemical use, 2379–83
SEQUENTIAL
The sequential linking of alkynes at dichromium and dimolybdenum centers: x–ray crystal structure of carbonylbis(η–cyclopentadienyl)(μ–tetraphenylbutenetetrayl)dichromium(3Cr–Cr), 173–85

SILACYCLOHEXYL
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
SILANE
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
SILICA
Crystallization of amorphous silica into quartz, 1005–7
SILICON
Solutions of lithium salts in liquid lithium: interaction between silicon and nitrogen to form the ternary compound, Li_5SiN_3, 2175–9
SILVER
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
Kinetics of the oxidation of isopropyl alcohol by bis(2,2'–bipyridine)silver(II) ions, 2185–9
SILYL
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
The molecular structure of silyl monothioacetate in the crystal at 130 K and in the gas phase, 1131–6
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
SILYLACETYLENETETRACARBONYLBISCYCLOPENTADIENYLMOLYBDENUM
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
SILYLALKYLENESALICYLIDENEIMINE
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
SILYLETHYLENESALICYLIDENEIMINE
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
SILYLPHENYLENESALICYLIDENIMINE
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
SIMULATION
A method for the simulation of powder electron spin resonance spectra when $S > \frac{1}{2}$. Application to the iron–molybdenum–sulfur protein of nitrogenase and of some $[Fe_4S_4(SR)_4]^{3-}$ clusters, 1565–74
SODIUM
Matrix isolation studies on alkali metal phosphites, arsenites, and antimonites. The characterization of molecular $NaPO_2$, $CsAsO_2$, and $KSbO_2$, 825–31
Energy transfer in actinyl compounds. Part 2. Defect centers in sodium uranyl triacetate, 1691–7
SOLID
Solutions of lithium salts in liquid lithium: interaction between silicon and nitrogen to form the ternary compound, Li_5SiN_3, 2175–9
SOLN
Solutions of lithium salts in liquid lithium: interaction between silicon and nitrogen to form the ternary compound, Li_5SiN_3, 2175–9
Dissociation of strong acids in aqueous solutions, 2425–7
SOLVATE
The crystal and molecular structure of bis[diacetatodiphenyllead(IV)] hydrate benzene solvate, 1061–3
SOLVATION
Electron spin resonance spectra of some low–spin ruthenium(III) complexes: a probe for solvation effects, 1185–9
SOLVENT
Kinetics of ligand substitution in bis(N–tert–butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82
Photochemistry of manganese porphyrins. Part 7. Characterization of manganese porphyrins in organic and aqueous/organic microheterogeneous systems, 1231–8
Solvent effects on rates and equilibriums of chelate ring–closure = ring–opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
Interaction of vanadyl acetylacetonate with solvents. The vanadium–51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90
Fast reactions at planar four–coordinate complexes. Part 5. The solvent effect on the leaving group in the reactions of neutral and cationic palladium(II) complexes, 2445–8
SOLVOLYSIS
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
SPECTRA
The photoelectron spectra of enneacarbonyl–μ_3–methylidynetricobalt and some derivatives, 201–6
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Organoboron compounds. Part 17. Preparation and properties of some 2,4–diphenyl– and 2–diethylamino–4–phenyl–1,3,5,2–oxadiazaboroles, 907–9
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,1-7,18–octaethylporphyrinato)vanadium(IV), 1451–6
Nitrogen–tracer experiments on the reaction of hydrazine with an excess of nitrous acid, 1603–9
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), $[M(II)(N–N)_2][M(IV)(N–N)_2X_2]X_4$ (X = halogen), 1851–60
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
Electron structure of bis[μ–carbonyl(η^5–cyclopentadienyl)nickel] by helium and helium(1+) photoelectron spectroscopy, 2047–9
Complexes derived from phthalonitrile. The intermediates to nickel phthalocyaninate, 2539–40
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Comments, 2567–8
Structural information from optical spectral properties of copper(II) complexes with Schiff base ligands. Reply to comments, 2568
SPECTROMETER
Carbon–13 nuclear magnetic resonance studies of rhodium carbonyl clusters on pressurization with carbon monoxide/hydrogen, 1159–64
SPECTRUM
Direct synthesis of tris(acetylacetonato)manganese(III), 669–70
SPIN
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Fourier–transform heteronuclear magnetic triple resonance in complex spin systems. Part 2. Acyclic ditertiary phosphines and their selenides, 1915–21
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
STABILITY
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)–aspartic acid, L(+)–glutamic acid, or L(+)–cysteine as ligands, 291–7
Studies of some ternary complexes of copper(II) involving π–bonding ligands. Part 2, 353–7
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92

STABILITY(contd)
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
Effect of copper(II) ternary complex formation on the coordination behavior of dipeptides in aqueous solution, 561–6
A high–pressure infrared study of the stability of some ruthenium and osmium clusters to carbon monoxide and hydrogen under pressure, 1395–400
Association and hydration equilibriums in concentrated aqueous solutions containing magnesium nitrate. Part 1. Cadmium(II) chloride complexes in aqueous solutions of magnesium nitrate and its mixtures with ammonium nitrate, 1417–20
Studies on transition metal–peptide complexes. Part 7. Copper(II) complexes of dipeptides containing L–histidine, 2159–63
Copper(II) dimers in solution: evidence for motional averaging of coupling tensors without chemical dissociation, 2371–7
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2–donor macrocyclic ligands, 2565–6
STANNATOPLATINATE
The cis–dichlorobis(trichlorostannato)platinate(II) anion: crystal structure of two salts, 2415–18
STANNOLANE
Conformational studies of dithiastannolanes by dynamic nuclear magnetic resonance spectroscopy, 2073–8
STEREOCHEM
Coordination chemistry of sulfines. Part 5. σ–S and η^3–SCS coordination of sulfines to rhodium(I). Fluxional behavior of $[RhCl(PR_3)(XYCSO)]$ (R = alkyl; X, Y = aryl, S–aryl, S–alkyl, or Cl) complexes and influence of sulfine geometry on the formation of $[RhCl(PR_3)_2(XYCSO)]$, 397–406
Structural and mechanistic studies of coordination compounds. Part 32. Different photochemical pathways of some trans–dihalobis(ethylenediamine)ruthenium(III) cations: ligand–field versus ligand–to–metal charge–transfer excited states, 531–4
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis–$NPCl_2(NSOCl)_2$, 1773–6
Stereochemically nonrigid silanes, germanes, and stannanes. Part 11. Mechanistic implications of diastereotopic effects induced in methylcyclopentadienyl, indenyl, and pentamethylcyclopentadienyl ring systems by chiral tin substituents, 2275–9
STEREOSELECTIVITY
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Steroselectivity observed upon adduct formation of tris(3–trifluoroacetyl–D–camphorato)– and tris(3–heptafluorobutyryl–D–camphorato)europium(III) with formamide and acetamide derivatives, 2059–64
STERIC
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Studies on the formylation of the tricarbonyl(monosubstituted cyclooctatetraene)iron derivatives $[Fe(CO)_3(C_8H_7X)]$ (X = Me, Ph, Br, or CPh_3), 939–42
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
STIBINE
Cationic η^5–cyclopentadienylpalladium(II) complexes. Compounds of type $[Pd(\eta^5\text{–}C_5H_5)L_2]PF_6$ containing tertiary phosphines, arsines, and stibines. Crystal and molecular structure of η^5–cyclopentadienylbis(triphenylstibine)palladium(II) hexafluorophosphate dichloromethane (1/1), 2093–7
STRONG
Dissociation of strong acids in aqueous solutions, 2425–7
STRONTIUM
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo–, methoxo–, or 1,1–azido–bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ–hydroxo derivative, 1837–43
SUBSTITUENT
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5–cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
Syntheses of tervalent iridium complexes of octaethylporphyrin. Influence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
SUBSTITUTION
Kinetic studies of the reactions of hexachlorocyclotriphosphazene and octachlorocyclotetraphosphazene with tert–butylamine, 67–71
Kinetics of axial ligand exchange in ruthenium(II) tetraphenylporphyrin complexes, 95–101
Steric influences of phosphorus–donor ligands on the structure and ligand–exchange rates of cobaloximes, 129–34
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Alkali and alkaline earth metal complexes of 4'–acetobenzocrown ethers. Crystal and molecular structure of (18–acetyl–2,3,5,6,8,9,–11,12,14,15–decahydro–1,4,7,10,13,16–benzohexaoxacyclooctadecin)diperchloratostrontium, 327–35
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Reactions involving transition metals. Part 14. The preparation of novel alkyl peroxy(carboxylato)iridium(III) complexes, 511–15
Reactions involving transition metals. Part 15. Reactions of alkyl– and acylperoxy–anions with $[M(CO)(MeCN)(PPh_3)_2]^+$ (M = Ir or Rh), 517–21
Reactions involving transition metals. Part 16. Rhodium, iridium, platinum, and gold complexes containing the bis(trifluoromethyl–)aminooxy ligand, 523–9
Kinetics of ligand substitution in bis(N–tert–butylsalicylideneiminato)copper(II): aprotic organic solvents as media, 577–82
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(CO)_8(\eta\text{–}C_5H_5)]$ and $[Rh_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(acac)_2(\mu\text{–}CO)(CO)_2(\eta\text{–}C_5H_5)]$ (acac = acetylacetonate), 699–708
Metal–exchange reactions between cobalt(II) and lead(II) complexes of nitrilotriacetic acid and copper(II), 721–5
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
A simple preparation for (η^6–arene)(η^4–cycloocta–1,5–diene)ruthenium(0) complexes and their conversion into the corresponding arenedichlororuthenium(II) complexes, 1019–22
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N^2]oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds,

SUBSTITUTION(contd)
1055–60
Catalyzed and noncatalyzed reaction between pentacarbonyliron and isonitriles, 1069–79
Reactions involving transition metals. Part 18. Reactions of transition metal complexes with peroxycarboxylic acids, diacyl peroxides, and tert-butyl peroxybenzoate, 1109–15
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
Cationic carbonyl complexes of ruthenium(II) containing 2,2'-bipyridyl or 1,10-phenanthroline, 1143–6
Transition metal–carbon bonds. Part 53. The further chemistry of cyclometalated complexes formed from 1,5-bis(di-tert-butylphosphino)pentane and dichloroplatinum: crystal structure of [1,5-bis(di-tert-butylphosphino)pent-2-en-3-yl-C^3,P,P']chloroplatinum(II), 1225–30
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at −100°C) of (1,1-dimethyl-3-oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1387–94
Metal dimers as catalysts. Part 4. An investigation of the reaction between bis[dicarbonyl(η^5-cyclopentadienyl)iron] and aryl isonitriles, 1389–91
Synthesis and conformational studies of (diphenylphosphinoamino-)cyclodiphosph(III)azanes, 1503–8
Reactions of arylpalladium complexes with ammonia and chelating amines. Crystal and molecular structure of [2-(4-amino-2-azabut-1-enyl)phenyl-C^1,N^2](1,2-diaminoethane)palladium(II) hexafluorophosphate, a product of transamination and ligand substitution, 1521–6
Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus–nitrogen bond in the aminophosphine ligand of separated diastereoisomers, 1527–9
Inter- and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 17. The dimethylaminolysis pattern of cis-$NPCl_2(NSOCl)_2$, 1773–6
Solvent effects on rates and equilibriums of chelate ring-closure = ring-opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
Substitution and isomerization reactions at platinum(II) involving halide, tertiary phosphine, carbonyl, and isonitrile ligands, 2261–4
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
Chemistry of cis-bis(2,2'-bipyridine)dicarbonylmolybdenum(0) and -tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
Fast reactions at planar four-coordinate complexes. Part 5. The solvent effect on the leaving group in the reactions of neutral and cationic palladium(II) complexes, 2445–8
SUCCINATE
Potassium fluoride–succinic acid adduct: a fully refined x-ray crystal structure determination, ab initio calculations of a model system, and the infrared spectrum of a very strong hydrogen-bonded system, 809–13
SULFATE
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
The mechanism of formation of hydrazido(2-) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Vibrational spectroscopic studies of trivalent hexaaqua cations: single-crystal Raman spectra of cesium aluminum alums between 300 and 1200 cm^{-1}, 1655–64
Synthesis and characterization of a new sulfate derivative of hydrazine, $N_2H_5HSO_4$, 2291–3
Complex formation between antimony trifluoride and alkali metal sulfates. The x-ray crystal structure of $K_2SO_4.SbF_3$ and antimony-121 Moessbauer studies of some related compounds, 2313–16
SULFATONEPTUNYL
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
SULFATOURANYL
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
SULFIDE
Crystal and molecular structures of disilyl sulfide (at 120 K) and of disilyl selenide (at 125 K) and comparison with crystalline disilyl oxide, 211–16
Crystal structure of bis(diphenylmethyleneamino) monosulfide,S(N:CPh_2)$_2$, 221–3
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
The preparation, variable-temperature nuclear magnetic resonance spectra, and behavior under reflux conditions of $[Os_3(CO)_{10}(\mu\text{-}ER)_2]$ (E = S, R = Me, Ph, or CH_2Ph; E = Se, R = Ph), 1881–4
Metal complexes of sulfur ligands. Part 22. Reaction of platinum(II) and palladium(II) N,N-dialkyldithiocarbamates with diphenylphosphine chalcogenides, 2343–51
SULFIDO
Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x-ray crystal structure of dodecacarbonyl-μ_3-sulfido-(μ_4-thiocarbonyl-C,σ-S)tetraosmium(4 Os–Os), 1641–4
Electron spin resonance and Moessbauer evidence for the trianion di-μ-sulfidobis[o-xylene-α,α'-dithiolatoferrate](3-), 2015–20
SULFINE
Coordination chemistry of sulfines. Part 5. σ-S and η^3-SCS coordination of sulfines to rhodium(I). Fluxional behavior of [RhCl(PR_3)(XYCSO)] (R = alkyl; X, Y = aryl, S-aryl, S-alkyl, or Cl) complexes and influence of sulfine geometry on the formation of [RhCl(PR_3)$_2$(XYCSO)], 397–406
SULFONATION
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
SULFUR
Reinvestigation of the reactions of carbonylhydridotris(phosphine) complexes of rhodium and iridium with sulfur dioxide, 673–4
Chemical syntheses of poly(sulfur nitride), $(SN)_x$, 851–7
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and -tungsten cubane-like cluster dimers, 1575–85
Synthesis and crystal structure of $(S_3N_3O_4)_2S$, a compound with two six-membered rings bridged by a sulfur atom, 2117–18
SULFURIC
Behavior of some organophosphorus(V) compounds in strongly acidic solvents. Part 2. Diphenylphosphinic acid, diphenylphosphinic chloride, triphenylphosphine oxide, triphenylphosphine sulfide, and methylphosphonic dichloride, 465–9
Dissociation of strong acids in aqueous solutions, 2425–7
SUPEROXIDE
The role of the superoxide radical in the osmium tetroxide–catalyzed decomposition of hydrogen peroxide, 859–63
SUPEROXO
Reduction potentials for μ-superoxo/μ-peroxodicobalt(III) couples 1621–4
SUPEROXODICOBALT
Reduction potentials for μ-superoxo/μ-peroxodicobalt(III) couples 1621–4
SUPPORT
Polymer-supported complexes. Part 2. Polystyrene-anchored pentane-2,4-dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
SUSCEPTIBILITY
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
SYSTEM
Solutions in selenic acid. Part 9. Higher acids of selenic acid: the selenium trioxide–selenic acid system, 1645–8
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x-ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6

TAUTOMERISM
Studies of phosphazenes. Part 14. The tautomerism of oxocyclotriphosphazadienes, 1549–54
TCNE
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
TCNQ
Reactions of nickel(II) complexes containing arsine ligands with electron–deficient olefins. Dianionic and neutral olefin ligands in nickel(II) and nickel(III) complexes, 535–40
TECHNETATE
Reactions of pertechnetate anion with triphenylphosphine. Molecular structure (at –100°C) of (1,1–dimethyl–3–oxobutyl)triphenylphosphonium pentachloro(triphenylphosphine)technetate(IV), 1381–4
TECHNETIUM
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
Synthesis of six–coordinate technetium(V) complexes with N–phenylsalicylideneimine. X–ray crystal structure of chlorooxobis(N–phenylsalicylideneiminato)technetium(V), 2455–9
TELLER
Structural studies in metal–purpurate complexes. Part 9. Crystal structure of bis(purpurato)copper(II) octahydrate, 639–43
TELLURIUM
Carbon–13 nuclear magnetic resonance studies of organotellurium compounds, 117–20
Secondary bonding. Part 7. Crystal and molecular structures of diphenyltellurium dichloride and phenyltellurium trichloride, 251–5
Preparation and characterization of mixed oxides of selenium and tellurium, 733–6
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
Secondary bonding. Part 9. Crystal and molecular structures of μ–oxobis[nitratodiphenyltellurium(IV)]–diphenyltellurium(IV) hydroxide nitrate (1/1), oxophenyltellurium(IV) nitrate, and diphenyltellurium(IV) dinitrate, 1421–8
TELLUROXIDE
Secondary bonding. Part 8. The crystal and molecular structure of diphenyl telluroxide, 709–12
TEMPLATE
Metal–ion controlled reactions of 2,6–diacetylpyridine with 1,2–diaminoethane and 2,6–diformylpyridine with o–phenylenediamine and the crystal and molecular structure of a pentagonal pyramidal cadmium(II) complex containing unidentate o–phenylenediamine, 407–15
TERPYRIDYL
Properties and x–ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'–bipyridyl or 2,2':6',2''–terpyridyl, 681–5
Cationic carbonyl complexes of ruthenium(II) containing 2,2'–bipyridyl or 1,10–phenanthroline, 1143–6
TERPYRIDYLTHIODIACETATECOPPER
Properties and x–ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'–bipyridyl or 2,2':6',2''–terpyridyl, 681–5
TETRAAMINE
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
TETRAAMINO
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
TETRAAZA
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
TETRAAZABICYCLOHEPTADECATRIENECOPPER
Electrochemical behavior of complexes of copper(II) with 14–membered saturated tetraaza macrocycles, 893–7
TETRAAZACYCLOTETRADECANE
Coordinating tendencies of a 14–membered tetraaza macrocycle which forms a seven–membered chelate ring, 61–5
Electrochemical behavior of complexes of copper(II) with 14–membered saturated tetraaza macrocycles, 893–7
TETRAAZACYCLOTETRADECANENICKEL
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_a) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_a(ClO_4)_2$, 1531–9
TETRAAZADIENE
Inter– and intramolecular ligand exchange and rearrangement reactions of tetraazadiene complexes of nickel, platinum, and cobalt, 1541–7
TETRAAZAMACROCYCLE
On the nature and mechanism of decomposition of monovalent copper complexes with tetraaza macrocyclic ligands in aqueous solutions. A pulse radiolytic study, 1137–41
TETRACARBONYL
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
TETRACHLOROOXOOSMIUM
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
TETRACYANOCUPRATE
Unstable intermediates. Part 199. Electron–gain and –loss centers in irradiated potassium tetracyanocuprate(I), 985–90
TETRACYANOETHYLENE
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TETRAGOLD
Synthesis and molecular structure of $[Au_4Cl_8]$, and the isolation of carbonylpentachloroplatinate(1–) in thionyl chloride, 2257–60
TETRAHYDROBORATE
Group 3A tetrahydroborates. Part 4. The molecular structure of hydridogallium bis(tetrahydroborate) in the gas phase as determined by electron diffraction, 597–602
TETRAHYDRODIMETHYLPHENHOMAZINE
Structure of bis(5,6,11,12–tetrahydro–2,8–dimethylphenhomazine)nickel(II) perchlorate, 2545–7
TETRAHYDROTHIOPHENE
MeNC insertion into Pd–C_6F_5 bonds: bis(μ–imidoyl–C,N)palladium complexes, a novel type of imidoyl coordination in palladium chemistry. Single–crystal x–ray structure of trans–bis(μ–pentafluoro–N–methylbenzimidoyl–C,N)bis[chloro(tetrahydrothiophene–S)palladium(II)], 2389–95
TETRAISOTHIOCYANATO
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2–trimethylpropionamide–O)uranium(IV), 19–23
TETRAKISACETYLACETONATO
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
TETRAKISACETYLACETONATOAMINEDICOBALT
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
TETRAKISACETYLACETONATOAMINEDIMANGANESE
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
TETRAKISACETYLACETONATOAMINEDINICKEL
Synthesis and magnetic properties of binuclear complexes of unidentate ligands with acetylacetonates of bivalent manganese, cobalt, and nickel, 313–18
TETRAKISPENTAMETHYLCYCLOPENTADIENYL
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
TETRAMER
Crystal and molecular structure and magnetic properties of a

TETRAMER(contd)
tetrameric copper(II) complex with 3–hydroxy–5–hydroxymethyl–4–(4'–hydroxy–3'–methyl–4'–phenyl–2'–azabut–1'–en–1'–yl)–2–methylpyridine (H_2L): $[Cu_4L_4].8MeOH$, a complex with a ferromagnetic ground state, 2433–8
TETRAMETHOXYCARBONYL
Dimolybdenum complexes containing bridging silyl–substituted acetylenes: crystal and molecular structure of μ–bis(trimethylsilyl–)acetylenetetracarbonylbis(η–cyclopentadienyl)dimolybdenum(–Mo–Mo), 195–200
TETRAMETHYL
Transition metal–carbon bonds. Part 51. Action of amines on buta–1,3–diene complexes of type cis,cis–$[Pt_2Cl_4(PR_3)_2(\mu–C_4H_6)]$. Crystal structures of $[Pt_2Cl_4(PMe_2Ph)_2(\mu–C_4H_6)]$ (meso isomer) and $[(Et_3P)ClPt(Me_2NCH_2CHCHCH_2NMe_2)PtCl(PEt_3)]$ which contains two trans–fused five–membered rings, 457–63
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_α) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_\alpha(ClO_4)_2$, 1531–9
TETRAMETHYLBENZENE
The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5–tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1–), 1993–7
TETRAMETHYLTETRAAZACYCLOTETRADECANE
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_α) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_\alpha(ClO_4)_2$, 1531–9
TETRAMETHYLTETRAAZACYCLOTETRADECANENICKEL
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_α) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_\alpha(ClO_4)_2$, 1531–9
TETRAPHENYL
Phlorin complex of gold(III), 1169–71
TETRAPHENYLPHLORINATO
Phlorin complex of gold(III), 1169–71
TETRAPYRIDINE
Kinetics of solvolysis of the trans–dichlorotetrapyridinecobalt(III) ion in water + isopropyl alcohol, 1617–20
TETRARHODIUM
Synthesis and crystal structure of the pentanuclear metal cluster complex tetra–μ_3–carbonylbis[bis(η–pentamethylcyclopentadienylrhodio)(Rh–Rh)]platinum(4 Pt–Rh), 1327–31
TETRASELENIUM
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
TETRASULFUR
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
TETRATELLURIUM
Resonance Raman spectroscopic studies on the Group 6A polyatomic cations S_4^{2+}, Se_4^{2+}, and Te_4^{2+}, 2237–42
TETRATHIACYCLOTETRADECANE
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
TETRATHIACYCLOTETRADECANERUTHENIUM
Crystal and molecular structure of cis–dichloro(1,4,8,11–tetrathiacyclotetradecane)ruthenium(II)dihydrate. A correction to the reported stereochemistry based on infrared spectroscopy, 1465–9
THALLIUM
Pentakis(methoxycarbonyl)cyclopentadiene chemistry. Part 1. Preparation and properties of the diene, and of derivatives containing the alkali metals or thallium(I): crystal and molecular structures of $HC_5(CO_2Me)_5$, $Li[C_5(CO_2Me)_5].H_2O$, $K[C_5(CO_2Me)_5].(MeOH)$, and $Tl(C_5CO_2Me)_5]$, 2209–20
THENYLSALICYLALDIMINE
Metal complexes of N–2–thenylsalicylaldimine, 1899–902
THERMODN
Studies on transition metal–peptide complexes. Part 6. Influence of side–chain donor group on the equilibrium and thermodynamics of binary and ternary copper(II)–dipeptide complexes, 381–6
Some silyl and germyl compounds of six–coordinated rhodium(III) carbonyl halides, 1513–19
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_α) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_\alpha(ClO_4)_2$, 1531–9
Effect of solvent structure on the kinetics of ligand substitution in pentacyano(N,N–dimethylethylenediamine)ferrate(II), 1555–8
Solvent effects on rates and equilibriums of chelate ring–closure = ring–opening nucleophilic substitution reactions of octahedral rhodium(III) complexes, 2141–6
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
THERMOLYSIS
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Kinetics of the thermal decomposition of cobaltic acid, CoO(OH), 1407–9
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
THIATRIAZAPHOSPHORINE
Derivatives of $NPCl_2(NSOCl)_2$ and $(NPCl_2)_2NSOCl$. Part 19. Reactions of $(NPCl_2)_2NSOCl$ with secondary amines, 2337–42
THIO
Structural and mechanistic studies of coordination compounds. Part 34. Electrochemical behavior of some octahedral ruthenium(III)/ruthenium(II) couples containing tetraamine or –thioether ligands, 1457–63
The synthesis and nuclear magnetic resonance spectroscopic study of dodeca–μ–carbonyldecacarbonyl–μ_{10}–thiodecarhodate(2–), 2265–7
THIOACETATE
The molecular structure of silyl monothioacetate in the crystal at 130 K and in the gas phase, 1131–6
THIOBENZOATE
Synthesis, spectroscopy, and x–ray crystallographic analysis of (η^3–dithiobenzoato–SCS')oxo(trithioperoxybenzoato–S,S',S'')molybdenum(IV) and μ–oxobis[bis(dithiobenzoato–S,S')oxomolybdenum(V)], 121–7
THIOBISTETRAOXOTRITHIATRIAZINE
Synthesis and crystal structure of $(S_3N_3O_4)_2S$, a compound with two six–membered rings bridged by a sulfur atom, 2117–18
THIOCARBAMATOCADMIUM
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
THIOCARBAMATOMOLYBDENUM
The chemistry of molybdenum oxohydrazido(2–) complexes; the x–ray crystal structure of [N,N–dimethylhydrazido(2–)–N']oxobis(quinolin–8–olato)molybdenum(VI), a complex with a bent hydrazido(2–) ligand, 1041–7
THIOCARBENEIRON
Preparation of some metallodithiocarboxylato– and metallodithiocarbene–metal complexes, 1631–4
THIOCARBONATE
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
THIOCARBONYL
Reactions of carbon disulfide with metal cluster carbonyls of the iron triad: reaction of hexaosmium octadecacarbonyl and x–ray crystal structure of dodecacarbonyl–μ_3–sulfido–(μ_4–thiocarbonyl–C,σ–S)tetraosmium(4 Os–Os), 1641–4
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9
THIOCARBOXYLATOIRON
Preparation of some metallodithiocarboxylato– and metallodithioc–

THIOCARBOXYLATOIRON(contd)
arbene–metal complexes, 1631–4
THIOCARBYNE
Synthesis of platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands: crystal structure of d–μ–carbonyl–e–carbonyl–f–(η–cyclopentadienyl)–a,b–bis(methyldiphenylphosphine)–c–μ–thiocarbonylplatinummanganese (Pt–Mn), 1733–9
THIOCYANATE
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
The effect of added halide and thiocyanate ions on the nitroamine–nitrous acid reaction. The oxidation of nitroamine by halogens, 2181–3
THIOCYANATO
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
THIOCYANATOCUPRATE
Infrared and Raman spectra of some bis(thiocyanato)cuprate(I) and bis(thiocyanato)aurate(I) complexes, 1873–6
THIOCYANOCYCLOPENTADIENYLURANIUM
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
THIODIACETATECOPPER
Properties and x–ray crystal structures of copper(II) mixed complexes with thiodiacetate and 2,2'–bipyridyl or 2,2':6',2''–terpyridyl, 681–5
THIOETHER
A nuclear magnetic resonance study of pyramidal atomic inversion in complexes of tricarbonylrhenium(I) halides with saturated and unsaturated thio and seleno ethers: an x–ray crystal structure of fac–[1,2–bis(methylseleno)ethane–Se,Se']tricarbonyliodorhenium(I), 2065–72
THIOGLYCOLATE
Kinetics of the dissolution of magnetite in thioglycolic acid solutions, 1649–54
THIOL
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
Anchoring of cobalt, ruthenium, and osmium carbonyls to oxides by pendant thiol and phosphine ligands, 1123–9
THIOLATE
The chemistry of (cyclopentadienyl)phenyllead(IV) compounds, 1055–60
THIOMALATE
A carbon–13 nuclear magnetic resonance study of thiol exchange reactions of gold(I) thiomalate ('Myocrisin') including applications to cysteine derivatives, 135–41
THIONITROSYL
The preparation and reactions of azidobis[1,2–bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
THIOPHOSPHATOCADMIUM
Aspects of the inorganic chemistry of rubber vulcanization. Part 3. Anionic cadmium complexes derived from dialkyldithiocarbamates, 2–mercaptobenzothiazole and its derivatives, and dialkyl dithiophosphates, and the crystal and molecular structures of $[NBu_4][Cd(S_2CNEt_2)_3]$, $[NEt_4][Cd(C_7H_4NS_2)_3]$, and $[NMe_4][Cd(S_2P(OCHMe_2)_2)_3]$, 493–503
THIOPHOSPHINATE
Crystal and molecular structures of tetraphenylars tetrakis(dimethyldithiophosphinato)cerium and –thulium and their comparison with results obtained from paramagnetic nuclear magnetic resonance data in solution, 1809–13
A paramagnetic nuclear magnetic resonance study of the lanthanide complexes $[Ln(S_2PMe_2)_4]^-$. Determination of phosphorus hyperfine coupling and solution structures, 1815–18
THIOSEMICARBAZONE
Spectroscopic studies of metal complexes containing π–delocalized sulfur ligands. The resonance–Raman spectra of the antitumor agent [Cu(kts)] and the related cation $[Cu(H_2kts)]^{2+}$, 103–8
THULIUM
Crystal and molecular structures of tetraphenylars tetrakis(dimethyldithiophosphinato)cerium and –thulium and their comparison with results obtained from paramagnetic nuclear magnetic resonance data in solution, 1809–13
TIN
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
Stereochemically nonrigid silanes, germanes, and stannanes. Part 11. Mechanistic implications of diastereotopic effects induced in methylcyclopentadienyl, indenyl, and pentamethylcyclopentadienyl ring systems by chiral tin substituents, 2275–9
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TITANIA
Reactions and catalytic properties of ruthenium dioxide hydrate with aqueous solutions of cerium(IV), 1213–16
TITANIUM
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
Reactions of silylated Schiff bases with trichloro(cyclopentadienyl)titanium, dichloro(cyclopentadienyl)methoxytitanium, and dichlorobis(methoxy)titanium, 911–13
Peripheral electrophilic properties of dichloro[N,N'–ethylenebis(salicylideneiminato)]titanium(IV): a route leading to a stable titanium–hydrogen–boron unit, 2197–202
Enthalpies of formation of complexes diazidobis(η–cyclopentadienyl)– and bis(η–cyclopentadienyl)bis(indolato)titanium(IV), 2327–30
TOLYLIDYNE
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(CO)_8(\eta\text{–}C_5H_5)]$ and $[Rh_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(acac)_2(\mu\text{–}CO)(CO)_2(\eta\text{–}C_5H_5)]$ (acac = acetylacetonate), 699–708
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3\text{–}CC_6H_4Me\text{–}4)(\mu\text{–}CO)(CO)_5(\eta\text{–}C_5H_5)(\eta\text{–}C_9H_7)]$, 2475–83
TOLYLIDYNEDICOBALTTUNGSTEN
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(CO)_8(\eta\text{–}C_5H_5)]$ and $[Rh_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(acac)_2(\mu\text{–}CO)(CO)_2(\eta\text{–}C_5H_5)]$ (acac = acetylacetonate), 699–708
TOLYLIDYNEDIRHODIUMTUNGSTEN
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(CO)_8(\eta\text{–}C_5H_5)]$ and $[Rh_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(acac)_2(\mu\text{–}CO)(CO)_2(\eta\text{–}C_5H_5)]$ (acac = acetylacetonate), 699–708
TOLYLTHIOALKYLPHENYLTIN
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TOLYLTHIOBUTYL
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TOLYLTHIOPROPYL
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TOLYLTRIAZENIDO
Synthesis and characterization of paramagnetic triazenido complexes of rhenium(III). The crystal structure of [1,3–bis(p–tolyl)triazenido–N^1,N^3]dichlorobis(triphenylphosphine)ruthenium(III), 1949–52
TRANSFER
Moessbauer spectroscopic study of the β–carotene–iodine system, 229–31
Chemistry of ruthenium. Part 4. trans–Dihalo(isonitrosoketone)(isonitrosoketonato)ruthenium(III). Structure and stability, electron spin resonance, electron transfer, and proton transfer, 615–22
Charge–transfer interactions in the square–planar chalcogen cations, M_4^{2+}: preparation and crystal structures of the compounds $(Se_4^{2+})(Sb_2F_4^{2+})(Sb_2F_5^{+})(SbF_6^{-})_5$, $(Se_4^{2+})(AlCl_4^{-})_2$, and $(Te_4^{2+})(SbF_6^{-})_2$, 765–79
Reduction of cobalt(III) complexes by intramolecular electron transfer from bound free radicals. A pulse radiolytic study, 943–50

Acid–induced isomerizations of osmium and ruthenium clusters involving hydroxide transfer from carbon to metal atoms. X–ray crystal structure of nonacarbonyl–μ_3–(3,3–diphenylallene–1,1–diyl)–μ–hydrido–μ–hydroxotriosmium (2 Os–Os), 1625–9
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolylthio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6

TRANSITION
Ligation studies of titanium–phenoxide and –dimethylamide derivatives with covalent metal halides: a route to binuclear transition metal complexes, 271–4
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
An electron spin resonance study of the molecular oxygen adducts formed by the cobalt(II) chelate of salicylaldazine and related systems, 363–72
Polymer–supported complexes. Part 2. Polystyrene–anchored pentane–2,4–dionato complexes of transition metals. Synthesis, reactions, and catalytic properties, 445–50
Syntheses of N,N'–ethylenebis(salicylideneiminate) transition metal chelates by oxidative decarbonylation, 693–8
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, $M[N(SiMe_3)_2]_n$ (n = 1, 2 or 3), 887–92
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Investigation of paramagnetic species formed during the thermolysis, photolysis, and oxygenation of some bi– and trinuclear organometallic compounds of chromium, iron, and molybdenum, 1483–9
Metal complexes of N–2–thenylsalicylaldimine, 1899–902
Nontemplate synthesis of new tetraaza macrocyclic ligands and their cobalt, nickel, and copper complexes: x–ray structure of (5,14,15,16,17,18–hexahydro–7–methyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)nickel(II) monoperchlorate, 2113–16
Studies on mixed metal(II)–iron(II) chloride systems. Part 1. Moessbauer and x–ray powder diffraction data for $M_xFe_{1-x}Cl_2.4H_2O$ (M = manganese, cobalt, or nickel; x = 0–0.75) systems, 2231–6
Thermodynamics of the semiconductor–metal transition in the lanthanide monosulfides, 2269–73
The reaction of tetrachloromethane with oct–1–ene in the presence of bis[tricarbonyl(η^5–cyclopentadienyl)molybdenum] and other transition metal complexes, 2281–7
Glyoxalbis[(2S)–pyrrolidin–2–ylmethylimine]metal tetrachlorometallate complexes. The detection of polynuclear complex formation in solution by circular dichroism, 2359–62
Transition metal silacyclohexyl derivatives. Crystal and molecular structure of carbonyl(η–cyclopentadienyl)(1–phenyl–1–silacyclohex–1–yl)(triphenylphosphine)iron(II), 2461–8
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex $[RhFeW(\mu_3–CC_6H_4Me–4)(\mu–CO)(CO)_5(\eta–C_5H_5)(\eta–C_9H_7)]$, 2475–83
Thermodynamic stabilities of cobalt(II), nickel(II), and copper(II) complexes of O_2N_2–donor macrocyclic ligands, 2565–6

TRIAMINO
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7

TRIAZABUTENEDIYL
Synthesis and structural characterization of the complexes $[Os_3(CO)_{10}(CON_3Ph)(NCMe)]$ and $[Os_3(CO)_{10}(CON_3Ph)(NC_5H_5)]$, 2119–22

TRIAZENIDO
Synthesis and characterization of paramagnetic triazenido complexes of rhenium(III). The crystal structure of [1,3–bis(p–tolyl)triazenido–N^1,N^3]dichlorobis(triphenylphosphine)rhenium(III), 1949–52
Reactions of $[Os_3(\mu–H)_2(CO)_{10}]$ with organic azides: structural characterization of $[Os_3(\mu–H)(CO)_{10}(\mu–HN_3Ph)]$ and $[Os_3(\mu–H)_2(CO)_9(\mu_3–NPh)]$, 2085–92

TRIAZIDOPROPANE
An improved synthesis of 1,2,3–triaminopropane: x–ray structure of s–fac–bis(1,2,3–triaminopropane)cobalt(III) chloride, 225–7

TRIBROMIDE
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8

TRICARBONYL
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
The products of Friedel–Crafts acetylation of tricarbonyl(cyclooctatetraene)chromium, 603–5
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
Structure and reactivity of some carbonium ion derivatives of [alkyl(cyclooctatetraenyl)methanol]tricarbonyliron, 1253–9

TRICARBONYLBISTRIPHENYLPHOSPHINEIRON
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5

TRICARBONYLBISTRIPHOSPHINEIRON
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5

TRICARBONYLCYCLOHEXADIENYLIRON
Kinetics of nucleophilic attack on coordinated organic moieties. Part 21. Factors governing the nucleophilicity of phosphorus nucleophiles towards tricarbonyl(1–5–η–cyclohexadienyl)iron(1+), 1491–8

TRICHLORIDE
The involvement of perruthenate in the trichlororuthenium–catalyzed oxidation of alcohols in base in the presence of peroxodisulfate, 1091–7
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8

TRICHLORO
Kinetic studies on the closure of a chelate ring in [(2–dimethylaminoethyl)dimethylammonium]– and [(3–dimethylaminopropyl)dimethylammonium]trichloroplatinum(II) complexes, 1–7

TRICHLOROSILYL
Some new and recent ferrocene– and ruthenocene–centered reagents for n–type silicon surfaces in photoelectrochemical use, 2379–83

TRICYCLODECENYLCARBONYL
Formation of dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–yl)ruthenium or dicarbonyl(η^5–cyclopentadienyl)(tricyclo[5.2.1.$0^{2,6}$]dec–4–en–8–ylcarbonyl)ruthenium during the reaction of triruthenium dodecacarbonyl with cyclopentadiene, 1013–15

TRIETHYL
Electrochemical behavior of dinitrosylbis(triethyl phosphite)cobalt(–I) tetraphenylborate in acetonitrile, 2561–2

TRIETHYLPHOSPHINE
Synthesis and reactivity of platinum–formaldehyde complexes $[Pt(PR_3)_2(CH_2O)]$, 1637–9

TRIFLUORIDE
Complex formation between antimony trifluoride and alkali metal sulfates. The x–ray crystal structure of $K_2SO_4.SbF_3$ and antimony–121 Moessbauer studies of some related compounds, 2313–16

TRIFLUOROACETATE
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43

TRIFLUOROACETOXY
Study of reactions between alkyl(pyridine)cobaloximes and trifluoroacetic acid. Formation and crystal structure of cis–bis(butane–2,3–dione dioxime)bis(trifluoroacetoxy)cobalt(II), 337–43

TRIFLUOROANTIMONY
Complex formation between antimony trifluoride and alkali metal sulfates. The x–ray crystal structure of $K_2SO_4.SbF_3$ and antimony–121 Moessbauer studies of some related compounds, 2313–16

TRIHALIDE
The resolution of chlorine and bromine isotope shifts in the phosphorus–31 nuclear magnetic resonance spectra of phosphorus tribromide and trichloride, 1167–8
Mixed boron trihalide adducts of amines: a multinuclear nuclear magnetic resonance study, 1275–83
TRIMETHYL
Nuclear magnetic resonance study of pyramidal inversion and intramolecular rearrangements in complexes of trimethylplatinum(IV) halides with aliphatic and aromatic mixed thio–seleno ethers, 583–92
TRIMETHYLPHOSPHINEIMINIUM
Crystal structure of bis(trimethylphosphine)iminium bromide monohydrate, $[Me_3P{:}N{:}PMe_3]Br.H_2O$, 2317–20
TRIMETHYLSILYL
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
TRIMETHYLSILYLMETHYLLEAD
Tris(trimethylsilyl)methyllead oxinates: their solvolysis, redistribution, and reductive elimination reactions, 2191–5
TRIOSMIUM
Reactions of $[Os_3H_2(CO)_8(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
Selective formation of positional isomers of substituted μ_3–benzynes in triosmium clusters by degrading aryldimethylarsines, 1155–7
Doubly– and triply–bridging ligands derived from 2–pyridone and 2–aminopyridine. Crystal and molecular structure of the 2–pyridylamido complex nonacarbonyl–μ–hydrido–(μ_3–2–pyridylamido)–triangulo–triosmium formed from 2–aminopyridine and dodecacarbonyltriosmium, 1205–11
Synthesis of new cobalt–osmium mixed metal clusters using a novel reactive cobalt species; X–ray crystal structure of 1,2–μ–carbonyl–2,2,2,3,3,3,4,4,4–nonacarbonyl–1–(1'–5'–η–ethyltetramethylcyclopentadienyl)–di–μ–hydrido–tetrahedro–cobalttriosmium, 1509–12
TRIPHENYL
Sulfur–substituted organotin compounds. Part 8. Preparation and reactions of 3–(p–tolylthio)propyl– and 4–(p–tolythio)butyltriphenyltin. Interactions with tetracyanoethylene, 2321–6
TRIPHENYLPHOSPHINE
Reduction–oxidation properties of organotransition metal complexes. Part 13. Cationic iron(II) carbonyls via the radical coupling, and substitution reactions of tricarbonylbis(triphenylphosphine)iron(1+). Synthetic and electron spin resonance spectroscopic studies, 471–5
Distortions induced by electronic and steric properties of axial ligands in pseudo–octahedral cobaloximes. Crystal and molecular structures of trans–bis(dimethylglyoximato)n–pentyl(triphenylphosphine)cobalt(III) and trans–aquabis(dimethylglyoximato)n–pentylcobalt(III), 567–72
TRIPHENYLPHOSPHINEPLATINUMDIRHODIUM
Protonation of cyclo–platinumdirhodium complexes. X–ray crystal structure of 2,3;2,3–di–μ–carbonyl–1–carbonyl–1,2–μ–hydrido–2,3–bis(η–pentamethylcyclopentadienyl)–1–triphenylphosphine–triangulo–platinumdirhodium(2 Pt–Rh)(Rh–Rh) tetrafluoroborate, 1321–6
TRIPOTASSIUM
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
TRISACETATODIOXONEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
TRISACETYLACETONATO
Direct synthesis of tris(acetylacetonato)manganese(III), 669–70
TRISDIETHYLDITHIOCARBAMATO
Preparation and crystal structure of carbonyltris(diethyldithiocarbamato)technetium(III): an unexpected source of coordinated carbon monoxide, 451–5
TRISDIPHENYLPHOSPHINOETHYLAMIDO
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
TRISDIPHENYLPHOSPHINOETHYLPHOSPHINO
Pentamethylcyclopentadienylrhodium complexes with tripod tetradentate ligands and bidentate mixed ligands, 1147–54
TRISDIPHENYLPYRIDYLPHOSPHINE
Crystal and molecular structures of two complexes of diphenyl(2–pyridyl)phosphine (L): [AuClL] and $[Ag_2Cl_2L_3]$, 207–10
TRISNITRATODIOXONEPTUNATE
Actinide structural studies. Part 2. Crystal and molecular structures of rubidium tris(nitrato)dioxoneptunate(1–) and sodium tris(acetato)dioxoneptunate(1–), 33–6
TRISOXALATO
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
TRISOXALATOCOBALTATE
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
TRISPHENANTHROLINE
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
TRISPHENANTHROLINEIRON
Kinetics and mechanism of the oxidation of L–ascorbic acid by tris(oxalato)cobaltate(III) and tris(1,10–phenanthroline)iron(III) complexes in aqueous solution, 423–7
TRITHIADIAZOLYLIDENEAMINOCYCLOTRIPHOSPHAZENE
Crystal structure of 2,2,4,4,6–pentafluoro–6–[N–(1,2,4,3,5–trithiadiazol–1–ylidene)amino]cyclotriphosphazene, 883–5
TRITHIATRIAZINE
Synthesis and crystal structure of $(S_3N_3O_4)_2S$, a compound with two six–membered rings bridged by a sulfur atom, 2117–18
TRITHIOCARBONATE
Cobalt(II) and nickel(II) trithiocarbonate complexes as nucleophilic reagents. Reactivity and x–ray structure of the trithiocarbonate complex S,S–(methyl trithiocarbonato)[1,1,1,–tris(diphenylphosphinomethyl)ethane]cobalt tetraphenylborate tetrahydrofuran (1/1.5), 799–804
TUNGSTATE
Matrix–isolation studies on molecular potassium chromate(VI), molybdate(VI), and tungstate(VI), 505–10
Mixed–valence fluoropolytungstates, 2439–43
TUNGSTEN
Preparation and reactions of nitrosyl complexes of molybdenum and tungsten: x–ray structure of trans–bis[1,2–bis(diphenylphosphino)ethane]hydroxy(nitrosyl)molybdenum–tetrahydrofuran (1:2), 79–87
Influence of metal to diimine π–backbonding on the resonance–Raman spectra of $[M(CO)_4L]$, fac–$[Re(CO)_3LCl]$, and $[Ru(CO)_3L]$ complexes (M = Mo or W; L = diimine), 275–82
The formation, structure, and reversible carbonylation of $[(\eta^5–C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5–C_5H_5)M,M'(CO)_8(SR)]$ with hexafluorobut–2–yne, 283–9
Hydrazido(2–) complexes of tungsten(V) and –(VI) and a bis(diazenido) complex of tungsten(IV). X–ray crystal structure of cis–trichlorobis(dimethylphenylphosphine)hydrazidotungsten(–V), 345–52
Nitrosyl complexes of molybdenum and tungsten. Part 15. Iodo(monoalkylamido)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum complexes, some related tungsten compounds, and the crystal and molecular structure of ethylamido(iodo)nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 429–38
Further comments on one–electron oxidation versus nitrosyl complex formation during the reactions of the nitrosyl cation with metal carbonyl derivatives, 477–9
Synthesis, reactions, and crystal structures of carbonyl–free hydride–bridged mixed organotransition metal derivatives of bis(phosphine)rhodium(III) or –iridium(III) cations with dihydridobis(η^5–cyclopentadienyl)molybdenum and –tungsten, 541–8
Synthesis of the compounds $[Hg(PPh_2[M(CO)_5])_2]$ (M = chromium, molybdenum, or tungsten), 667–8
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 10. Synthesis of dicobalt– and dirhodium–tungsten complexes with μ_3–tolylidyne groups; crystal structures of $[Co_2W(\mu_3–CC_6H_4Me–4)(CO)_8(\eta–C_5H_5)]$ and $[Rh_2W(\mu_3–CC_6H_4Me–4)(acac)_2(\mu–CO)(CO)_2(\eta–C_5H_5)]$ (acac = acetylacetonate), 699–708
The preparation and reactions of azidobis[1,2–bis(diphenylphosphino)ethane]nitridotungsten(IV), 821–4
The mechanism of formation of hydrazido(2–) and hydrido complexes by the reaction of dinitrogen complexes with acids in tetrahydrofuran, 917–25
Nitrosyl complexes of molybdenum and tungsten. Part 16.

TUNGSTEN(contd)
Symmetrical and unsymmetrical bisalkoxy– and mixed alkoxy–amido complexes of tris(3,5–dimethylpyrazolyl)boratomolybdenum, related tungsten species, and the structure of bis(ethoxy)–, bis(isopropoxy)–, and ethoxy(isopropoxy)–nitrosyl[tris(3,5–dimethylpyrazolyl)borato]molybdenum, 951–65
Paramagnetic transition metal carbonyls and cyanides. Part 7. Electron addition to pentacarbonyl halides of chromium, molybdenum, tungsten, and rhenium induced by ionizing radiation. An electron spin resonance study, 991–7
Magnetic moments and electron spin resonance spectra of some iron–sulfur–molybdenum and –tungsten cubane–like cluster dimers, 1575–85
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 11. Some reactions of the compound [PtW–(μ–C(OMe)C_6H_4Me–4)(CO)$_5$(η–C_8H_{12})] and the crystal structure of one isomer of [Pt_3(μ–C(OMe)C_6H_4Me–4)$_3$(CO)$_3$], 1741–7
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 12. Reaction of the complexes [PtW(μ–CC_6H_4Me–4)(CO)$_2$(PR_3)$_2$(η–C_5H_5)] with carbon monoxide. Crystal structure of [Pt_2W(μ_3–CC_6H_4Me–4)(CO)$_4$($PMePh_2$)$_2$(η–C_5H_5)], 1749–55
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 13. Synthesis of platinumirontungsten trimetal compounds with μ_3–tolylidyne groups: crystal structures of [FePtW(μ_3–CR)(CO)$_5$($PMePh_2$)$_2$(η–C_5H_5)] and [FePtW(μ_3–CR)(CO)$_6$(PEt_3)(η–C_5H_5)] (R = C_6H_4Me–4), 1757–64
Organic chemistry of dinuclear metal centers. Part 2. Combination of dimethyl acetylenedicarboxylate with carbon monoxide at a ditungsten center: crystal structure of μ–[1,3–σ:1–2–η–1,2–bis(methoxycarbonyl)–3–oxopropene–1,3–diyl–$C^{1,3}$:C^{1-2}]bis[dicarbonyl(η–cyclopentadienyl)tungsten] (W–W), 1783–8
Further evidence for 1,2–hydrogen shift equilibriums in the bis(η–cyclopentadienyl)methyltungsten system, 1789–93
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
Transition metal chemical shifts in complexes of molybdenum(0) and tungsten(0), 2353–8
Chemistry of cis–bis(2,2'–bipyridine)dicarbonylmolybdenum(0) and –tungsten(0). Substitution reactions with phosphorus donor ligands and with isocyanides, 2397–402
Chemistry of di– and trimetal complexes with bridging carbene or carbyne ligands. Part 14. Triangulo–metal complexes containing tungsten with iron, cobalt, rhodium, or nickel and a capping tolylidyne ligand: crystal structure of the complex [RhFeW(μ_3–CC_6H_4Me–4)(μ–CO)(CO)$_5$(η–C_5H_5)(η–C_9H_7)], 2475–83
TYROSINE
Formation constants of complexes of tyrosine, 485–6
UNDECACARBONYLCYANOMETHANETRIOSMIUM
Crystal and molecular structures of undecacarbonyl(cyanomethane-)triosmium and decacarbonylbis(cyanomethane)triosmium, 233–5
URANIUM
New amide complexes of uranium(IV) thiocyanate: the crystal structure of tetraisothiocyanatotris(N,N,2–trimethylpropionamide–O)uranium(IV), 19–23
Actinide structural studies. Part 1. Crystal and molecular structures of dinitratodioxobis(triphenylphosphine oxide)neptunium(VI), dinitratodioxobis(triphenylphosphine oxide)uranium(VI), and dichlorodioxo(triphenylphosphine oxide)neptunium(VI), 25–31
Helium–I and –II photoelectron studies of bonding in metal silylamido complexes, M[$N(SiMe_3)_2$]$_n$ (n = 1, 2 or 3), 887–92
N,N–dimethyl– and N,N–diethylpropionamide complexes of uranium tetrachloride; crystal structure of trichlorotetrakis(N,N–diethylpropionamide)uranium(IV) pentachloro(N,N–diethylpropionamide)uranate(IV), [UCl_3($EtCONEt_2$)$_4$]+[UCl_5($EtCONEt_2$)]$^-$, 1361–4
Some oxygen–donor complexes of cyclopentadienyluranium(IV) N–thiocyanate: steric considerations and stability, 1365–9
Halogen exchange reactions involving uranium(V) and –(VI) halides, 1385–8
Anionic tris(cyclopentadienyl)actinide(IV) complexes, 1999–2007
Linear ordering of oxygen clusters in hyperstoichiometric uranium dioxide, 2169–73
URANYL
Actinide structural studies. Part 3. The crystal and molecular structures of $UO_2SO_4.H_2SO_4.5H_2O$ and $2NpO_2SO_4.H_2SO_4.4H_2O$ 869–73
Fluoride donor properties of uranyl difluoride: preparation and characterization of the adducts $UF_2O_2.nSbF_5$ (n = 2 or 3) and crystal structure of $UF_2O_2.3SbF_5$, 1355–60
Preparation and characterization of the uranyl fluoride–antimony pentafluoride adduct, $UF_2O_2.4SbF_5$, 1635–6
Energy transfer in actinyl compounds. Part 2. Defect centers in sodium uranyl triacetate, 1691–7
UREA
Condensation of ammonium phosphates with urea at 120°C, 2527–31
UV
The preparation and properties of [Cu(chelate)X_2] complexes. Crystal structure and electronic properties of [bis(2–pyridyl)amine]dibromocopper(II), 143–6
Binary and ternary complexes of chromium(III) involving iminodiacetic acid, L(+)–aspartic acid, L(+)–glutamic acid, or L(+)–cysteine as ligands, 291–7
Studies on binuclear copper(II) complexes involving coordination of (quadridentate Schiff base)copper(II) with (tertiary diamine)copper(II), 359–62
Ternary complexes of copper(II) with N–protected amino acids and N–methylimidazole. Crystal and molecular structures of bis(N–acetyl–α–alaninato)bis(N–methylimidazole)copper(II) dihydrate, 781–5
Electronic properties and crystal structure of (2,2'–bipyridyl)–catena–μ–(oxalato–O^1,O^2:$O^{1'}$,$O^{2'}$)copper(II) dihydrate and aqua(2,2'–bipyridyl)(oxalato–O^1,O^2)copper(II) dihydrate, 1117–21
Electronic, Raman, and resonance Raman spectra of mixed–valence anion–chain complexes of platinum, 1371–6
Coordination selectivity in the reaction of aluminum(III) with 8–hydroxy–7–[6'–sulfo–2'–naphthyl)azo]quinoline–5–sulfonic acid, 1377–9
The single crystal electronic properties and stereochemistry of tripotassium penta(nitro/nitrito)cuprate(II), 1439–41
Syntheses of tervalent iridium complexes of octaethylporphyrin. Infuence of axial ligands on their ultraviolet–visible, infrared, and nuclear magnetic resonance spectra and redox potentials, 1611–16
Electronic and resonance Raman spectra of mixed–valence, linear–chain complexes of platinum and palladium with 1,2–diaminocycloalkanes (N–N), [M(II)(N–N)$_2$][M(IV)(N–N)$_2X_2$]X_4 (X = halogen), 1851–60
Tetrachlorooxoosmium(VI): a new synthesis, and matrix–isolation infrared and ultraviolet–visible studies, 1877–8
Infrared and electronic spectra of matrix–isolated dichlorodioxo– and dibromodioxomolybdenum(VI) and –tungsten(VI), 2009–13
VALENCE
Mixed–valence fluoropolytungstates, 2439–43
Electronic, infrared, and resonance–Raman spectroscopic studies of the linear–chain, halogen–bridged, mixed–valence complexes [$Pt(NH_3)_4$][$Pt(NH_3)_4X_2$]Y_4 (X = Br or I, Y = HSO_4, ClO_4, or BF_4). The x–ray crystal structures of [$Pt(NH_3)_4$][$Pt(NH_3)_4Br_2$][HSO_4]$_4$ and [$Pt(NH_3)_4$][$Pt(NH_3)_4I_2$][HSO_4]$_3$[OH].H_2O, 2505–13
VALINATOTIN
Synthesis and spectroscopic studies of inorganic tin derivatives of amino acids and their esters, 439–44
VANADIUM
Structural and mechanistic studies of coordination compounds. Part 33. Inner–sphere vs. outer–sphere mechanisms in the reductions of some trans–dianiono(tetramine)ruthenium(III) cations by chromium(II) and vanadium(II), 865–8
Solution and matrix photochemistry of the isoelectronic series of half–sandwich carbonyl(η^5–cyclopentadienyl)nitrosyl complexes of manganese, chromium, and vanadium, [M(η^5–C_5H_5)(CO)$_{3-n}$(NO)$_n$] (n = 0, M = Mn; n = 1, M = Cr; n = 2, M = V), 1261–73
Vanadium(IV) porphyrins. Synthesis and spectrochemical characterization of dihalovanadium(IV) porphyrins. Extended x–ray absorption fine structural study of dibromo(2,3,7,8,12,13,17,18–octaethylporphyrinato)vanadium(IV), 1451–6
The reaction of hexacarbonylvanadium with aromatic compounds. Part 4. Properties of tetracarbonylvanadium arene cations and the crystal and molecular structure of tetracarbonyl(1,2,4,5–tetramethylbenzene)vanadium(I) hexacarbonylvanadate(1–), 1993–7
Interaction of vanadyl acetylacetonate with solvents. The vanadium–51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90
VANADYL
Interaction of vanadyl acetylacetonate with solvents. The

VANADYL(contd)
vanadium–51 hyperfine interaction in mixtures of ethanol and carbon tetrachloride, 2289–90
VIB
Oxygen–17 nuclear magnetic resonance spectra of mononuclear manganese and dinuclear Group VIB metal carbonyl complexes, 257–61
The formation, structure, and reversible carbonylation of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_7(SR)]$ complexes: reactions of $[(\eta^5\text{–}C_5H_5)M,M'(CO)_6(SR)]$ with hexafluorobut–2–yne, 283–9
VIII
Transition metal–carbon bonds. Part 54. Complexes of palladium, platinum, rhodium, and iridium with $(Me_3C)_2PCH_2CHMe(CH_2)_3P(CMe_3)_2$. Crystal structures of [2–methyl–1,5–bis(di–tert–butylphosphino)pent–3–yl–C^3 PP']–chloropalladium(II) and –chlorohydridoiridium(III), 1829–35
VINYL
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
VINYLCYCLOOCTATETRAENE
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
VINYLIDENE
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
VINYLIDENEBISCARBONYLINDENYLRHODIUM
Reactions of coordinated ligands. Part 26. The reaction of ethylene and acetylene with tri–μ–carbonyltris(η^5–indenyl)–triangulo–trirhodium: the formation and molecular structure of the bridged vinylalkylidene complex μ–vinylidenebis[carbonyl(1–5–η–indenyl)rhodium](Rh–Rh), and its protolysis to form a bridged cationic vinyl complex, 319–26
VINYLIDENERUTHENIUM
Cyclopentadienylruthenium and –osmium chemistry. Part 20. Synthesis and x–ray structure of a cationic ruthenium–vinylidene complex (1–5–η–cyclopentadienyl)propenylidenebis(trimethylphosphine)ruthenium hexafluorophosphate, 2203–7
VINYLPHOSPHINETRIOSMIUM
Reactions of $[Os_3H_2(CO)_9(PR_3)]$, PR_3 = PPh_3, PPh_2Et, or $P(OMe)_3$, with nucleophiles, 1049–54
VOLTAMMETRY
Arylazooximates of ortho–palladated azobenzenes: synthesis, isomerism, and redox behavior, 675–9
WATER
Silver(I) catalyzed oxidation of water with cerium(IV) in aqueous perchloric acid solutions and the reaction of cerium(IV) with silver(I) in the presence of bipyridyl, 549–53
Axial additions in nickel(II) complexes of (5SR,7RS,12RS,14SR)–tetramethyl–1,4,8,11–tetraazacyclotetradecane (L_a) and crystal structure analysis of the planar orange and octahedral violet perchlorate salts $NiL_a(ClO_4)_2$, 1531–9
Kinetics and mechanism of the silver(I) catalyzed oxidation of water with peroxodiphosphate in acetate buffers, 1845–9
The photochemical water–gas shift reaction catalyzed by bis(2,2'–bipyridyl)(carbonyl)chlororuthenium(II) chloride, 1885–93
WITTIG
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
XYLENEDITHIOLATO
Electron spin resonance and Moessbauer evidence for the trianion di–μ–sulfidobis[o–xylene–α,α'–dithiolatoferrate](3–), 2015–20
YLIDE
Preparation and utilization of organometallic ylides containing the tricarbonyliron unit, 1247–51
ZINC
Formation constants of complexes of tyrosine, 485–6
Polymeric thiolate complexes in solution. Stability constants of the zinc(II) complexes of 1–methyl–4–mercaptopiperidine, 487–92
Equilibrium studies of binary and mixed–ligand complexes of zinc(II) involving imidazole, histamine, and L–histidine as ligands 555–9
Investigation into aroylhydrazones as chelating agents. Part 2. Neutral and deprotonated ligand behavior of 2,6–diacetylpyridine bis(picolinoylhydrazone) in complexes of manganese(2+), cobalt(2+), nickel(2+), and zinc(2+) and x–ray structure of diaqua[2,6–diacetylpyridine bis(picolinoylhydrazonato)(2–)]manganese(II), 1349–54
Zero–field splitting of manganese(II) ions in polymeric MN_2X_4 (M = Cd or Zn, X = halogen) coordination, 1429–32
ZIRCONIUM
Uptake of amino acids by zirconium phosphates. Part 2. Intercalation of L–histidine, L–lysine, and L–arginine by α–zirconium phosphate, 2499–503

PUBLICATIONS AND INFORMATION BOARD

C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S. (Chairman)
K. W. Bagnall, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
H. J. Cluley, M.Sc., Ph.D., C.Chem., F.R.S.C.
*E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
*R. D. Guthrie, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.A.C.I.
R. Howe, B.Sc., Ph.D., C.Chem., F.R.S.C.
*G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
F. J. McQuillin, M.A., D.Phil., D.Sc., C.Chem., F.R.S.C.
*J. A. Pickup, B.A.
F. S. Stone, Ph.D., D.Sc., C.Chem., F.R.S.C.
*K. W. Sykes, B.Sc., M.A., D.Phil., C.Chem., F.R.S.C.
J. M. Thomas, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*J. M. Ward, B.Sc., C.Chem., F.R.S.C.
W. B. Whalley, Ph.D., D.Sc., C.Chem., F.R.S.C.
*P. A. H. Wyatt, B.Sc., Ph.D., F.R.S.C., F.R.S.E.

JOURNALS COMMITTEE

G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E. (Chairman)
*L. Crombie, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
C. H. Hassall, Ph.D., Sc.D., C.Chem., F.R.S.C.
P. M. Maitlis, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*J. M. Ottaway, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.E.
*C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*M. C. R. Symons, Ph.D., D.Sc., C.Chem., F.R.S.C.
*I. A. Williams, M.A., Ph.D., M.I.Inf.Sc., C.Chem., F.R.S.C.

DALTON EDITORIAL BOARD

E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E. (Chairman)
A. J. Downs, M.A., Ph.D.
*M. Green, B.Sc., Ph.D., C.Chem., M.R.S.C.
*G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
G. J. Leigh, B.Sc., Ph.D.
P. M. Maitlis, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
H. Nöth, Dipl.Chem., Hon.F.R.S.C.
G. Stedman, B.Sc., Ph.D., C.Chem., F.R.S.C.
P. Woodward, B.Sc., Ph.D.

*Ex officio member

© Copyright 1982 by The Royal Society of Chemistry

NEW PUBLICATIONS from The Royal Society of Chemistry

Specialist Periodical Reports

Photochemistry Vol.13

Senior Reporter: D. Bryce-Smith

This thirteenth volume in the series covers the literature published between July 1980 and June 1981.

Brief Contents:
Part I: Physical Aspects of Photochemistry; Part II Photochemistry of Inorganic and Organometallic Compounds; Part III: Organic Aspects of Photochemistry; Part IV: Polymer Photochemistry; Part V: Photochemical Aspects of Solar Energy Conversion.

"The latest in this series of reviews of literature continues to be indispensable to physical and organic photochemists and makes interesting reading for those active on the periphery of this subject." — *David I. Schuster, Jnl of Medicinal Chemistry, reviewing Vol. 10*

Hardcover 663pp 0 85186 115 6
Price £82.00 ($154.00)
RSC Members £44.00

Colloid Science Vol.4

Senior Reporter: D.H. Everett

The fourth volume in the series reviews the literature published between 1977 and 1981.

Brief Contents:
Adsorption on Heterogeneous Surfaces; The Dubinin-Radushkevich (DR) Equations: History of a Problem and Perspectives for a Theory; Adsorption from Solution; Statistical Mechanics of Colloidal Suspensions; Micellar Structure and Catalysis; A Bibliography of Gas-Liquid Surface Tensions for Binary Fluid Mixtures.

"There is something for everyone here, all clearly written reviews of good coverage . . . The editor and his authors are to be commended for their efforts in providing a book which is compulsory reading for those wishing to keep abreast of advances in the subject." — *Chemistry and Industry, reviewing Vol. 2*

Hardcover 343pp 0 85186 538 0
Price £48.00 ($89.00)
RSC Members £30.00

NEW BOOK for Students and Teachers of Chemistry

WATER

by Felix Franks

In this book, Professor Franks considers the present state of our knowledge of liquid water, its remarkable physical properties and how these give rise to a unique liquid 'structure', its influence on the interactions between solutes, its role in maintaining biologically active structures, its involvement in chemical reactions, and the problems posed by its management and in providing adequate amounts of water of adequate quality.

This book can easily be appreciated by anyone from A-level upwards, but it will be most useful to teachers and students of a variety of courses in universities and polytechnics.

Professor Franks is a world authority on water, and has devoted a good proportion of his life to the study of water.

Contents:
Occurrence, importance and physical properties; The place of water in the general classification of liquids; Isotopic composition; The structure of the water molecule and the nature of the hydrogen bond in water; Ice — Its structure and dynamics; The structure of liquid water; The dynamic properties of liquid water; Towards a molecular description of water; Aqueous solutions of simple molecules; Aqueous solutions of electrolytes; The role of water in the stabilisation of biologically significant structures; Reactions in aqueous solutions; Water in the environment — quality, availability and exploitation; Summary and future prospects.

Softcover 100pp 0 85186 493 7
Price £2.50 ($5.00)
No discount for RSC Members

RSC Members should send their orders to:
The Royal Society of Chemistry,
The Membership Officer, 30 Russell Square,
London WC1B 5DT.

Non-RSC Members
The Royal Society of Chemistry,
Distribution Centre, Blackhorse Road,
Letchworth, Herts SG6 1HN, England.

ROYAL SOCIETY OF CHEMISTRY

The Royal Society of Chemistry, Burlington House Piccadilly London W1V 0BN

Printed in Great Britain by Richard Clay (The Chaucer Press), Ltd., Bungay, Suffolk

C 26
0 5E2
1 3E5
2 235
3 E28
4 283
5 5E2
6 385
7 8E3